

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: B001

Issue date: 2014/11/13 Revision date: 2024/7/31 Supersedes version of: 2017/12/2 Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Single-element Standard Solution for AAS.  
Silver (Ag) in HNO<sub>3</sub> 2%  
Product code : B001

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Reference material  
Function or use category : Laboratory chemicals

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Spectracer UK Ltd.

Third Floor,  
55 Blandford Street,  
London,  
W1U 7HW,  
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: [contact@spectracer.co.uk](mailto:contact@spectracer.co.uk)

Web: [www.spectracer.com](http://www.spectracer.com)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	<a href="http://www.npis.org">http://www.npis.org</a>	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Hazardous to the aquatic environment – Acute Hazard,  
Category 1 H400

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

: Warning

Contains

: silver nitrate; nitric acid

Hazard statements (CLP)

: H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P391 - Collect spillage.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
silver nitrate (7761-88-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	1 – 5	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
silver nitrate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7761-88-8 EC-No.: 231-853-9 EC Index-No.: 047-001-00-2 REACH-no: 01-2119513705-43-XXXX	0,1 – 0,25	Ox. Sol. 2, H272 Met. Corr. 1, H290 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=100)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
nitric acid	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	(5 ≤ C < 20) Skin Corr. 1B, H314 (20 ≤ C < 100) Skin Corr. 1A, H314 (65 ≤ C < 99) Ox. Liq. 3, H272 (99 ≤ C < 100) Ox. Liq. 2, H272

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

###### silver nitrate (7761-88-8)

##### EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Silver (soluble compounds as Ag)
IOEL TWA	0,01 mg/m <sup>3</sup> 0,01 mg/m <sup>3</sup>
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC

##### Albania - Occupational Exposure Limits

Local name	Argjend, metalik
OEL TWA	0,1 mg/m <sup>3</sup>

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
<b>Austria - Occupational Exposure Limits</b>	
Local name	Silber
MAK (OEL TWA)	0,1 mg/m <sup>3</sup>
MAK (OEL STEL)	0,1 mg/m <sup>3</sup>
Regulatory reference	BGBl. II Nr. 156/2021 BGBl. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Argent (composés solubles) (en Ag) # Zilver (oplosbare verbindingen, als Ag)
OEL TWA	0,01 mg/m <sup>3</sup> (Argent (composés solubles) (en Ag); Belgium; Time-weighted average exposure limit 8 h)
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Сребро, метал•
OEL TWA	0,1 mg/m <sup>3</sup> 0,1 mg/m <sup>3</sup> метал 0,01 mg/m <sup>3</sup> разтворими съединения (като сребро)
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Srebro, metal
GVI (OEL TWA) [1]	0,1 mg/m <sup>3</sup> 0,01 mg/m <sup>3</sup>
Remark	EU* (naznaka da se radi o tvarima za koje su utvrđene indikativne granične vrijednosti izloženosti prema Direktivi 2000/39/ EC (prva lista))
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
<b>Cyprus - Occupational Exposure Limits</b>	
Local name	Άργυρος (διαλυτές ενώσεις ως Ag)
OEL TWA	0,01 mg/m <sup>3</sup>
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Stříbro
PEL (OEL TWA)	0,1 mg/m <sup>3</sup>
NPK-P (OEL C)	0,3 mg/m <sup>3</sup>
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Sølv, pulver, støv og opløselige forbindelser
OEL TWA [1]	0,01 mg/m <sup>3</sup> beregnet som Ag
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 2203 af 29. november 2021
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Hõbe, metall, vähelahustuvad ühendid
OEL TWA	0,1 mg/m <sup>3</sup> arvutatud hõbedale
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Hopea, metalli
HTP (OEL TWA) [1]	0,1 mg/m <sup>3</sup> Ag
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
<b>France - Occupational Exposure Limits</b>	
Local name	Argent (métallique)
VME (OEL TWA)	0,1 mg/m <sup>3</sup>
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Silber
AGW (OEL TWA) [1]	0,1 mg/m <sup>3</sup> E (mg/m <sup>3</sup> )
Peak exposure limitation factor	8(II)
Remark	DFG,EU
Regulatory reference	TRGS900
<b>Gibraltar - Occupational Exposure Limits</b>	
Local name	Silver (soluble compounds as Ag)
OEL TWA	0,01 mg/m <sup>3</sup>
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
<b>Greece - Occupational Exposure Limits</b>	
Local name	Άργυρος μεταλλικός
OEL TWA	0,1 mg/m <sup>3</sup>
Regulatory reference	Π.Δ. 339/2001 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
<b>Hungary - Occupational Exposure Limits</b>	
Local name	EZÜST, fém
AK (OEL TWA)	0,1 mg/m <sup>3</sup>
CK (OEL STEL)	0,4 mg/m <sup>3</sup>

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
Remark	EU1 (2000/39/EK irányelvben közölt érték); T (Azok az anyagok, amelyek egészségkárosító hatása TARTÓS expozíciót követően jelentkezik)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Silver (metallic)
OEL TWA [1]	0,1 mg/m <sup>3</sup>
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Argento, metallico
OEL TWA	0,1 mg/m <sup>3</sup>
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Sudrabs,metāliskais
OEL TWA	0,1 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Luxembourg - Occupational Exposure Limits	
Local name	Argent métallique
OEL TWA	0,1 mg/m <sup>3</sup>
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Silver,metallic
OEL TWA	0,1 mg/m <sup>3</sup>
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Zilver, metallisch
TGG-8u (OEL TWA)	0,1 mg/m <sup>3</sup>
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Srebro dymy i pyły
NDS (OEL TWA)	0,05 mg/m <sup>3</sup>
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Prata

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
OEL TWA	0,1 mg/m <sup>3</sup> Metal, poeiras e fumos 0,01 mg/m <sup>3</sup> Compostos solúveis, expressos em Ag
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Argent
OEL TWA	0,1 mg/m <sup>3</sup> (Metalic)
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	сребро, метал
OEL TWA	0 mg/m <sup>3</sup>
Remark	EУ* – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2000/39/ЕЗ (прва листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Striebro (ako Ag)
NPHV (OEL TWA) [1]	0,1 mg/m <sup>3</sup> kovové 0,01 mg/m <sup>3</sup> rozpustné zlúčeniny
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	srebro [7440-22-4] (topne spojine, računano kot Ag)
OEL TWA	0,01 mg/m <sup>3</sup>
OEL STEL	0,02 mg/m <sup>3</sup>
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Plata
VLA-ED (OEL TWA) [1]	0,1 mg/m <sup>3</sup> metal 0,01 mg/m <sup>3</sup> Compuestos solubles de plata, como Ag
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Silver, metall och svårlösliga föreningar (som Ag)
NGV (OEL TWA)	0,1 mg/m <sup>3</sup> totaldamm



# Single-element Standard Solution for AAS.

## Silver (Ag) in HNO<sub>3</sub> 2%

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
Remark	3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagnings av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
<b>Sweden - Biological limit values</b>	
Local name	Kvicksilver
BLV	50 nmol/l Kvicksilverhalten i blod
Regulatory reference	Medicinska kontroller i arbetslivet (AFS 2019:3)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Silver
WEL TWA (OEL TWA) [1]	0,01 mg/m <sup>3</sup> soluble compounds as Ag 0,1 mg/m <sup>3</sup> metallic
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Silfur, duft, ryk og leysanleg sambönd, sem Ag
OEL TWA	0,01 mg/m <sup>3</sup>
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Sølv, metallstøv og røyk
Grenseverdi (OEL TWA) [1]	0,1 mg/m <sup>3</sup>
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
<b>North Macedonia - Occupational Exposure Limits</b>	
Local name	Сребро (растворливи соединенија, сметано како Ag)
OEL TWA	0,01 mg/m <sup>3</sup>
Remark	(EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Silber
MAK (OEL TWA) [1]	0,1 mg/m <sup>3</sup> 0,01 mg/m <sup>3</sup>
KZGW (OEL STEL)	0,8 mg/m <sup>3</sup> 0,02 mg/m <sup>3</sup>
Critical toxicity	Peau / Haut
Remark	e(mg/m <sup>3</sup> ) - Haut <sup>KT HU</sup> - NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

silver nitrate (7761-88-8)	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Silver
ACGIH OEL TWA	0,01 mg/m <sup>3</sup> (Silver Soluble compounds, as Ag; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Remark (ACGIH)	TLV® Basis: Argyria
Regulatory reference	ACGIH 2022
<b>nitric acid (7697-37-2)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Nitric acid
IOEL STEL	2,6 mg/m <sup>3</sup> 2,6 mg/m <sup>3</sup>
IOEL STEL [ppm]	1 ppm 1 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
<b>Albania - Occupational Exposure Limits</b>	
Local name	Acid nitrik
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDËTIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
<b>Austria - Occupational Exposure Limits</b>	
Local name	Salpetersäure
MAK (OEL STEL)	2,6 mg/m <sup>3</sup> (Mow)
MAK (OEL STEL) [ppm]	1 ppm (Mow)
OEL C	2,6 mg/m <sup>3</sup>
OEL C [ppm]	1 ppm
Regulatory reference	BGBI. II Nr. 156/2021 BGBI. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Acide nitrique # Salpeterzuur
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Азотна киселина
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Dušična kiselina
KGVI (OEL STEL)	2,6 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	1 ppm
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граничним vrijednostima izloženosti i biološkim граничним vrijednostima (NN 1/2021)
Cyprus - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina dusičná
PEL (OEL TWA)	1 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	0,4 ppm
NPK-P (OEL C)	2,5 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	1 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Salpetersyre
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Lämmastikhape
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Typpihapo
HTP (OEL TWA) [1]	1,3 mg/m <sup>3</sup>

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
HTP (OEL TWA) [2]	0,5 ppm
HTP (OEL STEL)	2,6 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	1 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveystieteiden ministeriö)
France - Occupational Exposure Limits	
Local name	Acide nitrique
VLE (OEL C/STEL)	2,6 mg/m <sup>3</sup>
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Salpetersäure
AGW (OEL TWA) [1]	2,6 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	1 ppm
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 16 - Der Arbeitsplatzgrenzwert ist nur als Kurzzeitwert festgelegt. Die betriebliche Überwachung soll durch messtechnische Mittelwertbildung über 15 Minuten erfolgen, z.B. durch eine 15-minütige Probenahme
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Π.Δ. 162/2007 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	SALÉTROMSAV
CK (OEL STEL)	2,6 mg/m <sup>3</sup>
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármát), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármát); EU2 (2006/15/EK irányelvben közölt érték)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Nitric acid

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Acido nitrico
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Slāpekšķābe
OEL TWA	2 mg/m <sup>3</sup>
OEL TWA [ppm]	0,78 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Lithuania - Occupational Exposure Limits	
Local name	Nitrato rūgštis (azoto rūgštis)
TPRV (OEL STEL)	2,6 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	1 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide nitrique
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Salpeterzuur
TGG-15min (OEL STEL)	1,3 mg/m <sup>3</sup>
TGG-15min (OEL STEL) [ppm]	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Regulatory reference	Arbeidsomstandighedenregeling 2022

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
<b>Poland - Occupational Exposure Limits</b>	
Local name	Kwas azotowy (V)
NDS (OEL TWA)	1,4 mg/m <sup>3</sup>
NDSch (OEL STEL)	2,6 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Ácido nítrico
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	4 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Romania - Occupational Exposure Limits</b>	
Local name	Acid nitric/Acid azotic
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
<b>Serbia - Occupational Exposure Limits</b>	
Local name	азотна киселина
OEL STEL	3 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	EУ** – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2006/15/ЕЗ (друга листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Kyselina dusičná
NPHV (OEL STEL)	2,6 mg/m <sup>3</sup>
NPHV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>Slovenia - Occupational Exposure Limits</b>	
Local name	dušikova kislina
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
<b>Spain - Occupational Exposure Limits</b>	
Local name	Ácido nítrico

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
VLA-EC (OEL STEL)	2,6 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Salpetersyra
NGV (OEL TWA)	1,3 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	0,5 ppm
KTV (OEL STEL)	2,6 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Nitric acid
WEL STEL (OEL STEL)	2,6 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Saltþéurssýra
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Salpetersyre
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	2 ppm
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	азотна киселина
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
KTV	1
Short time value [mg/m <sup>3</sup> ]	2,6 mg/m <sup>3</sup>
Short time value [ppm]	1 ppm

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Remark	(КТВ) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m <sup>3</sup> или во ml/m <sup>3</sup> (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (EU) European Union – гранична вредност, определена на ниво на Европската унија; (*) дополнување на граничната вредност заради донесената Директива на Комисијата 2006/15ES од 7 февруари 2006 за создавање на втора листа на индикативни гранични вредности за професионална изложеност според директивата 98/24/EC и за измените на директивата 91/322/EEC и директивата 2000/39/ EC (Сл. весник бр. 38 од ден 9.2.2006, стр. 36)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија” бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Acide nitrique / Salpetersäure
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	2 ppm
KZGW (OEL STEL)	5 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
USA - ACGIH - Occupational Exposure Limits	
Local name	Nitric acid
ACGIH OEL TWA [ppm]	2 ppm
ACGIH OEL STEL [ppm]	4 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
Regulatory reference	ACGIH 2022

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.



# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: slight.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 2
Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: ≈ 1,02
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

silver nitrate (7761-88-8)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

nitric acid (7697-37-2)	
LC50 Inhalation - Rat	> 2,65 mg/L air

Skin corrosion/irritation : Causes skin irritation.  
pH: < 2

nitric acid (7697-37-2)	
pH	< 1

Serious eye damage/irritation : Causes serious eye irritation.  
pH: < 2

nitric acid (7697-37-2)	
pH	< 1

Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

<b>silver nitrate (7761-88-8)</b>	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight

<b>nitric acid (7697-37-2)</b>	
NOAEL (oral, rat, 90 days)	1500 mg/kg bodyweight
NOAEC (inhalation, rat, gas, 90 days)	2,15 ppm

Aspiration hazard : Not classified

<b>nitric acid (7697-37-2)</b>	
Viscosity, kinematic	0,595 mm <sup>2</sup> /s

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

<b>silver nitrate (7761-88-8)</b>	
LC50 - Fish [1]	1,5 µg/l (Silver (Ag)) Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	0,22 µg/l Silver (Ag) Daphnia magna (Water flea)

<b>nitric acid (7697-37-2)</b>	
EC50 - Crustacea [1]	180 mg/l Daphnia magna (Water flea)
Threshold limit - Algae [1]	> 19 mg/l

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

<b>silver nitrate (7761-88-8)</b>	
BCF - Fish [1]	11 – 19
Partition coefficient n-octanol/water (Log Pow)	0,19 (estimated value)

<b>nitric acid (7697-37-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	-2,3

### 12.4. Mobility in soil

No additional information available

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

Component	
silver nitrate (7761-88-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code	: 16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate)	Environmentally hazardous substance, liquid, n.o.s. (silver nitrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (silver nitrate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
				
<b>14.4. Packing group</b>				
III	III	III	III	III

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC code	: •3Z

### Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

### Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Single-element Standard Solution for AAS. Silver (Ag) in HNO <sub>3</sub> 2% ; nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Single-element Standard Solution for AAS. Silver (Ag) in HNO <sub>3</sub> 2%	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

Please see [https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\\_en](https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK)

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510)

: LGK 12 - Non-combustible liquids.

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

ABM category

: B(1) - highly toxic for aquatic organisms

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Added	
	Revision date	Modified	
	Flammability	Modified	
1.2	Use of the substance/mixture	Added	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard pictograms (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
5.1	Suitable extinguishing media	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Personal protective equipment	Modified	
9.1	Solubility	Added	
9.1	Freezing point	Added	
9.1	pH	Added	
9.1	Odour	Added	
9.1	Colour	Added	
9.1	Boiling point	Added	
9.1	Relative density	Modified	
12.1	Ecology - general	Modified	
15.1	REACH Annex XVII	Modified	
16	Abbreviations and acronyms	Added	

#### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)



# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

# Single-element Standard Solution for AAS. Silver (Ag) in HNO<sub>3</sub> 2%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.