

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: B041
Issue date: 2015/9/3 Revision date: 2024/7/31 Supersedes version of: 2017/12/2 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Single-element Standard Solution for AAS.
Lead (Pb) 1000mg/l in HNO₃ 2%
Product code : B041

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Reference material
Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Spectracer UK Ltd.

Third Floor,
55 Blandford Street,
London,
W1U 7HW,
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: contact@spectracer.co.uk

Web: www.spectracer.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: nitric acid; lead nitrate

Hazard statements (CLP)

: H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements

: EUH208 - Contains lead nitrate. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
lead nitrate (10099-74-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
lead nitrate(10099-74-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	1 – 5	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
lead nitrate substance listed as REACH Candidate (Lead dinitrate) substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, LV, NL, PL, PT, RO, SE, SI, SK, IS, MK, CH); substance with a Community workplace exposure limit	CAS-No.: 10099-74-8 EC-No.: 233-245-9 EC Index-No.: 082-001-00-6	0,1 – 0,25	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Skin Sens. 1B, H317 Carc. 2, H351 Repr. 1A, H360Df STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
nitric acid	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	(5 ≤ C < 20) Skin Corr. 1B, H314 (20 ≤ C < 100) Skin Corr. 1A, H314 (65 ≤ C < 99) Ox. Liq. 3, H272 (99 ≤ C < 100) Ox. Liq. 2, H272
lead nitrate	CAS-No.: 10099-74-8 EC-No.: 233-245-9 EC Index-No.: 082-001-00-6	(0,5 ≤ C ≤ 100) STOT RE 2, H373 (2,5 ≤ C ≤ 100) Repr. 2, H361f

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

nitric acid (7697-37-2)

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Nitric acid
IOEL STEL	2,6 mg/m ³ 2,6 mg/m ³
IOEL STEL [ppm]	1 ppm 1 ppm

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
Albania - Occupational Exposure Limits	
Local name	Acid nitrik
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Salpetersäure
MAK (OEL STEL)	2,6 mg/m ³ (Mow)
MAK (OEL STEL) [ppm]	1 ppm (Mow)
OEL C	2,6 mg/m ³
OEL C [ppm]	1 ppm
Regulatory reference	BGBI. II Nr. 156/2021 BGBI. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Acide nitrique # Salpeterzuur
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Азотна киселина
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Dušična kiselina
KGVI (OEL STEL)	2,6 mg/m ³
KGVI (OEL STEL) [ppm]	1 ppm
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граниčnim vrijednostima izloženosti i biološkim граниčnim vrijednostima (NN 1/2021)
Cyprus - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m ³

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL [ppm]	1 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina dusičná
PEL (OEL TWA)	1 mg/m ³
PEL (OEL TWA) [ppm]	0,4 ppm
NPK-P (OEL C)	2,5 mg/m ³
NPK-P (OEL C) [ppm]	1 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Salpetersyre
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Lämmastikhape
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Typpihappo
HTP (OEL TWA) [1]	1,3 mg/m ³
HTP (OEL TWA) [2]	0,5 ppm
HTP (OEL STEL)	2,6 mg/m ³
HTP (OEL STEL) [ppm]	1 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Acide nitrique
VLE (OEL C/STEL)	2,6 mg/m ³
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Salpetersäure
AGW (OEL TWA) [1]	2,6 mg/m ³

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
AGW (OEL TWA) [2]	1 ppm
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 16 - Der Arbeitsplatzgrenzwert ist nur als Kurzzeitwert festgelegt. Die betriebliche Überwachung soll durch messtechnische Mittelwertbildung über 15 Minuten erfolgen, z.B. durch eine 15-minütige Probenahme
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Π.Δ. 162/2007 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	SALÉTRÓMSAV
CK (OEL STEL)	2,6 mg/m ³
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármát), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármát); EU2 (2006/15/EK irányelvben közölt érték)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Acido nitrico
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Slāpekšķābe
OEL TWA	2 mg/m ³
OEL TWA [ppm]	0,78 ppm

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Lithuania - Occupational Exposure Limits	
Local name	Nitrato rūgštis (azoto rūgštis)
TPRV (OEL STEL)	2,6 mg/m ³
TPRV (OEL STEL) [ppm]	1 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide nitrique
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Salpeterzuur
TGG-15min (OEL STEL)	1,3 mg/m ³
TGG-15min (OEL STEL) [ppm]	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Kwas azotowy (V)
NDS (OEL TWA)	1,4 mg/m ³
NDSch (OEL STEL)	2,6 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido nítrico
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	4 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid nitric/Acid azotic
OEL STEL	2,6 mg/m ³

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL [ppm]	1 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	азотна киселина
OEL STEL	3 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	ЕУ** – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2006/15/ЕЗ (друга листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina dusičná
NPHV (OEL STEL)	2,6 mg/m ³
NPHV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	dušikova kislina
OEL TWA	2,6 mg/m ³
OEL TWA [ppm]	1 ppm
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Ácido nítrico
VLA-EC (OEL STEL)	2,6 mg/m ³
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Salpetersyra
NGV (OEL TWA)	1,3 mg/m ³
NGV (OEL TWA) [ppm]	0,5 ppm
KTV (OEL STEL)	2,6 mg/m ³
KTV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Nitric acid

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
WEL STEL (OEL STEL)	2,6 mg/m ³
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Saltpéturssýra
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Salpetersyre
Grenseverdi (OEL TWA) [1]	5 mg/m ³
Grenseverdi (OEL TWA) [2]	2 ppm
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	азотна киселина
OEL TWA	2,6 mg/m ³
OEL TWA [ppm]	1 ppm
KTV	1
Short time value [mg/m ³]	2,6 mg/m ³
Short time value [ppm]	1 ppm
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (EU) European Union – гранична вредност, определена на ниво на Европската унија; (*) дополнување на граничната вредност заради донесената Директива на Комисијата 2006/15ES од 7 февруари 2006 за создавање на втора листа на индикативни гранични вредности за професионална изложеност според директивата 98/24/ЕС и за измените на директивата 91/322/ЕЕС и директивата 2000/39/ ЕС (Сл. весник бр. 38 од ден 9.2.2006, стр. 36)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија” бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Acide nitrique / Salpetersäure
MAK (OEL TWA) [1]	5 mg/m ³
MAK (OEL TWA) [2]	2 ppm

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
KZGW (OEL STEL)	5 mg/m ³
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
USA - ACGIH - Occupational Exposure Limits	
Local name	Nitric acid
ACGIH OEL TWA [ppm]	2 ppm
ACGIH OEL STEL [ppm]	4 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
Regulatory reference	ACGIH 2022
lead nitrate (10099-74-8)	
EU - Binding Occupational Exposure Limit (BOEL)	
Local name	Inorganic lead and its compounds
BOEL TWA	0,15 mg/m ³
Regulatory reference	DIRECTIVE (EU) 2022/431 (amending Directive 2004/37/EC)
EU - Biological Limit Value (BLV)	
Local name	Lead and its inorganic compounds
BLV	30 µg/100ml Parameter: Pb
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
Austria - Occupational Exposure Limits	
Local name	Blei und seine Verbindungen außer Bleiarsenat, Bleichromat, Bleichromatoxid und Alkylbleiverbindungen
MAK (OEL TWA)	0,1 mg/m ³
MAK (OEL STEL)	0,4 mg/m ³
Remark	Fortpflanzungsgefährdend: F, D, L
Regulatory reference	BGBl. II Nr. 156/2021
Austria - Biological limit values	
Local name	Blei
BLV	10 g/dl Parameter: Hämoglobin - Untersuchungsmaterial: Blut - Mitarbeiter/innen: Frauen 12 g/dl Parameter: Hämoglobin - Untersuchungsmaterial: Blut - Mitarbeiter/innen: Männer 30 % Parameter: Hämatokrit - Untersuchungsmaterial: Blut - Mitarbeiter/innen: Frauen 35 % Parameter: Hämatokrit - Untersuchungsmaterial: Blut - Mitarbeiter/innen: Männer 120 µg/100ml Parameter: RCB (EPP) - Untersuchungsmaterial: Blut 30 µg/100ml Parameter: Blei - Untersuchungsmaterial: Blut 10 mg/l Parameter: ALA-U - Untersuchungsmaterial: Harn - Mitarbeiter/innen: Davis; Männer, Frauen > 50 a 6 mg/l Parameter: ALA-U - Untersuchungsmaterial: Harn - Mitarbeiter/innen: Davis; Frauen ≤ 50 a

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
Remark	Eignung: Blut: Erythrozyten: 3,2 Millionen/ μ l für Frauen, 3,8 Millionen/ μ l für Männer Eignung mit vorzeitiger Folgeuntersuchung: Bei Überschreiten bzw. Unterschreiten der Grenzwerte im Blut oder im Harn. Der Zeitabstand zwischen den Untersuchungen beträgt bei Eignung: ein Jahr; für Glas- und Akkumulatorenarbeiten drei Monate; für Rostschutzarbeiten (einschließlich Trennen und Schneiden von rostschutzbeschichteten Teilen) vier Wochen, bei Eignung mit vorzeitiger Folgeuntersuchung: drei Monate; für Glas- und Akkumulatorenarbeiten sechs Wochen; für Rostschutzarbeiten zwei Wochen
Regulatory reference	Verordnung über die Gesundheitsüberwachung am Arbeitsplatz 2017 (VGÜ 2017)
Belgium - Occupational Exposure Limits	
Local name	Plomb inorg. (poussières et fumées) (en Pb) # Lood, anorganisch, stof en rook, als Pb
OEL TWA	0,15 mg/m ³ (Plomb inorg. (poussières et fumées) (en Pb); Belgium; Time-weighted average exposure limit 8 h)
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Олово
OEL TWA	0,05 mg/m ³ и неорганични съединения
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Bulgaria - Biological limit values	
Local name	Олово
BLV	400 μ g/l Биомаркер за експозиция/биомаркер за ефект: олово - Биологична среда: кръв - Време на пробовземане - Не се фиксира - Специфични ефекти: Няма 300 μ g/l Биомаркер за експозиция/биомаркер за ефект: олово - Биологична среда: кръв - Време на пробовземане - Не се фиксира - Специфични ефекти: Няма - Тази стойност е определена за жени на възраст под 45 години (1/10)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Olovo i njegovi anorganski spojevi (kao Pb)*
GVI (OEL TWA) [1]	0,15 mg/m ³
Remark	EU0 (naznaka da se radi o tvarima za koje su utvrđene obvezujuće granične vrijednosti izloženosti prema Direktivi 2003/18/ EC, Direktivi 99/38/EC i Direktivi 98/24/EC); T (otrovno); N (opasno za okoliš); Repr. kat. 1 (tvari za koje se zna da smanjuju plodnost kod ljudi i/ili – tvari za koje se zna da iskazuju razvojnu toksičnost kod ljudi); Repr. kat. 3 (tvari za koje se pretpostavlja da bi mogle smanjiti plodnost kod ljudi i/ili – tvari za koje se pretpostavlja da bi mogle iskazati razvojnu otrovnost kod ljudi)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Croatia - Biological limit values	
Local name	Olovo (elementarno i anorganski spojevi)

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
BLV	400 µg/l Karakteristični pokazatelj: olovo - Biološki uzorak: krv - Vrijeme uzorkovanja: nije kritično - Napomena: muškarci 300 µg/l Karakteristični pokazatelj: olovo - Biološki uzorak: krv - Vrijeme uzorkovanja: nije kritično - Napomena: žene <45 god 15 U/LE Karakteristični pokazatelj: dehidrataza δ – aminolevulinske kiseline - Biološki uzorak: krv - Vrijeme uzorkovanja: nije kritično 2,67 µmol/LE Karakteristični pokazatelj: protoporin u eritrocitima - Biološki uzorak: krv - Vrijeme uzorkovanja: nakon izloženosti tijekom 2-3 mjeseca (uzorak zaštititi od svjetla) - Napomena: interferencija manjka željeza (sideropenična anemija) 1,5 mg/LE Karakteristični pokazatelj: protoporin u eritrocitima - Biološki uzorak: krv - Vrijeme uzorkovanja: nakon izloženosti tijekom 2-3 mjeseca (uzorak zaštititi od svjetla) - Napomena: interferencija manjka željeza (sideropenična anemija)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Local name	Olovo
PEL (OEL TWA)	0,05 mg/m ³
NPK-P (OEL C)	0,2 mg/m ³
Remark	B - u látky je zaveden biologický expoziční test (BET) v moči nebo krvi, T - toxický pro reprodukci kategorie 1A a 1B (s větou H360 včetně příslušných kódů). (4) Pro hodnocení expozice u olova je rozhodující výsledek vyšetření plumbémie.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Czech Republic - Biological limit values	
Local name	Olovo
BLV	15 mg/g creatinine Ukazatel: 5-Aminolevulová kyselina - Biologický vzorek: moči - Doba odběru: nerozhoduje 13 µmol/mmol Creatinine Ukazatel: 5-Aminolevulová kyselina - Biologický vzorek: moči - Doba odběru: nerozhoduje 0,2 mg/g creatinine Ukazatel: Koproporfyryl - Biologický vzorek: moči - Doba odběru: nerozhoduje 0,035 µmol/mmol Creatinine Ukazatel: Koproporfyryl - Biologický vzorek: moči - Doba odběru: nerozhoduje 0,4 mg/l Ukazatel: Olovo - Biologický vzorek: krvi - Doba odběru: nerozhoduje
Remark	Vhodné pro krátkodobé kontinuální expozice osob nepřekračující 30 kalendářních dnů.
Regulatory reference	Vyhláška č. 107/2013 Sb. (kterou se mění vyhláška č. 432/2003 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Bly, pulver, støv, røg og uorganiske forbindelser
OEL TWA [1]	0,05 mg/m ³ beregnet som Pb
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 2203 af 29. november 2021
Denmark - Biological limit values	
Local name	Bly, pulver, støv, røg og uorganiske forbindelser
BLV	20 µg Pb/100 ml blood Den enkelt blodniveau må ikke overskride værdien på bly
Regulatory reference	BEK nr 698 af 28/05/2020
Estonia - Occupational Exposure Limits	
Local name	Plii j aanorgaanilised ühendid, (arvutatudpliiile) kogutolm

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
OEL TWA	0,1 mg/m ³
Remark	R (Reproduktiivtoksiline aine), 7 (Pliile on kehtestatud ka bioloogiline piirnorm), 1 (Peentolm koosneb alla 2,5-mikromeetrise läbimõõduga osakekestest, mis võivad jõuda koos sissehingatava õhuga kopsu alveoolidesse (respireeritav fraktsioon))
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Lyijy, metalli
HTP (OEL TWA) [1]	0,1 mg/m ³
Remark	Melu
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Finland - Biological limit values	
Local name	Lyijy, metalli
BLV	1,4 µmol/l Parametri: Veren lyijy - Näytteenottoajankohta: Vuorokaudenajalla ei merkitystä
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
VME (OEL TWA)	0,1 mg/m ³ (Plomb métallique et composés, en Pb; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Germany - Biological limit values (TRGS 903)	
Local name	Blei
Biological limit value	150 µg/l Parameter: Blei - Untersuchungsmaterial: B = Vollblut - Probenahmezeitpunkt: a) keine Beschränkung - Festlegung/Begründung: 05/2017 AGS
Regulatory reference	TRGS 903
Gibraltar - Occupational Exposure Limits	
Local name	Inorganic lead and its compounds
OEL TWA	0,15 mg/m ³
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Ανόργανος μόλυβδος και ενώσεις του
OEL TWA	0,15 mg/m ³
Regulatory reference	Π.Δ. 339/2001 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	ÓLOM és SZERVETLEN VEGYÜLETEI (Pb-ra számítva)
AK (OEL TWA)	0,15 mg/m ³
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármát), BEM (biológiai expozíciós mutató), BHM (biológiai hatásmutató); T (Azok az anyagok, amelyek egészségkárosító hatása TARTÓS expozíciót követően jelentkezik)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Hungary - Biological Exposure Indices	
Local name	Ólom (szervetlen)

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
BEI	300 µg/l Biológiai expozíciós mutató: Ólom - Biológiai minta: vérben - Mintavétel ideje: n.k. (nem kritikus) - Érintettek köre: férfiak és 45 évnél idősebb nők 1,5 µmol/l Biológiai expozíciós mutató: Ólom - Biológiai minta: vérben - Mintavétel ideje: n.k. (nem kritikus) - Érintettek köre: férfiak és 45 évnél idősebb nők 200 µg/l Biológiai expozíciós mutató: Ólom - Biológiai minta: vérben - Mintavétel ideje: n.k. (nem kritikus) - Érintettek köre: 45 évnél fiatalabb nők 1 µmol/l Biológiai expozíciós mutató: Ólom - Biológiai minta: vérben - Mintavétel ideje: n.k. (nem kritikus) - Érintettek köre: 45 évnél fiatalabb nők 100 Biológiai hatás mutató: Cink-protoporfirin előszűrésre - Biológiai minta: vérben - Mintavétel ideje: három hónapnál hosszabb expozíció esetén alkalmazható - Érintettek köre: férfiak és 45 évnél idősebb nők - Megjegyzés: határérték túllépése esetén a vérérom koncentráció meghatározása kötelező 80 Biológiai hatás mutató: Cink-protoporfirin előszűrésre - Biológiai minta: vérben - Mintavétel ideje: három hónapnál hosszabb expozíció esetén alkalmazható - Érintettek köre: 45 évnél fiatalabb nők - Megjegyzés: határérték túllépése esetén a vérérom koncentráció meghatározása kötelező
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Lead and its compounds (except tetraethyl lead)
OEL TWA [1]	0,15 mg/m ³
Remark	Repr.1A (Substances which are known human reproductive toxicants), BOELV (Binding Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	Lead and its ionic compounds
BLV	70 µg/100ml Parameter: lead - Medium: blood - Notations: Absorption spectrometry or a method giving equivalent results
Remark	Health surveillance is carried out if: a. exposure to a concentration of lead in air is greater than 0.075mg/m ³ , calculated as a time-weighted average over 40 hours per week, or b. a blood-lead level greater than 40µg Pb/100 ml blood is measured in individual employees.
Regulatory reference	S.I. No. 619/2001 - Safety, Health and Welfare At Work (Chemical Agents) Regulations, 2001
Latvia - Occupational Exposure Limits	
Local name	Svinsuntāneorganiskie savienojumi,(pēcsvina)
OEL TWA	0,005 mg/m ³
OEL STEL	0,01 mg/m ³
Remark	letekme uz dzirdi
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2018. gada 10. jūlijā noteikumiem Nr. 407)
Latvia - Biological Exposure Indices	
Local name	Svinam

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
BEI	30 µg/100ml Svinam asinīs (references lielums – svina koncentrācijai asinīs aroda neekspozētai populācijai ≤ 10 µg/100 mL). Atkārtota asins analīze tiek veikta pēc diviem mēnešiem, ja svina līmenis ir 30–60 µg/100 mL. Ja svina līmenis ir > 60 µg/100 mL, nepieciešama pārceļšana darbā, kur nav saskares ar svinu, veselības aprūpe un atkārtota Pb līmeņa kontrole 100 µg/g creatinine Koproporfirīns urīnā (references lielums 22-57 µg/g kreatinīna) 5 mg/g creatinine Aminolevuliniskābe urīnā (references lielums 0,5-2,5 mg/g kreatinīna)
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2021. gada 18. februārī noteikumiem Nr. 110)
Netherlands - Occupational Exposure Limits	
Local name	Lood
TGG-8u (OEL TWA)	0,15 mg/m ³ (en anorganische loodverbindingen)
Remark	(zie tevens artikel 4.19a Arbeidsomstandighedenregeling)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Netherlands - Biological limit values	
Local name	Lood en anorganische loodverbindingen
BLV	70 µg/100ml Het loodgehalte in het bloed
Regulatory reference	Arbeidsomstandighedenregeling 2020
Poland - Occupational Exposure Limits	
Local name	Ółów i jego związki nieorganiczne w przeliczeniu na Pb
NDS (OEL TWA)	0,05 mg/m ³
Remark	Frakcja wdychalna – frakcja aerozolu wnika jąca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Chumbo elementar e compostos inorgânicos , expressos em Pb
OEL TWA	0,05 mg/m ³
Remark	A3 (Agente carcinogénico confirmado nos animais de laboratorio con relevância desconhecida no Homem); IBE (Índice biológico de exposição)
Regulatory reference	Norma Portuguesa NP 1796:2014
Portugal - Biological Exposure Indices	
Local name	Chumbo
BEI	30 µg/100ml Parâmetro: Chumbo - Meio: sangue - Momento da amostragem: Não crítico
Remark	Mulheres em idade de gestação, cujo teor de chumbo no sangue exceda 10 µg/dl, estão em risco de gerar uma criança com um teor de chumbo no sangue superior ao valor de referência de 10 µg/dl do CDC ("Centre for Disease Control"). Se o teor de chumbo no sangue dessas crianças permanecer elevado, podem estar sujeitas a um risco agravado de contrair défices cognitivos. O teor de chumbo no sangue dessas crianças deve ser monitorizado e devem ser tomadas medidas para que a exposição ao chumbo seja reduzida
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Plumb și compuși (în afară de PbS)
OEL TWA	0,05 mg/m ³

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
OEL STEL	0,1 mg/m ³
Slovakia - Occupational Exposure Limits	
Local name	Olovo a jeho anorganické zlúčeniny (ako Pb)
NPHV (OEL TWA) [1]	0,15 mg/m ³ respirabilná frakcia 0,5 mg/m ³ inhalovateľná frakcia
Remark	Olovo je látka s kumulatívnymi a systémovými účinkami. Preto sa musí monitorovanie ovzdušia doplniť zdravotným dohľadom vrátane biologického monitorovania podľa § 12 a prílohy č. 2.
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovakia - Biological limit values	
Local name	Olovo a jeho zlúčeniny (okrem chrómanu olovnatého, chrómanu arzenitého a alkylovaných zlúčenín)
BLV	400 µg/l Zisťovaný faktor: Olovo - Vyšetrovaný materiál: krv - Čas odberu vzorky: a) žiadne obmedzenie 100 µg/l Zisťovaný faktor: Olovo - Vyšetrovaný materiál: krv - Čas odberu vzorky: a) žiadne obmedzenie - Poznámka: ženy < 45 r. 15 mg/l Zisťovaný faktor: delta-Aminolevulová kyselina - Vyšetrovaný materiál: moč - Čas odberu vzorky: a) žiadne obmedzenie 10,03 mg/g creatinine Zisťovaný faktor: delta-Aminolevulová kyselina - Vyšetrovaný materiál: moč - Čas odberu vzorky: a) žiadne obmedzenie 6 mg/l Zisťovaný faktor: delta-Aminolevulová kyselina - Poznámka: ženy < 45 r. 4,03 mg/g creatinine Zisťovaný faktor: delta-Aminolevulová kyselina - Poznámka: ženy < 45 r. 0,3 mg/l Zisťovaný faktor: Koproporfyrín - Vyšetrovaný materiál: moč - Čas odberu vzorky: a) žiadne obmedzenie 0,2 mg/g creatinine Zisťovaný faktor: Koproporfyrín - Vyšetrovaný materiál: moč - Čas odberu vzorky: a) žiadne obmedzenie
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 471/2011 Z.z.)
Slovenia - Occupational Exposure Limits	
Local name	svinec in njegove spojine (računano kot Pb) razen svinčevega arzenata, svinčevega kromata in alkilsvinčevih spojin
OEL TWA	0,1 mg/m ³
OEL STEL	0,4 mg/m ³
Remark	BAT (Biološka mejna vrednost), EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Slovenia - Biological limit values	
Local name	svinec
BLV	400 µg/l Parameter: svinec - Biološki vzorec: kri - Čas vzorčenja: ni pomembno - Opombe: moški 300 µg/l Parameter: svinec - Biološki vzorec: kri - Čas vzorčenja: ni pomembno - Opombe: ženske pod 45 let
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Plomo
VLA-ED (OEL TWA) [1]	0,15 mg/m ³ elemental 0,15 mg/m ³ Compuestos inorgánicos de plomo, como Pb

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
Remark	k (Véase el Real Decreto 374/2001, de 6 de abril (BOE nº 104 de 1 de mayo de 2001), sobre la protección de la salud y seguridad de los trabajadores contra los riesgos relacionados con los agentes químicos durante el trabajo), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento), TR1A (Cuando las pruebas utilizadas para la clasificación procedan principalmente de datos en humanos).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Spain - Biological limit values	
Local name	Plomo y sus derivados iónicos
BLV	70 µg/dl Parámetro: Plomo - Medio: Sangre - Momento de muestreo: No crítico - Notas: k
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Bly, och oorg. föreningar (som Pb)
NGV (OEL TWA)	0,05 mg/m ³ respirabelt damm 0,1 mg/m ³ inhalerbart damm
Remark	B (Ämnet kan orsaka hörselskada. Exponering för ämnet nära det befintliga yrkeshygieniska gränsvärdet och vid samtidig exponering för buller nära insatsvärdet 80 dB kan orsaka hörselskada); M (Medicinska kontroller kan krävas för hantering av ämnet. Se vidare föreskrifterna om medicinska kontroller i arbetslivet. För vissa ämnen ska arbetsgivaren erbjuda läkarundersökning och för andra ämnen gäller krav på periodisk läkarundersökning och tjänstbarhetsbedömning); R (Ämnet är reproduktionsstörande. Med reproduktionsstörande ämnen avses ämnen som kan medföra skadliga effekter på fortplantningsförmågan eller avkommans utveckling); 3 (Med inhalerbar fraktion menas den mängd partiklar, av totalmängden partiklar i luften, som man inandas genom näsa och mun. Den respirabla fraktionen är de inhalerbara partiklar som når längst ner i luftvägarna, till alveolerna i lungorna); 14 (För bly och kadmium finns biologiska gränsvärden. Även kvicksilver kan mätas biologiskt)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
Sweden - Biological limit values	
Local name	Bly
BLV	0,5 µmol/l Blyhalten i blod för kvinnor under 50 år 1,5 µmol/l Blyhalten i blod för kvinnor som har fyllt 50 år och män
Regulatory reference	Medicinska kontroller i arbetslivet (AFS 2019:3)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	15 mg/cm ³ Lead other than lead alkyls; United Kingdom; Time-weighted average exposure limit 8 h; Occupational exposure limit (Control of lead at work)
Iceland - Occupational Exposure Limits	
Local name	Blý, duft, ryk, reykur, ólfræn sambönd, sem Pb
OEL TWA	0,05 mg/m ³
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
North Macedonia - Occupational Exposure Limits	
Local name	Олово и неговите соединенија (сметано како Pb) освен оловен арсенат, олово хромат и алкилоловни соединенија
OEL TWA	0,1 mg/m ³ (l) инхалабилна фракција – дел на вкупно суспендирани материји, кои работникот ги вдишува

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
KTV	4
Short time value [mg/m ³]	0,4 mg/m ³
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (BAT) биолошка гранична вредност – праг на биолошка гранична вредност, што значи предупредување на опасна хемиска супстанца и нејзини метаболити во ткивата, телесните течности или издишувањето на воздухот, без оглед на тоа, дали опасната хемиска супстанца е внесена во организмот со вдишување, голтање или преку кожата; (EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Blei und seine Verbindungen, außer Alkylverbindungen (als Pb berechnet)
MAK (OEL TWA) [1]	0,1 mg/m ³
KZGW (OEL STEL)	0,8 mg/m ³
Critical toxicity	Sang, SN / Blut, NS
Notation	C2, R1 _{AD} , R2 _F , SS _B , B / C2, R1 _{AD} , R2 _F , SS _B , B
Remark	e(mg/m ³) - B C2 R2 _F R1 _{AD} SS _B - NS, Blut - HSE, NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Plomb et ses composés (sauf les alcoylés) / Blei und seine Verbindungen (ausser Alkylverbindungen)
BAT	100 µg/l (0.48 µmol/l; Paramètre biologique: Plomb (femmes < 45 ans); Substrat d'examen: Sang complet; Moment du prélèvement: Indifférent.) / (0.48 µmol/l; Biologischer Parameter: Blei (Frauen < 45 Jahre); Untersuchungsmaterial: Vollblut; Probennahmezeitpunkt: Keine Beschränkung.) 400 µg/l (1.93 µmol/l; Paramètre biologique: Plomb (hommes; femmes > 45 ans); Substrat d'examen: Sang complet; Moment du prélèvement: Indifférent.) / (1.93 µmol/l; Biologischer Parameter: Blei (Männer; Frauen > 45 Jahre); Untersuchungsmaterial: Vollblut; Probennahmezeitpunkt: Keine Beschränkung.)
Remark	Influence de l'environnement. / Umwelteinflüsse.
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte
USA - ACGIH - Occupational Exposure Limits	
Local name	Lead and inorganic compounds, as Pb
ACGIH OEL TWA	0,05 mg/m ³
Remark (ACGIH)	TLV® Basis: CNS & PNS impair; hematologic eff. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2022

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: slight.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: ≈ 0 °C

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point	: ≈ 100 °C
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 2
Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1,02
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

nitric acid (7697-37-2)

LC50 Inhalation - Rat	> 2,65 mg/L air
-----------------------	-----------------

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lead nitrate (10099-74-8)	
LD50 oral rat	4665 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5,05 mg/L air
Skin corrosion/irritation	: Causes skin irritation. pH: < 2

nitric acid (7697-37-2)	
pH	< 1

lead nitrate (10099-74-8)	
pH	3 – 4 (20 %)
Serious eye damage/irritation	: Causes serious eye irritation. pH: < 2

nitric acid (7697-37-2)	
pH	< 1

lead nitrate (10099-74-8)	
pH	3 – 4 (20 %)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

lead nitrate (10099-74-8)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

nitric acid (7697-37-2)	
NOAEL (oral, rat, 90 days)	1500 mg/kg bodyweight
NOAEC (inhalation, rat, gas, 90 days)	2,15 ppm

lead nitrate (10099-74-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

nitric acid (7697-37-2)	
Viscosity, kinematic	0,595 mm ² /s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

Single-element Standard Solution for AAS.

Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic) : Not classified

nitric acid (7697-37-2)	
EC50 - Crustacea [1]	180 mg/l Daphnia magna (Water flea)
Threshold limit - Algae [1]	> 19 mg/l
lead nitrate (10099-74-8)	
LC50 - Fish [1]	40,8 – 3597,9 µg/l (µg Pb/L) Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	26,4 µg/l (µg Pb/L) Ceriodaphnia dubia

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

nitric acid (7697-37-2)	
Partition coefficient n-octanol/water (Log Pow)	-2,3
lead nitrate (10099-74-8)	
Bioaccumulative potential	bioaccumulable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
lead nitrate (10099-74-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not dangerous goods in terms of transport regulations				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3.	nitric acid	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
3(a)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations $\geq 0.1\%$ or SCL: Lead dinitrate (EC 233-245-9, CAS 10099-74-8)

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): lead dinitrate (10099-74-8)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 1	Conditions caused by lead and its compounds

Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510)

: LGK 12 - Non-combustible liquids.

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category

: Z(2) - biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/reprotoxicity/bioaccumulative potential or toxicity)

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: lead nitrate is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: lead nitrate is listed

Denmark

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Added	
	Revision date	Modified	
	Flammability	Modified	
1.2	Use of the substance/mixture	Modified	
1.2	Main use category	Modified	

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	
2.2	Signal word (CLP)	Added	
2.2	Hazard pictograms (CLP)	Added	
2.2	Precautionary statements (CLP)	Added	
2.2	Hazard statements (CLP)	Added	
2.2	EUH-statements	Modified	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Respiratory protection	Modified	
8.2	Personal protective equipment	Modified	
9.1	Solubility	Added	
9.1	Freezing point	Added	
9.1	pH	Added	
9.1	Odour	Added	
9.1	Boiling point	Added	
9.1	Relative density	Modified	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains lead nitrate. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Single-element Standard Solution for AAS. Lead (Pb) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.