

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Reference number: B060  
Issue date: 2013/7/23 Revision date: 2024/7/31 Supersedes version of: 2017/12/2 Version: 1.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Single-element Standard Solution for AAS.  
Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%  
Product code : B060

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Reference material  
Function or use category : Laboratory chemicals

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Spectracer UK Ltd.

Third Floor,  
55 Blandford Street,  
London,  
W1U 7HW,  
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: [contact@spectracer.co.uk](mailto:contact@spectracer.co.uk)

Web: [www.spectracer.com](http://www.spectracer.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	<a href="http://www.npis.org">http://www.npis.org</a>	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Acute toxicity (oral), Category 4 H302  
Acute toxicity (dermal), Category 3 H311  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Toxic in contact with skin. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

- : Danger
- : ammonium hexafluorotitanate; hydrofluoric Acid; nitric acid
- : H290 - May be corrosive to metals.  
H302 - Harmful if swallowed.  
H311 - Toxic in contact with skin.  
H314 - Causes severe skin burns and eye damage.
- : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.  
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
P312 - Call a POISON CENTRE or doctor if you feel unwell.  
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.  
P390 - Absorb spillage to prevent material damage.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
hydrofluoric Acid (7664-39-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	5 – 10	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318
hydrofluoric Acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7664-39-3 EC-No.: 231-634-8 EC Index-No.: 009-002-00-6 REACH-no: 01-2119458860-33-XXXX	0,5 – 1	Met. Corr. 1, H290 Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1A, H314

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
nitric acid	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	(5 ≤ C < 20) Skin Corr. 1B, H314 (20 ≤ C < 100) Skin Corr. 1A, H314 (65 ≤ C < 99) Ox. Liq. 3, H272 (99 ≤ C < 100) Ox. Liq. 2, H272
hydrofluoric Acid	CAS-No.: 7664-39-3 EC-No.: 231-634-8 EC Index-No.: 009-002-00-6 REACH-no: 01-2119458860-33-XXXX	(0,1 ≤ C < 1) Eye Irrit. 2, H319 (1 ≤ C < 7) Skin Corr. 1B, H314 (7 ≤ C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.  
Incompatible materials : Metals.

#### 7.3. Specific end use(s)

No additional information available

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

hydrofluoric Acid (7664-39-3)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Hydrogen fluoride
IOEL TWA	1,5 mg/m <sup>3</sup>
IOEL TWA [ppm]	1,8 ppm
IOEL STEL	2,5 mg/m <sup>3</sup>
IOEL STEL [ppm]	3 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
<b>EU - Biological Limit Value (BLV)</b>	
Local name	Hydrogen fluoride
BLV	8 mg/l Parameter: F - Medium: urine - Sampling time: end of shift
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
<b>Albania - Occupational Exposure Limits</b>	
Local name	Fluorur hidrogjeni
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDËTIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
<b>Austria - Occupational Exposure Limits</b>	
Local name	Fluorwasserstoff (Flusssäure; Hydrogenfluorid)
MAK (OEL TWA)	1,5 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	1,8 ppm
MAK (OEL STEL)	2,5 mg/m <sup>3</sup> (4x 15(Miw) min)
MAK (OEL STEL) [ppm]	3 ppm (4x 15(Miw) min)
Remark	H
Regulatory reference	BGBI. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Hydrogène (fluorure d') # Waterstofffluoride
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
Remark	M: la mention "M" indique que lors d'une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d'intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l'exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d'échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d'échantillonnage. # M: de vermelding "M" duidt aan dat bij de blootstelling boven de grenswaarde irritatie optreedt of er gevaar bestaat voor acute vergiftiging. Het werkprocédé moet zo zijn ontworpen dat de blootstelling de grenswaarde nooit overschrijdt. Bij een controle geldt dat de bemonsterde periode zo kort mogelijk moet zijn om een betrouwbare meting te kunnen verrichten. Het meetresultaat wordt dan gerelateerd aan de beschouwde periode.
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Флуороводород
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Vodikov fluorid
GVI (OEL TWA) [1]	1,5 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	1,8 ppm
KGVI (OEL STEL)	2,5 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	3 ppm
Remark	Direktiva: 2000/39/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Croatia - Biological limit values	
Local name	Fluorovodična kiselina (vodikov fluorid) i anorganski fluorovi spojevi
BLV	8 mg/g creatinine Karakteristični pokazatelj: fluoridi - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene 4 mg/g creatinine Karakteristični pokazatelj: fluoridi - Biološki uzorak: mokraća - Vrijeme uzorkovanja: prije početka radne smjene u sredini tjedna 40 mmol/mol Creatinine Karakteristični pokazatelj: fluoridi - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene 24 mmol/mol Creatinine Karakteristični pokazatelj: fluoridi - Biološki uzorak: mokraća - Vrijeme uzorkovanja: prije početka radne smjene u sredini tjedna
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/2018)
Cyprus - Occupational Exposure Limits	
Local name	Υδροφθόριο

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
Czech Republic - Occupational Exposure Limits	
Local name	Fluorovodík
PEL (OEL TWA)	1,5 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	1,8 ppm
NPK-P (OEL C)	2,5 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	3 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Hydrogenfluorid (Fluorbrinte)
OEL TWA [1]	1,5 mg/m <sup>3</sup>
OEL TWA [2]	1,8 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Vesinikfluoriid
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Fluorivety
HTP (OEL TWA) [1]	1,5 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	1,8 ppm
HTP (OEL STEL)	2,5 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	3 ppm
Remark	Iho
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Fluorure d'hydrogène (Acide fluorhydrique)
VME (OEL TWA)	1,5 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	1,8 ppm

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>hydrofluoric Acid (7664-39-3)</b>	
VLE (OEL C/STEL)	2,5 mg/m <sup>3</sup>
VLE (OEL C/STEL) [ppm]	3 ppm
Remark	Valeurs réglementaires contraignantes
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Fluorwasserstoff
AGW (OEL TWA) [1]	0,83 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	1 ppm
Peak exposure limitation factor	2(l)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden; H - hautresorptiv
Regulatory reference	TRGS900
<b>Germany - Biological limit values (TRGS 903)</b>	
Local name	Hydrogenfluorid (Fluorwasserstoff) und anorganische Fluorverbindungen (Fluoride)
Biological limit value	4 mg/l Parameter: Fluorid - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 11/2020 DFG
Regulatory reference	TRGS 903
<b>Gibraltar - Occupational Exposure Limits</b>	
Local name	Hydrogen fluoride
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
<b>Greece - Occupational Exposure Limits</b>	
Local name	Υδροφθόριο
OEL TWA	2,5 mg/m <sup>3</sup>
OEL TWA [ppm]	3 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
<b>Hungary - Occupational Exposure Limits</b>	
Local name	HIDROGÉN-FLUORID
AK (OEL TWA)	1,5 mg/m <sup>3</sup>
CK (OEL STEL)	2,5 mg/m <sup>3</sup>



# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
Remark	b (Bőrön át is felszívódik), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat), BEM (biológiai expozíciós mutató); EU1 (2000/39/EK irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Hydrogen fluoride (as F)
OEL TWA [1]	1,5 mg/m <sup>3</sup>
OEL TWA [2]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Acido fluoridrico
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Fluorūdeņradis
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Lithuania - Occupational Exposure Limits	
Local name	Vandenilio fluoridas
IPRV (OEL TWA)	1,5 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	1,8 ppm
TPRV (OEL STEL)	2,5 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	3 ppm
Remark	Ū (ūmus poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Fluorure d'hydrogène

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Hydrogen fluoride
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Fluorwaterstof
TGG-15min (OEL STEL)	1 mg/m <sup>3</sup> (als F)
TGG-15min (OEL STEL) [ppm]	1,2 ppm (Fluorwaterstof (als F); Netherlands; Short time value; Public occupational exposure limit value; als F)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Fluorowodór
NDS (OEL TWA)	0,5 mg/m <sup>3</sup>
NDSCh (OEL STEL)	2 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido fluorídrico, expresso em F
OEL TWA [ppm]	0,5 ppm
OEL C	2 mg/m <sup>3</sup>
OEL C [ppm]	2 ppm
Remark	P (Toxicidade percutânea); IBE (Índice biológico de exposição)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid fluorhidric/Fluorură de hidrogen
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,5 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
<b>Serbia - Occupational Exposure Limits</b>	
Local name	водоник флуорид, флуороводоник
OEL TWA	2 mg/m <sup>3</sup>
OEL TWA [ppm]	2 ppm
OEL STEL	3 mg/m <sup>3</sup>
OEL STEL [ppm]	3 ppm
Remark	EУ* – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2000/39/ЕЗ (прва листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Fluórovodík, kyselina fluorovodíková (ako F)
NPHV (OEL TWA) [1]	1,5 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	1,8 ppm
NPHV (OEL STEL)	2,5 mg/m <sup>3</sup>
NPHV (OEL STEL) [ppm]	3 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>Slovakia - Biological limit values</b>	
Local name	Fluorovodík a anorganické zlúčeniny fluóru (fluoridy)
BLV	7 mg/g creatinine Zisťovaný faktor: Fluoridy - Vyšetovaný materiál: moč - Čas odberu vzorky: b) koniec expozície alebo pracovnej zmeny 4 mg/g creatinine Zisťovaný faktor: Fluoridy - Vyšetovaný materiál: moč - Čas odberu vzorky: d) pred nasledujúcou pracovnou zmenou
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 471/2011 Z.z.)
<b>Slovenia - Occupational Exposure Limits</b>	
Local name	vodikov fluorid
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
OEL STEL	2,25 mg/m <sup>3</sup>
OEL STEL [ppm]	2,7 ppm
Remark	K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), BAT (Biološka mejna vrednost), EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
<b>Slovenia - Biological limit values</b>	
Local name	vodikov fluorid in anorganske fluorove spojine (fluoridi)
BLV	4 mg/g creatinine Parameter: fluorid - Biološki vzorec: urin - Čas vzorčenja: pred naslednjim delovnim dnevno 7 mg/g creatinine Parameter: fluorid - Biološki vzorec: urin - Čas vzorčenja: ob koncu delovne izmene
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
<b>Spain - Occupational Exposure Limits</b>	
Local name	Fluoruro de hidrógeno
VLA-ED (OEL TWA) [1]	1,5 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	1,8 ppm
VLA-EC (OEL STEL)	2,5 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	3 ppm
Remark	VLB® (Agente químico que tiene Valor Límite Biológico), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
<b>Spain - Biological limit values</b>	
Local name	Fluoruro de hidrógeno
BLV	2 mg/l Parámetro: Fluoruros - Medio: Orina - Momento de muestreo: Antes de la jornada laboral - Notas: F (Fondo. El indicador está generalmente presente en cantidades detectables en personas no expuestas laboralmente. Estos niveles de fondo están considerados en el valor VLB), I (Significa que el indicador biológico es inespecífico puesto que puede encontrarse después de la exposición a otros agentes químicos) 3 mg/l Parámetro: Fluoruros - Medio: Orina - Momento de muestreo: Final de la jornada laboral - Notas: F (Fondo. El indicador está generalmente presente en cantidades detectables en personas no expuestas laboralmente. Estos niveles de fondo están considerados en el valor VLB), I (Significa que el indicador biológico es inespecífico puesto que puede encontrarse después de la exposición a otros agentes químicos)
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Vätefluorid (Fluorväte)
NGV (OEL TWA)	1,5 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	1,8 ppm
KTV (OEL STEL)	1,7 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	2 ppm
Remark	31 (Vid exponering för blandningar av fluorider och vätefluorid ska nivågränsvärdet för fluorider tillämpas)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Hydrogen fluoride
WEL TWA (OEL TWA) [1]	1,5 mg/m <sup>3</sup> (as F)
WEL TWA (OEL TWA) [2]	1,8 ppm (as F)
WEL STEL (OEL STEL)	2,5 mg/m <sup>3</sup> (as F)
WEL STEL (OEL STEL) [ppm]	3 ppm (as F)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Vetnisflúoríð (flúorvetni)
OEL TWA	0,6 mg/m <sup>3</sup>
OEL TWA [ppm]	0,7 ppm

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
OEL STEL	2,5 mg/m <sup>3</sup> Þakgildið er miðað við fimm mínútna tímabil
OEL STEL [ppm]	3 ppm Þakgildið er miðað við fimm mínútna tímabil
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Hydrogenfluorid (Fluss-syre)
Grenseverdi (OEL TWA) [1]	0,5 mg/m <sup>3</sup>
Korttidsverdi (OEL STEL)	1,5 mg/m <sup>3</sup>
Korttidsverdi (OEL STEL) [ppm]	1,8 ppm
Remark	H: Kjemikalier som kan tas opp gjennom huden; E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	Флуороводород
OEL TWA	1,5 mg/m <sup>3</sup>
OEL TWA [ppm]	1,8 ppm
KTV	1,5
Short time value [mg/m <sup>3</sup> ]	2,25 mg/m <sup>3</sup>
Short time value [ppm]	2,7 ppm
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m <sup>3</sup> или во ml/m <sup>3</sup> (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (BAT) биолошка гранична вредност – праг на биолошка гранична вредност, што значи предупредување на опасна хемиска супстанца и нејзини метаболити во ткивата, телесните течности или издишувањето на воздухот, без оглед на тоа, дали опасната хемиска супстанца е внесена во организмот со вдишување, голтање или преку кожата; (EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Acide fluorhydrique / Fluorwasserstoff
MAK (OEL TWA) [1]	0,83 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	1 ppm
KZGW (OEL STEL)	1,66 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VR, Os, Peau, Yeux / AW, Knochen, Haut, Auge
Notation	SS <sub>C</sub> , B / SS <sub>C</sub> , B

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrofluoric Acid (7664-39-3)	
Remark	HSE, NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Fluorures / Fluorwasserstoff
BAT	4 mg/l (211 µmol/l; Paramètre biologique: Fluorures; Substrat d'examen: Urine; Moment du prélèvement: Fin de l'exposition, de la période de travail.) / (211 µmol/l; Biologischer Parameter: Fluorid; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Expositionsende, bzw. Schichtende.)
Remark	Influence de l'environnement. / Umwelteinflüsse.
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte
USA - ACGIH - Occupational Exposure Limits	
Local name	Hydrogen fluoride, as F
ACGIH OEL TWA [ppm]	0,5 ppm
ACGIH OEL C [ppm]	2 ppm
Remark (ACGIH)	TLV® Basis: URT, LRT, skin, & eye irr; fluorosis. Notations: Skin; BEI
Regulatory reference	ACGIH 2022
nitric acid (7697-37-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Nitric acid
IOEL STEL	2,6 mg/m <sup>3</sup> 2,6 mg/m <sup>3</sup>
IOEL STEL [ppm]	1 ppm 1 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
Albania - Occupational Exposure Limits	
Local name	Acid nitrik
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Salpetersäure
MAK (OEL STEL)	2,6 mg/m <sup>3</sup> (Mow)
MAK (OEL STEL) [ppm]	1 ppm (Mow)
OEL C	2,6 mg/m <sup>3</sup>
OEL C [ppm]	1 ppm
Regulatory reference	BGBl. II Nr. 156/2021 BGBl. II Nr. 156/2021

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Acide nitrique # Salpeterzuur
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Азотна киселина
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Dušična kiselina
KGVI (OEL STEL)	2,6 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	1 ppm
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граниčnim vrijednostima izloženosti i biološkim граниčnim vrijednostima (NN 1/2021)
<b>Cyprus - Occupational Exposure Limits</b>	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Kyselina dusičná
PEL (OEL TWA)	1 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	0,4 ppm
NPK-P (OEL C)	2,5 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	1 ppm
Remark	I - drážďí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Salpetersyre
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Regulatory reference	BEK nr 2203 af 29. november 2021
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Lämmastikhape
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Typpihappo
HTP (OEL TWA) [1]	1,3 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	0,5 ppm
HTP (OEL STEL)	2,6 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	1 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
<b>France - Occupational Exposure Limits</b>	
Local name	Acide nitrique
VLE (OEL C/STEL)	2,6 mg/m <sup>3</sup>
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Salpetersäure
AGW (OEL TWA) [1]	2,6 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	1 ppm
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 16 - Der Arbeitsplatzgrenzwert ist nur als Kurzzeitwert festgelegt. Die betriebliche Überwachung soll durch messtechnische Mittelwertbildung über 15 Minuten erfolgen, z.B. durch eine 15-minütige Probenahme
Regulatory reference	TRGS900
<b>Gibraltar - Occupational Exposure Limits</b>	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
<b>Greece - Occupational Exposure Limits</b>	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Π.Δ. 162/2007 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους



# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
<b>Hungary - Occupational Exposure Limits</b>	
Local name	SALÉTRÓMSAV
CK (OEL STEL)	2,6 mg/m <sup>3</sup>
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármat), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU2 (2006/15/EK irányelvben közölt érték)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Italy - Occupational Exposure Limits</b>	
Local name	Acido nitrico
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Slāpekšķābe
OEL TWA	2 mg/m <sup>3</sup>
OEL TWA [ppm]	0,78 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Nitrato rūgštis (azoto rūgštis)
TPRV (OEL STEL)	2,6 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	1 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Luxembourg - Occupational Exposure Limits</b>	
Local name	Acide nitrique
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
<b>Malta - Occupational Exposure Limits</b>	
Local name	Nitric acid

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Salpeterzuur
TGG-15min (OEL STEL)	1,3 mg/m <sup>3</sup>
TGG-15min (OEL STEL) [ppm]	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Kwas azotowy (V)
NDS (OEL TWA)	1,4 mg/m <sup>3</sup>
NDSch (OEL STEL)	2,6 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido nítrico
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	4 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid nitric/Acid azotic
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	азотна киселина
OEL STEL	3 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	ЕУ** – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2006/15/ЕЗ (друга листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina dusičná
NPHV (OEL STEL)	2,6 mg/m <sup>3</sup>
NPHV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	dušikova kislina

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Ácido nítrico
VLA-EC (OEL STEL)	2,6 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Salpetersyra
NGV (OEL TWA)	1,3 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	0,5 ppm
KTV (OEL STEL)	2,6 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Nitric acid
WEL STEL (OEL STEL)	2,6 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Saltpéturssýra
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Salpetersyre
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	2 ppm
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	азотна киселина

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
KTV	1
Short time value [mg/m <sup>3</sup> ]	2,6 mg/m <sup>3</sup>
Short time value [ppm]	1 ppm
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m <sup>3</sup> или во ml/m <sup>3</sup> (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (EU) European Union – гранична вредност, определена на ниво на Европската унија; (*) дополнување на граничната вредност заради донесената Директива на Комисијата 2006/15ES од 7 февруари 2006 за создавање на втора листа на индикативни гранични вредности за професионална изложеност според директивата 98/24/EC и за измените на директивата 91/322/EEC и директивата 2000/39/ EC (Сл. весник бр. 38 од ден 9.2.2006, стр. 36)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Acide nitrique / Salpetersäure
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	2 ppm
KZGW (OEL STEL)	5 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
USA - ACGIH - Occupational Exposure Limits	
Local name	Nitric acid
ACGIH OEL TWA [ppm]	2 ppm
ACGIH OEL STEL [ppm]	4 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
Regulatory reference	ACGIH 2022

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 2

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1,02
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Toxic in contact with skin.
Acute toxicity (inhalation)	: Not classified

#### Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

ATE CLP (oral)	1000 mg/kg bodyweight
ATE CLP (dermal)	1000 mg/kg bodyweight

#### hydrofluoric Acid (7664-39-3)

LD50 dermal rabbit	≤ 50 mg/kg
--------------------	------------

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
LC50 Inhalation - Rat	> 2,65 mg/L air
Skin corrosion/irritation	: Causes severe skin burns. pH: < 2
hydrofluoric Acid (7664-39-3)	
pH	< 1
nitric acid (7697-37-2)	
pH	< 1
Serious eye damage/irritation	: Causes serious eye damage. pH: < 2
hydrofluoric Acid (7664-39-3)	
pH	< 1
nitric acid (7697-37-2)	
pH	< 1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
nitric acid (7697-37-2)	
NOAEL (oral, rat, 90 days)	1500 mg/kg bodyweight
NOAEC (inhalation, rat, gas, 90 days)	2,15 ppm
Aspiration hazard	: Not classified
nitric acid (7697-37-2)	
Viscosity, kinematic	0,595 mm <sup>2</sup> /s

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

hydrofluoric Acid (7664-39-3)	
EC50 - Crustacea [1]	270 mg/l Daphnia magna (Water flea)
NOEC (chronic)	14,1 mg/l Daphnia magna (Water flea)
NOEC chronic fish	4 mg/l Oncorhynchus mykiss (Rainbow trout)
nitric acid (7697-37-2)	
EC50 - Crustacea [1]	180 mg/l Daphnia magna (Water flea)

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### nitric acid (7697-37-2)

Threshold limit - Algae [1]	> 19 mg/l
-----------------------------	-----------

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### hydrofluoric Acid (7664-39-3)

Partition coefficient n-octanol/water (Log Pow)	-1,4
---	------

#### nitric acid (7697-37-2)

Partition coefficient n-octanol/water (Log Pow)	-2,3
---	------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Component

hydrofluoric Acid (7664-39-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
-------------------------------	---

nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
-------------------------	---

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW) code : 16 05 06\* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 2922	UN 2922	UN 2922	UN 2922	UN 2922
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid)	CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid)	Corrosive liquid, toxic, n.o.s. (nitric acid ; hydrofluoric Acid)	CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid)	CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid)



# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>Transport document description</b>				
UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid), 8 (6.1), II, (E)	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid), 8 (6.1), II	UN 2922 Corrosive liquid, toxic, n.o.s. (nitric acid ; hydrofluoric Acid), 8 (6.1), II	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid), 8 (6.1), II	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (nitric acid ; hydrofluoric Acid), 8 (6.1), II
<b>14.3. Transport hazard class(es)</b>				
8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: CT1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Hazard identification number (Kemler No.)	: 86
Orange plates	:

Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

#### Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.

### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8P

### Inland waterway transport

Classification code (ADN)	: CT1
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2

### Rail transport

Classification code (RID)	: CT1
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 86

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

###### EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO <sub>3</sub> 5%, HF 0.5% ; hydrofluoric Acid ; nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

Please see [https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\\_en](https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en)

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Austria

Poison Ordinance 2000 : Subject to the Poisons Ordinance 2000

#### France

Occupational diseases	
Code	Description
RG 32	Occupational disorders caused by fluoride, hydrofluoric acid and its mineral salts

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 6.1B - Non-combustible substances of acute toxicity, categories 1 and 2 / very toxic substances.

Joint storage table :

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 3, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 5.1B, LGK 11, LGK 10-13.

Joint storage permitted for : LGK 2B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13.

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

ABM category : B(4) - low hazard for aquatic organisms

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Added	
	Revision date	Modified	
	Flammability	Modified	
1.1	Name	Added	
1.2	Use of the substance/mixture	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard pictograms (CLP)	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Personal protective equipment	Modified	
9.1	Solubility	Added	
9.1	Freezing point	Added	
9.1	Boiling point	Added	
9.1	Relative density	Modified	
15.1	REACH Annex XVII	Modified	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

# Single-element Standard Solution for AAS. Titanium (Ti) 1000mg/l in HNO<sub>3</sub> 5%, HF 0.5%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H319	Causes serious eye irritation.
H330	Fatal if inhaled.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	On basis of test data
Acute Tox. 4 (Oral)	H302	Calculation method
Acute Tox. 3 (Dermal)	H311	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.