

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO<sub>3</sub> 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Reference number: EQ0054  
Issue date: 07.09.2016 Revision date: 21.08.2023 Supersedes version of: 26.12.2017 Version: 1.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO<sub>3</sub> 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ  
Product code : EQ0054

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance/mixture : Certified reference material for laboratory use  
Function or use category : Laboratory chemicals

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Spectracer UK Ltd.

Third Floor,  
55 Blandford Street,  
London,  
W1U 7HW,  
United Kingdom.

Tel: +44 (0) 207 193 9114  
Fax: +44 (0) 203 432 4686  
Email: [contact@spectracer.co.uk](mailto:contact@spectracer.co.uk)  
Web: [www.spectracer.com](http://www.spectracer.com)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	<a href="http://www.npis.org">http://www.npis.org</a>	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger  
Contains : nitric acid; calcium nitrate; potassium nitrate; magnesium nitrate; sodium nitrate  
Hazard statements (CLP) : H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
Precautionary statements (CLP) : P260 - Do not breathe dusts or mists.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.  
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
P390 - Absorb spillage to prevent material damage.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
calcium nitrate (10124-37-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium nitrate (7631-99-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	5 – 10	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318
calcium nitrate	CAS-No.: 10124-37-5 EC-No.: 233-332-1	1 – 5	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium nitrate	CAS-No.: 7631-99-4 EC-No.: 231-554-3	1 – 5	Ox. Sol. 3, H272 Eye Irrit. 2, H319
potassium nitrate substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 7757-79-1 EC-No.: 231-818-8 REACH-no: 01-2119488224-35-XXXX	1 – 5	Ox. Sol. 3, H272

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
nitric acid	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	(5 ≤ C < 20) Skin Corr. 1B, H314 (20 ≤ C < 100) Skin Corr. 1A, H314 (65 ≤ C < 99) Ox. Liq. 3, H272 (99 ≤ C < 100) Ox. Liq. 2, H272

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.  
Incompatible materials : Metals.

#### 7.3. Specific end use(s)

No additional information available

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

nitric acid (7697-37-2)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Nitric acid
IOEL STEL	2,6 mg/m <sup>3</sup> 2,6 mg/m <sup>3</sup>
IOEL STEL [ppm]	1 ppm 1 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
<b>Albania - Occupational Exposure Limits</b>	
Local name	Acid nitrik
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
<b>Austria - Occupational Exposure Limits</b>	
Local name	Salpetersäure
MAK (OEL STEL)	2,6 mg/m <sup>3</sup> (Mow)
MAK (OEL STEL) [ppm]	1 ppm (Mow)
OEL C	2,6 mg/m <sup>3</sup>
OEL C [ppm]	1 ppm
Regulatory reference	BGBI. II Nr. 156/2021 BGBI. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Acide nitrique # Salpeterzuur
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Азотна киселина
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Dušična kiselina
KGVI (OEL STEL)	2,6 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	1 ppm
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
<b>Cyprus - Occupational Exposure Limits</b>	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Kyselina dusičná
PEL (OEL TWA)	1 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	0,4 ppm
NPK-P (OEL C)	2,5 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	1 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Salpetersyre
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Regulatory reference	BEK nr 2203 af 29. november 2021
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Lämmastikhape
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Typpihappo
HTP (OEL TWA) [1]	1,3 mg/m <sup>3</sup>

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>nitric acid (7697-37-2)</b>	
HTP (OEL TWA) [2]	0,5 ppm
HTP (OEL STEL)	2,6 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	1 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
<b>France - Occupational Exposure Limits</b>	
Local name	Acide nitrique
VLE (OEL C/STEL)	2,6 mg/m <sup>3</sup>
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Salpetersäure
AGW (OEL TWA) [1]	2,6 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	1 ppm
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 16 - Der Arbeitsplatzgrenzwert ist nur als Kurzzeitwert festgelegt. Die betriebliche Überwachung soll durch messtechnische Mittelwertbildung über 15 Minuten erfolgen, z.B. durch eine 15-minütige Probenahme
Regulatory reference	TRGS900
<b>Gibraltar - Occupational Exposure Limits</b>	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
<b>Greece - Occupational Exposure Limits</b>	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Π.Δ. 162/2007 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
<b>Hungary - Occupational Exposure Limits</b>	
Local name	SALÉTROMSAV
CK (OEL STEL)	2,6 mg/m <sup>3</sup>
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármat), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU2 (2006/15/EK irányelvben közölt érték)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>nitric acid (7697-37-2)</b>	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Italy - Occupational Exposure Limits</b>	
Local name	Acido nitrico
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Slāpek skābe
OEL TWA	2 mg/m <sup>3</sup>
OEL TWA [ppm]	0,78 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Nitrato rūgštis (azoto rūgštis)
TPRV (OEL STEL)	2,6 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	1 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Luxembourg - Occupational Exposure Limits</b>	
Local name	Acide nitrique
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
<b>Malta - Occupational Exposure Limits</b>	
Local name	Nitric acid
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
<b>Netherlands - Occupational Exposure Limits</b>	
Local name	Salpeterzuur
TGG-15min (OEL STEL)	1,3 mg/m <sup>3</sup>

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
TGG-15min (OEL STEL) [ppm]	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Kwas azotowy (V)
NDS (OEL TWA)	1,4 mg/m <sup>3</sup>
NDSch (OEL STEL)	2,6 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido nítrico
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	4 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid nitric/Acid azotic
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	азотна киселина
OEL STEL	3 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	ЕУ** – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2006/15/ЕЗ (друга листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina dusičná
NPHV (OEL STEL)	2,6 mg/m <sup>3</sup>
NPHV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	dušikova kislina
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Remark	EU

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
<b>Spain - Occupational Exposure Limits</b>	
Local name	Ácido nítrico
VLA-EC (OEL STEL)	2,6 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Salpetersyra
NGV (OEL TWA)	1,3 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	0,5 ppm
KTV (OEL STEL)	2,6 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Nitric acid
WEL STEL (OEL STEL)	2,6 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Saltpéturssýra
OEL STEL	2,6 mg/m <sup>3</sup>
OEL STEL [ppm]	1 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Salpetersyre
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	2 ppm
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
<b>North Macedonia - Occupational Exposure Limits</b>	
Local name	азотна киселина
OEL TWA	2,6 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
KTV	1
Short time value [mg/m <sup>3</sup> ]	2,6 mg/m <sup>3</sup>

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>nitric acid (7697-37-2)</b>	
Short time value [ppm]	1 ppm
Remark	(КТВ) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m <sup>3</sup> или во ml/m <sup>3</sup> (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (EU) European Union – гранична вредност, определена на ниво на Европската унија; (*) дополнување на граничната вредност заради донесената Директива на Комисијата 2006/15ES од 7 февруари 2006 за создавање на втора листа на индикативни гранични вредности за професионална изложеност според директивата 98/24/ЕС и за измените на директивата 91/322/ЕЕС и директивата 2000/39/ ЕС (Сл. весник бр. 38 од ден 9.2.2006, стр. 36)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Acide nitrique / Salpetersäure
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	2 ppm
KZGW (OEL STEL)	5 mg/m <sup>3</sup>
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Nitric acid
ACGIH OEL TWA [ppm]	2 ppm
ACGIH OEL STEL [ppm]	4 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
Regulatory reference	ACGIH 2022
<b>potassium nitrate (7757-79-1)</b>	
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Калиев нитрат
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Наредба № 13 от 30.12.2003 г. за заштита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Kālija nitrāts
OEL TWA	5 mg/m <sup>3</sup>

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium nitrate (7757-79-1)	
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Lithuania - Occupational Exposure Limits	
Local name	Kalio nitrātas
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1,06
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### nitric acid (7697-37-2)

LC50 Inhalation - Rat	> 2,65 mg/L air
-----------------------	-----------------

#### calcium nitrate (10124-37-5)

LD50 oral rat	300 – 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

#### potassium nitrate (7757-79-1)

LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 Inhalation - Rat	> 0,527 mg/L air

#### sodium nitrate (7631-99-4)

LD50 oral rat	3430 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l

Skin corrosion/irritation : Causes severe skin burns.

#### nitric acid (7697-37-2)

pH	< 1
----	-----

#### calcium nitrate (10124-37-5)

pH	4 – 6 (5 %)
----	-------------

#### potassium nitrate (7757-79-1)

pH	≈ 7
----	-----

#### sodium nitrate (7631-99-4)

pH	8 – 9 (100 g/l)
----	-----------------

Serious eye damage/irritation : Causes serious eye damage.

#### nitric acid (7697-37-2)

pH	< 1
----	-----

#### calcium nitrate (10124-37-5)

pH	4 – 6 (5 %)
----	-------------

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium nitrate (7757-79-1)	
pH	≈ 7

sodium nitrate (7631-99-4)	
pH	8 – 9 (100 g/l)

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

nitric acid (7697-37-2)	
NOAEL (oral, rat, 90 days)	1500 mg/kg bodyweight
NOAEC (inhalation, rat, gas, 90 days)	2,15 ppm

potassium nitrate (7757-79-1)	
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight

sodium nitrate (7631-99-4)	
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight
Aspiration hazard	: Not classified

nitric acid (7697-37-2)	
Viscosity, kinematic	0,595 mm <sup>2</sup> /s

sodium nitrate (7631-99-4)	
Viscosity, kinematic	1,261 mm <sup>2</sup> /s

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

nitric acid (7697-37-2)	
EC50 - Crustacea [1]	180 mg/l Daphnia magna (Water flea)
Threshold limit - Algae [1]	> 19 mg/l

calcium nitrate (10124-37-5)	
LC50 - Fish [1]	> 100 mg/l Lepomis macrochirus (Bluegill)
EC50 - Crustacea [1]	490 mg/l Daphnia magna (Water flea)

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium nitrate (7757-79-1)	
LC50 - Fish [1]	1378 mg/l Poecilia reticulata (Guppy)
EC50 - Crustacea [1]	490 mg/l Daphnia magna (Water flea)

sodium nitrate (7631-99-4)	
LC50 - Fish [1]	> 100 mg/l Oncorhynchus mykiss (Rainbow trout)

### 12.2. Persistence and degradability

calcium nitrate (10124-37-5)	
Persistence and degradability	Biodegradable in soil.

### 12.3. Bioaccumulative potential

nitric acid (7697-37-2)	
Partition coefficient n-octanol/water (Log Pow)	-2,3

calcium nitrate (10124-37-5)	
Bioaccumulative potential	Not bioaccumulative.

sodium nitrate (7631-99-4)	
Partition coefficient n-octanol/water (Log Pow)	-3,8

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
calcium nitrate (10124-37-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium nitrate (7631-99-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3264	UN 3264	UN 3264	UN 3264	UN 3264
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)	Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
<b>Transport document description</b>				
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid), 8, II, (E)	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid), 8, II	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid), 8, II	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid), 8, II	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid), 8, II
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
-------------------------------	-----

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EAC code : 2X  
APP code : B

### Transport by sea

Special provisions (IMDG) : 274  
Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
Tank instructions (IMDG) : T11  
Tank special provisions (IMDG) : TP2, TP27  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : B  
Stowage and handling (IMDG) : SW2

### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provisions (IATA) : A3  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C1  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C1  
Special provisions (RID) : 274  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP15  
Portable tank and bulk container instructions (RID) : T11  
Portable tank and bulk container special provisions (RID) : TP2, TP27  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 2  
Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ ; nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

#### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Combined Nomenclature code (CN)	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Calcium nitrate	10124-37-5	ex 2834 29 80	ex 3824 99 96
Potassium nitrate	7757-79-1	2834 21 00	ex 3824 99 96
Sodium nitrate	7631-99-4	3102 50 00	ex 3824 99 96

Please see [https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\\_en](https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)

Storage class (LGK, TRGS 510)

Joint storage table

: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

: LGK 8B - Non-combustible corrosive substances.

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 5.1A, LGK 5.2, LGK 6.2, LGK 7.

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1C.

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 5.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

ABM category

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: B(4) - low hazard for aquatic organisms

: None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

#### Denmark

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Change	Comments
	Supersedes version of	Added	
	Revision date	Modified	

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
	Flammability	Modified	
2.2	Precautionary statements (CLP)	Modified	
8.2	Personal protective equipment	Modified	
15.1	REACH Annex XVII	Modified	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)

# Standard for determination of 4 main elements - 5000mg/l each of Ca ; K ; Mg ; Na in HNO3 5% Equivalent to Jobin Yvon Ref: JYICP-MIXMAJ

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	On basis of test data
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.