

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/10/2016 Revision date: 09/10/2016 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Name	: ICP multi-element standard solution VIII 24 components; 100mg/l each of AI ; B ; Ba ; Be ; Bi ; Ca ; Cd ; Co ; Cr ; Cu ; Fe ; Ga ; K ; Li ; Mg ; Mn ; Na ; Ni ; Pb ; Se ; Sr ; Te ; TI ; Zn in HNO3 2%/tr.HCl Equivalent to Merck Ref: 109492
Product code	: EQ0062
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Certified reference material for laboratory use
1.3. Details of the supplier of the safety d	lata sheet
Spectracer UK Ltd. Second Floor, 27 Gloucester Place, London, W1U 8HU, United Kingdom. Tel: +44 (0) 207 193 9114 Fax:+44 (0) 203 432 4686 Email: contact@spectracer.co.uk Web: www.spectracer.com	
1.4. Emergency telephone number	
Emergency number	: Tel: +44(0)1933445260 Option 1. Language: English only. For Chemical Emergencies Only Llewellyn (Safety Advisors) Europe Ltd
SECTION 2: Hazard(s) identification	

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation Category 2	H315
Serious eye	H319
damage/eye irritation Category 2A	
Skin sensitization	H317
Category 1	
Carcinogenicity	H350
Category 1B	
Hazardous to the	H402
aquatic environment -	
Acute Hazard Category	
3 Hazardous to the	H412
aguatic environment -	H412
Chronic Hazard	
Category 3	
Full text of H statements	: see section 16

Safety Data Sheet

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H350 - May cause cancer H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P272 - Contaminated work clothing must not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of water/ P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If skin irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P405 - Store locked up P501 - Dispose of contents/container to
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS U	S)
Not applicable	
SECTION 3: Composition/Inform	ation on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet

Name	Product identifier	%	GHS-US classification
nitric acid	(CAS No) 7697-37-2	1 - 5	Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314
hydrochloric acid	(CAS No) 7647-01-0	0.1 - 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
beryllium nitrate	(CAS No) 13597-99-4	0.1 - 1	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Carc. 1B, H350 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 3, H402 Aquatic Chronic 2, H411
boric acid	(CAS No) 10043-35-3	< 0.1	Repr. 1B, H360
chromium(III) nitrate	(CAS No) 13548-38-4	< 0.1	Skin Sens. 1, H317
iron(III) nitrate	(CAS No) 10421-48-4	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
manganese(II)nitrate	(CAS No) 10377-66-9	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
nickel nitrate	(CAS No) 13138-45-9	< 0.1	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1A, H350 Repr. 1B, H360 STOT RE 1, H372 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
cobalt dinitrate	(CAS No) 10141-05-6	< 0.1	Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Repr. 1B, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
cadmium nitrate	(CAS No) 10325-94-7	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
barium nitrate	(CAS No) 10022-31-8	< 0.1	Acute Tox. 4 (Oral), H302
selenious acid	(CAS No) 7783-00-8	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
lead nitrate	(CAS No) 10099-74-8	< 0.1	Carc. 1B, H350 Repr. 1A, H360 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
telluric acid	(CAS No) 7803-68-1	< 0.1	Not classified
thallium(I)nitrate	(CAS No) 10102-45-1	< 0.1	Acute Tox. 2 (Oral), H300 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECT	ION 4: First aid measures	
4.1.	Description of first aid measures	
First-aid	d measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid	d measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid	d measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid	d measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid	d measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2.	Most important symptoms and ef	fects, both acute and delayed
Sympto	oms/injuries after skin contact	: May cause an allergic skin reaction. Irritation.
Sympto	oms/injuries after eye contact	: Eye irritation.
4.3.	Indication of any immediate medi	cal attention and special treatment needed
Treat s	ymptomatically.	
SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
	e extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Special hazards arising from the	substance or mixture
Reactiv		: The product is non-reactive under normal conditions of use, storage and transport.
5.3.	Advice for firefighters	
	ion during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	ION 6: Accidental release me	asures
6.1.		equipment and emergency procedures
6.1.1.	For non-emergency personnel	
	ency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2.	For emergency responders	
Protecti	ive equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid r	elease to the environment. Notify author	prities if product enters sewers or public waters.
6.3.	Methods and material for contain	ment and cleaning up
Method	s for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other ir	nformation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furt	her information refer to section 13	

For further information refer to section 13.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling :	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene measures :	Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	any incompatibilities		

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

nitric acid (7697-37-2)				
ACGIH	ACGIH TWA (ppm)	2 ppm		
ACGIH	ACGIH STEL (ppm)	4 ppm		
ACGIH	Remark (ACGIH)	URT & eye irr; dental erosion		
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	2 ppm		
hydrochloric acid (7647-0	1-0)	1		
ACGIH	ACGIH Ceiling (ppm)	2 ppm		
ACGIH	Remark (ACGIH)	URT irr		
OSHA	OSHA PEL (Ceiling) (mg/m ³)	7 mg/m³		
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm		
boric acid (10043-35-3)	· ·			
ACGIH	ACGIH TWA (mg/m³)	2 mg/m ³ (Borate compounds, inorganic; USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)		
ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³ (Borate compounds, inorganic; USA; Short time value; TLV - Adopted Value; Inhalable fraction)		
barium nitrate (10022-31-8	barium nitrate (10022-31-8)			
ACGIH	ACGIH TWA (mg/m³)	0.5 mg/m ³ (Barium, soluble compounds, as Ba; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)		
OSHA	OSHA PEL (TWA) (mg/m ³)	0.5 mg/m³		
beryllium nitrate (13597-99-4)				
ACGIH	ACGIH TWA (mg/m ³)	0.00005 mg/m³		
ACGIH	Remark (ACGIH)	Beryllium sens; chronic beryllium; Skin; DSEN; RSEN; A1		
OSHA	Remark (OSHA)	(2) See Table Z-2.		

Safety Data Sheet

cadmium nitrate (10325-94-7	')	
ACGIH	ACGIH TWA (mg/m³)	0.01 mg/m ³ (Cadmium, compounds, as Cd; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Cadmium, compounds, as Cd; 0.002 mg/m ³ ; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
Not applicable		
cobalt dinitrate (10141-05-6)		
ACGIH	ACGIH TWA (mg/m³)	0.02 mg/m ³ (Cobalt, inorganic compounds, as Co; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Not applicable		
chromium(III) nitrate (13548-	38-4)	
ACGIH	ACGIH TWA (mg/m³)	0.5 mg/m³ (Chromium,inorganic Cr III compounds; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Not applicable		
iron(III) nitrate (10421-48-4)	-	
ACGIH	ACGIH TWA (mg/m³)	1 mg/m ³ (Iron salts, soluble, as Fe; USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
Not applicable		
manganese(II)nitrate (10377-	-66-9)	
ACGIH	ACGIH TWA (mg/m³)	0.02 mg/m³
ACGIH	Remark (ACGIH)	CNS impair; A4
nickel nitrate (13138-45-9)		
ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m ³ (Nickel, Soluble inorganic compounds (NOS), as Ni; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)
Not applicable		
lead nitrate (10099-74-8)	-	
ACGIH	ACGIH TWA (mg/m³)	0.05 mg/m ³ (Lead, inorganic compounds, as Pb; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	CNS & PNS impair
selenious acid (7783-00-8)		
ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m ³ (Selenium compounds, as Se; USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	78.96 Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m ³)	0.2 mg/m ³
telluric acid (7803-68-1)		
ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m ³ (Tellurium compounds (NOS) ,as Te(except hydrogen telluride); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Not applicable		
thallium(I)nitrate (10102-45-1	l)	
ACGIH	ACGIH TWA (mg/m³)	0.02 mg/m³
ACGIH	Remark (ACGIH)	dam; peripheral neuropathy

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

thallium(I)nitrate (10102-45-1)			
OSHA	OSHA PEL (TWA) (n	ng/m³)	0.1 mg/m³	
·				-
8.2. Exposure controls				
Appropriate engineering controls	s · ⊑r	nsure good ventilation of the work sta		
Personal protective equipment		-	es. Safety glasses. Protective clothing.	
			S. Suisty glucocc. I rolecute distancy.	
Hand protection	: Pr	rotective gloves.		
Eye protection	: Sa	afety glasses.		
Skin and body protection	: W	ear suitable protective clothing.		
Respiratory protection	: W	ear respiratory protection.		
Environmental exposure control	s : Av	void release to the environment.		
SECTION 9: Physical an	d chemical prope	erties		
	physical and chemic			
Physical state	: Lic			
Color		•	ent(s) which have the following colour(s):	
	со	olorless to yellow On exposure to ligh	t: red-brown Colourless to light yellow White Colourless	
	or	white Colourless to white White to lig	ght yellow Colorless Light red Light green Blue-green s to light rose Green On exposure to air: turns dark	
		hite or colourless		
Odor	: Th	nere may be no odour warning prope	rties, odour is subjective and inadequate to warn of	
		verexposure.	$a_{1}(a)$ which have the following $a_{1}(a)$	
			ent(s) which have the following odour(s): or Odorless No data available on odour Mild odour	
Odor threshold		o data available		
рН	: No	o data available		
Melting point	: No	ot applicable		
Freezing point	: No	o data available		
Boiling point	: No	o data available		
Flash point	: No	o data available		
Relative evaporation rate (butyl	acetate=1) : No	o data available		
Flammability (solid, gas)	,	ot applicable.		
Vapor pressure		o data available		
Relative vapor density at 20 °C	: No	o data available		
Relative density	: 1.0			
Solubility		iscible with water.		
Log Pow		o data available		
Auto-ignition temperature		o data available		
Decomposition temperature		o data available		
Viscosity, kinematic		o data available		
Viscosity, dynamic		o data available		
Explosion limits		o data available		
Explosive properties		o data available		

Oxidizing properties

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling conditions (see section 7).		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

boric acid (10043-35-3)		
LD50 oral rat	2660 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >2600 mg/kg bodyweight; Rat; Experimental value)	
LD50 dermal rabbit	> 2000 mg/kg Rabbit; Experimental value; FIFRA (40 CFR)	
ATE US (oral)	2660.000 mg/kg body weight	
barium nitrate (10022-31-8)		
LD50 oral rat	355 mg/kg (Rat)	
ATE US (oral)	355.000 mg/kg body weight	
beryllium nitrate (13597-99-4)		
ATE US (oral)	100.000 mg/kg body weight	
cadmium nitrate (10325-94-7)		
LD50 oral rat	300 mg/kg (Rat)	
ATE US (oral)	300.000 mg/kg body weight	
ATE US (dermal)	1100.000 mg/kg body weight	
ATE US (gases)	4500.000 ppmV/4h	
ATE US (vapors)	11.000 mg/l/4h	
ATE US (dust, mist)	1.500 mg/l/4h	
chromium(III) nitrate (13548-38-4)		
LD50 oral rat	3250 mg/kg (Rat)	
ATE US (oral)	3250.000 mg/kg body weight	
nickel nitrate (13138-45-9)		
ATE US (oral)	500.000 mg/kg body weight	
ATE US (gases)	4500.000 ppmV/4h	
ATE US (vapors)	11.000 mg/l/4h	
ATE US (dust, mist)	1.500 mg/l/4h	

Safety Data Sheet

lead nitrate (10099-74-8)	
LD50 oral rat	4665 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Read-across; 5610 mg/kg bodyweight; Rat; Equivalent or similar to OECD 401; Read-across)
ATE US (oral)	4665.000 mg/kg body weight
selenious acid (7783-00-8)	
ATE US (oral)	100.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
thallium(I)nitrate (10102-45-1)	
ATE US (oral)	5.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Carcinogenieity	
hydrochloric acid (7647-01-0)	
IARC group	3 - Not classifiable
beryllium nitrate (13597-99-4)	
IARC group	1 - Carcinogenic to humans
cadmium nitrate (10325-94-7)	
IARC group	1 - Carcinogenic to humans
cobalt dinitrate (10141-05-6)	
IARC group	2B - Possibly carcinogenic to humans
chromium(III) nitrate (13548-38-4) IARC group	3 - Not classifiable
IARC gloup	J - NUL CLASSINAULE
lead nitrate (10099-74-8)	
IARC group	2A - Probably carcinogenic to humans
selenious acid (7783-00-8)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (single exposure)	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact Symptoms/injuries after eye contact	: May cause an allergic skin reaction. Irritation. : Eye irritation.

Safety Data Sheet

on
: Harmful to aquatic life with long lasting effects. Harmful to aquatic life.
180 mg/l (EC50; 48 h)
72 ppm (LC50; 96 h)
> 19 mg/l (EC0)
250 (240 - 260) mg/l (48h) Crustaceans; Portmann, J.E., and K.W. Wilson 1971. The Toxicity of 140 Substances to the Brown Shrimp and Other Marine Animals. Shellfish Information Leaflet No.22 (2nd Ed.), Ministry of Agric.Fish.Food, Fish.Lab.Burnham-on-Crouch, Essex, and Fish Exp.Station Conway, North Wales :12 p.
> 1000 mg/l (LC50; 96 h)
8 mg/l (LC50)
18 mg/l (EC50; 24 h)
0.03 mg/l (EC0)
0.04 mg/l (EC50; 48 h)
0.055 mg/l (LC50; 48 h)
0.490 mg/l (LC50; 672 h)
0.021 mg/l (EC50; 48 h)
0.018 mg/l (EC50; 96 h)
17.1 mg/l (LC50; 672 h) 0.18 mg/l (EC50; 72 h)
0.18 High (EC30, 72 H)
0.3 mg/l (LC50; 48 h)
7.48 mg/l (TLm; 96 h)
0.14 mg/l (EC50)
0.62 0.07 mg// (I.CE0: 06 h; Dimonholog promotor)
0.62 - 0.97 mg/l (LC50; 96 h; Pimephales promelas) 0.430 mg/l (EC50; 48 h)
0.430 mg/r (EC30, 40 m)
180 mg/l (LC50)
1.6 mg/l (EC50; 24 h)
Biodegradability: Not applicable.
Not applicable
Not applicable
· · · · · · · · · · · · · · · · · · ·

Safety Data Sheet

boric acid (10043-35-3)	
Persistence and degradability	Biodegradability: Not applicable. Biodegradability in soil: Not applicable. No (test)data available on mobility of the substance.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
barium nitrate (10022-31-8)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
beryllium nitrate (13597-99-4)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
cadmium nitrate (10325-94-7)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
cobalt dinitrate (10141-05-6)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
chromium(III) nitrate (13548-38-4)	
Persistence and degradability	Biodegradability: Not applicable. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
iron(III) nitrate (10421-48-4)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
manganese(II)nitrate (10377-66-9)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
09/11/2016	EN (Epolish US) 11/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

manganese(II)nitrate (10377-66-9)			
ThOD	Not applicable		
nickel nitrate (13138-45-9)	nickel nitrate (13138-45-9)		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
lead nitrate (10099-74-8)			
Persistence and degradability	Biodegradability: Not applicable. Adsorbs into the soil.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
selenious acid (7783-00-8)			
Persistence and degradability	Biodegradability: Not applicable.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
telluric acid (7803-68-1)			
Persistence and degradability	Biodegradability: Not applicable. Biodegradability in soil: Not applicable. Adsorbs into the soil.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
thallium(I)nitrate (10102-45-1)			
Persistence and degradability	Biodegradability: Not applicable. Adsorbs into the soil.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		

12.3. Bioaccumulative potential

nitric acid (7697-37-2)	
BCF fish 1	<= 1 (BCF)
Log Pow	-2.3 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method)
Bioaccumulative potential	Bioaccumulation: Not applicable.
boric acid (10043-35-3)	
BCF fish 2	< 0.1 (BCF; 60 days; Oncorhynchus tshawytscha; Flow-through system; Fresh water; Weight of evidence)
Log Pow	-1.09 (Experimental value; EU Method A.8: Partition Coefficient; 22 °C)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).
barium nitrate (10022-31-8)	
Bioaccumulative potential	Not bioaccumulative.
beryllium nitrate (13597-99-4)	
Bioaccumulative potential	Not bioaccumulative.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cadmium nitrate (10325-94-7)		
BCF other aquatic organisms 1	1220 (BCF)	
BCF other aquatic organisms 2	603 (BCF; 504 h)	
Bioaccumulative potential	bioaccumulative.	
cobalt dinitrate (10141-05-6)		
Bioaccumulative potential	Bioaccumulation: No data available.	
chromium(III) nitrate (13548-38-4)		
BCF other aquatic organisms 1	17000 (BCF)	
BCF other aquatic organisms 2	6500 (BCF)	
Bioaccumulative potential	Bioaccumulation: No data available.	
iron(III) nitrate (10421-48-4)		
Bioaccumulative potential	Not bioaccumulative.	
manganese(II)nitrate (10377-66-9)		
Bioaccumulative potential	Bioaccumulation: No data available.	
lead nitrate (10099-74-8)		
Bioaccumulative potential	bioaccumulative.	
selenious acid (7783-00-8)		
BCF fish 1	20 (BCF)	
Bioaccumulative potential	bioaccumulative.	
telluric acid (7803-68-1)		
Bioaccumulative potential	Bioaccumulation: No data available.	
• •	Bioaccumulation: No data available.	

12.4. Mobility in soil

boric acid (10043-35-3)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects	
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated

TDG

Not regulated

Transport by sea

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

nitric acid (7697-37-2)	
Listed on the United States TSCA (Toxic Substan	
Subject to reporting requirements of United States	
CERCLA RQ	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
hydrochloric acid (7647-01-0)	
Listed on the United States TSCA (Toxic Substan Not subject to reporting requirements of the United Subject to reporting requirements of United States	d States SARA Section 313
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA
CERCLA RQ	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
boric acid (10043-35-3)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
barium nitrate (10022-31-8)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
beryllium nitrate (13597-99-4)	
Listed on the United States TSCA (Toxic Substan	
Subject to reporting requirements of United States	1 lb
	U I I
cadmium nitrate (10325-94-7)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) Inventory
cobalt dinitrate (10141-05-6)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) Inventory
chromium(III) nitrate (13548-38-4)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
iron(III) nitrate (10421-48-4)	
Listed on the United States TSCA (Toxic Substan Not subject to reporing requirements of the United	
CERCLA RQ	1000 lb
manganese(II)nitrate (10377-66-9)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
nickel nitrate (13138-45-9)	
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States	
CERCLA RQ	100 lb
lead nitrate (10099-74-8)	
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States	
CERCLA RQ	10 lb

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

selenious acid (7783-00-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	10 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb 1,000lb if the substance is solid in powder form with particle size less than 100 microns, or is in solution or molten form	
telluric acid (7803-68-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
thallium(I)nitrate (10102-45-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb	

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations No additional information available

SECTION 16: Other information

Revision date

: 09/10/2016

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	11070	May intensify first syldiger
	H272	May intensify fire; oxidizer
	H290	May be corrosive to metals
	H300	Fatal if swallowed
	H301	Toxic if swallowed
	H302	Harmful if swallowed
	H312	Harmful in contact with skin
	H314	Causes severe skin burns and eye damage
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H331	Toxic if inhaled
	H332	Harmful if inhaled
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H335	May cause respiratory irritation
	H341	Suspected of causing genetic defects
	H350	May cause cancer
	H351	Suspected of causing cancer
	H360	May damage fertility or the unborn child
	H372	Causes damage to organs through prolonged or repeated exposure
	H373	May cause damage to organs through prolonged or repeated exposure
	H400	Very toxic to aquatic life
	H401	Toxic to aquatic life
	H402	Harmful to aquatic life
	H410	Very toxic to aquatic life with long lasting effects
	H411	Toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects
NFPA	health hazard	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA	fire hazard	: 0 - Materials that will not burn.
NFPA	reactivity	 O - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS I	II Rating	\checkmark
Health		: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures
		* - Chronic (long-term) health effects may result from repeated overexposure
Flamm	ability	: 0 Minimal Hazard - Materials that will not burn
Physica	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Person	al protection	: C
1 01001		C - Safety glasses, Gloves, Synthetic apron

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.