

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: EQ0111
Issue date: 07.09.2016 Revision date: 21.08.2023 Supersedes version of: 26.12.2017 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579
Product code : EQ0111

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Certified reference material for laboratory use
Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Spectracer UK Ltd.

Third Floor,
55 Blandford Street,
London,
W1U 7HW,
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: contact@spectracer.co.uk

Web: www.spectracer.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: nitric acid; arsenic acid; potassium nitrate; lanthanum nitrate, hexahydrate; lithium nitrate; manganese dinitrate; nickel dinitrate; strontium nitrate; zinc nitrate; barium nitrate; magnesium nitrate

Hazard statements (CLP)

: H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements

: EUH208 - Contains nickel dinitrate. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
arsenic acid (7778-39-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
lithium nitrate (7790-69-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
manganese dinitrate (10377-66-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
nickel dinitrate (13138-45-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
strontium nitrate (10042-76-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
barium nitrate (10022-31-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
arsenic acid(7778-39-4)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	1 – 5	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318
potassium nitrate substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 7757-79-1 EC-No.: 231-818-8 REACH-no: 01-2119488224-35-XXXX	< 0,05	Ox. Sol. 3, H272
lithium nitrate substance with national workplace exposure limit(s) (DE, SE, CH)	CAS-No.: 7790-69-4 EC-No.: 232-218-9	< 0,05	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
arsenic acid substance listed as REACH Candidate substance listed in REACH Annex XIV substance with national workplace exposure limit(s) (AT, BE, CZ, DE, DK, EE, ES, FI, GB, HR, HU, IE, IT, LT, NL, PL, PT, RO, SE, SI, SK, IS, NO, MK, CH); substance with a Community workplace exposure limit	CAS-No.: 7778-39-4 EC-No.: 231-901-9 EC Index-No.: 033-005-00-1	< 0,05	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
manganese dinitrate substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, HR, HU, IE, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, MK, CH); substance with a Community workplace exposure limit	CAS-No.: 10377-66-9 EC-No.: 233-828-8	< 0,05	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Chronic 4, H413

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nickel dinitrate substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, IS, CH); substance with a Community workplace exposure limit	CAS-No.: 13138-45-9 EC-No.: 236-068-5 EC Index-No.: 028-012-00-1	< 0,05	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1A, H350i Repr. 1B, H360D STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
strontium nitrate substance with national workplace exposure limit(s) (LT)	CAS-No.: 10042-76-9 EC-No.: 233-131-9	< 0,05	Ox. Sol. 1, H271 Eye Dam. 1, H318 STOT RE 2, H373
barium nitrate substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, ES, FI, FR, GB, GI, HR, IE, IT, LT, LU, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 10022-31-8 EC-No.: 233-020-5 EC Index-No.: 056-002-00-7	< 0,05	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
nitric acid	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-004-00-1 REACH-no: 01-2119487297-23-XXXX	(5 ≤ C < 20) Skin Corr. 1B, H314 (20 ≤ C < 100) Skin Corr. 1A, H314 (65 ≤ C < 99) Ox. Liq. 3, H272 (99 ≤ C < 100) Ox. Liq. 2, H272
nickel dinitrate	CAS-No.: 13138-45-9 EC-No.: 236-068-5 EC Index-No.: 028-012-00-1	(0,01 ≤ C ≤ 100) Skin Sens. 1, H317 (0,1 < C < 1) STOT RE 2, H373 (1 ≤ C ≤ 100) STOT RE 1, H372 (20 ≤ C ≤ 100) Skin Irrit. 2, H315

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

nitric acid (7697-37-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Nitric acid
IOEL STEL	2,6 mg/m ³ 2,6 mg/m ³
IOEL STEL [ppm]	1 ppm 1 ppm
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
Albania - Occupational Exposure Limits	
Local name	Acid nitrik
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Salpetersäure
MAK (OEL STEL)	2,6 mg/m ³ (Mow)
MAK (OEL STEL) [ppm]	1 ppm (Mow)
OEL C	2,6 mg/m ³
OEL C [ppm]	1 ppm
Regulatory reference	BGBI. II Nr. 156/2021 BGBI. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Acide nitrique # Salpeterzuur
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Азотна киселина
OEL STEL	2,6 mg/m ³

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL [ppm]	1 ppm
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Dušična kiselina
KGVI (OEL STEL)	2,6 mg/m ³
KGVI (OEL STEL) [ppm]	1 ppm
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Cyprus - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
Czech Republic - Occupational Exposure Limits	
Local name	Kyselina dusičná
PEL (OEL TWA)	1 mg/m ³
PEL (OEL TWA) [ppm]	0,4 ppm
NPK-P (OEL C)	2,5 mg/m ³
NPK-P (OEL C) [ppm]	1 ppm
Remark	I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Salpetersyre
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Lämmastikhape
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Typpihappo
HTP (OEL TWA) [1]	1,3 mg/m ³
HTP (OEL TWA) [2]	0,5 ppm
HTP (OEL STEL)	2,6 mg/m ³
HTP (OEL STEL) [ppm]	1 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Acide nitrique
VLE (OEL C/STEL)	2,6 mg/m ³
VLE (OEL C/STEL) [ppm]	1 ppm
Remark	Valeurs réglementaires indicatives
Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Salpetersäure
AGW (OEL TWA) [1]	2,6 mg/m ³
AGW (OEL TWA) [2]	1 ppm
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 16 - Der Arbeitsplatzgrenzwert ist nur als Kurzzeitwert festgelegt. Die betriebliche Überwachung soll durch messtechnische Mittelwertbildung über 15 Minuten erfolgen, z.B. durch eine 15-minütige Probenahme
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece - Occupational Exposure Limits	
Local name	Νιτρικό οξύ
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Π.Δ. 162/2007 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	SALÉTROMSAV

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
CK (OEL STEL)	2,6 mg/m ³
Remark	i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhármát), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármát); EU2 (2006/15/EK irányelvben közölt érték)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Nitric acid
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Acido nitrico
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Slāpekšķābe
OEL TWA	2 mg/m ³
OEL TWA [ppm]	0,78 ppm
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
Lithuania - Occupational Exposure Limits	
Local name	Nitrato rūgštis (azoto rūgštis)
TPRV (OEL STEL)	2,6 mg/m ³
TPRV (OEL STEL) [ppm]	1 ppm
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Acide nitrique
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Nitric acid

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Salpeterzuur
TGG-15min (OEL STEL)	1,3 mg/m ³
TGG-15min (OEL STEL) [ppm]	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Kwas azotowy (V)
NDS (OEL TWA)	1,4 mg/m ³
NDSch (OEL STEL)	2,6 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Ácido nítrico
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	4 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid nitric/Acid azotic
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	азотна киселина
OEL STEL	3 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	ЕУ** – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2006/15/ЕЗ (друга листа)
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina dusičná
NPHV (OEL STEL)	2,6 mg/m ³
NPHV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Slovenia - Occupational Exposure Limits	
Local name	dušikova kislina
OEL TWA	2,6 mg/m ³
OEL TWA [ppm]	1 ppm
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Ácido nítrico
VLA-EC (OEL STEL)	2,6 mg/m ³
VLA-EC (OEL STEL) [ppm]	1 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Salpetersyra
NGV (OEL TWA)	1,3 mg/m ³
NGV (OEL TWA) [ppm]	0,5 ppm
KTV (OEL STEL)	2,6 mg/m ³
KTV (OEL STEL) [ppm]	1 ppm
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Nitric acid
WEL STEL (OEL STEL)	2,6 mg/m ³
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Saltpéturssýra
OEL STEL	2,6 mg/m ³
OEL STEL [ppm]	1 ppm
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Salpetersyre
Grenseverdi (OEL TWA) [1]	5 mg/m ³
Grenseverdi (OEL TWA) [2]	2 ppm

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nitric acid (7697-37-2)	
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	азотна киселина
OEL TWA	2,6 mg/m ³
OEL TWA [ppm]	1 ppm
KTV	1
Short time value [mg/m ³]	2,6 mg/m ³
Short time value [ppm]	1 ppm
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (EU) European Union – гранична вредност, определена на ниво на Европската унија; (*) дополнување на граничната вредност заради донесената Директива на Комисијата 2006/15ES од 7 февруари 2006 за создавање на втора листа на индикативни гранични вредности за професионална изложеност според директивата 98/24/ЕС и за измените на директивата 91/322/ЕЕС и директивата 2000/39/ ЕС (Сл. весник бр. 38 од ден 9.2.2006, стр. 36)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Acide nitrique / Salpetersäure
MAK (OEL TWA) [1]	5 mg/m ³
MAK (OEL TWA) [2]	2 ppm
KZGW (OEL STEL)	5 mg/m ³
KZGW (OEL STEL) [ppm]	2 ppm
Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 28.03.2022
USA - ACGIH - Occupational Exposure Limits	
Local name	Nitric acid
ACGIH OEL TWA [ppm]	2 ppm
ACGIH OEL STEL [ppm]	4 ppm
Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
Regulatory reference	ACGIH 2022

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
EU - Binding Occupational Exposure Limit (BOEL)	
Local name	Arsenic acid and its salts, as well as inorganic arsenic compounds
BOEL TWA	0,01 mg/m ³ (Inhalable fraction)
Notes	For the copper smelting sector, the limit value shall apply from 11 July 2023
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)
Austria - Occupational Exposure Limits	
Local name	Arsensäure und deren Salze: Arsensäure
TRK (OEL TWA)	0,01 mg/m ³ (als As berechnet, E) 0,1 mg/m ³ (als As berechnet, E) (Gilt in der Kupferverhüttung bis 10.07.2023)
TRK (OEL STEL)	0,04 mg/m ³ (als As berechnet, E, 4x 15(Miw) min) 0,4 mg/m ³ (als As berechnet, E, 4x 15(Miw) min) (Gilt in der Kupferverhüttung bis 10.07.2023)
Remark	Krebserzeugend: III A1
Regulatory reference	BGBl. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Arsenic, acide arsénique et ses sels, ainsi que ses composés inorganiques (en As) # Arseen, arseenzuur en zouten daarvan, alsook anorganische arseenverbindingen (als As)
OEL TWA	0,01 mg/m ³ (Arsenic et ses composés inorganiques (en As); Belgium; Time-weighted average exposure limit 8 h)
Remark	C: la mention "C" signifie que l'agent en question relève du champ d'application du titre 2 relatif aux agents cancérigènes, mutagènes et reprotoïques du livre VI du code de bien-être au travail. # C: de vermelding "C" betekent dat het betrokken agens valt onder het toepassingsgebied van titel 2 betreffende kankerverwekkende, mutagene en reprotoxische agentia van boek VI van de codex over het welzijn op het werk.
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Croatia - Occupational Exposure Limits	
Local name	Arsen i drugi arsenovi spojevi (izuzev arsina)
GVI (OEL TWA) [1]	0,1 mg/m ³
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Croatia - Biological limit values	
Local name	Arsen (elementaran i anorgansk spojevi)
BLV	0,93 µmol/l Karakteristični pokazatelj: arsen - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju smjene ili mokraća skupljena tijekom 24 sata - Napomena: hrana bogata živžnim namirnicama iz mora značajno povisuje nalaz 70 µg/l Karakteristični pokazatelj: arsen - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju smjene ili mokraća skupljena tijekom 24 sata - Napomena: hrana bogata živžnim namirnicama iz mora značajno povisuje nalaz
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/2018)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Czech Republic - Occupational Exposure Limits	
Local name	Arsen
PEL (OEL TWA)	0,1 mg/m ³
NPK-P (OEL C)	0,4 mg/m ³
Remark	B - u látky je zaveden biologický expoziční test (BET) v moči nebo krvi.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Czech Republic - Biological limit values	
Local name	Arsen
BLV	0,05 mg/g creatinine Ukazatel: Arsen - Biologicky vzorek: moči - Doba odběru: konec pracovního týdne 0,075 μmol/mmol Creatinine Ukazatel: Arsen - Biologicky vzorek: moči - Doba odběru: konec pracovního týdne
Regulatory reference	Vyhláška č. 107/2013 Sb. (kterou se mění vyhláška č. 432/2003 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Arsen og uorganiske forbindelser
OEL TWA [1]	0,0028 mg/m ³ beregnet som As
Remark	E (betyder, at stoffet har en EU-grænseværdi); K (betyder, at stoffet anses for at kunne være kræftfremkaldende)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Arseen ja anorgaanilised ühendid, v.a arseenhüdriid (arvutatud arseenile)
OEL TWA	0,03 mg/m ³
Remark	C (Kantserogeenne aine), 3 (Vääveldioksiid tugevdab arseeni kantserogeenide omadusi), 4 (Uute tootmisüksuste loomisel ja vanade rekonstrueerimisel on soovitatav arvestada arseeni ja tema anorgaaniliste ühendite piirnormiks tööpäeva jooksul 0,01 mg/m ³ (arvutatud arseenile))
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Arseeni
HTP (OEL TWA) [1]	0,01 mg/m ³ As (Kuparinsulatusalaa osalta mainittua raja-arvoa sovelletaan 11 päivästä heinäkuuta 2023)
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Finland - Biological limit values	
Local name	Arseeni
BLV	70 nmol/l Parametri: Virtsan epäorgaaninen arseen - Näytteenottoajankohta: Työvaiheen tai työvuoron päätyttyä työviikon tai altistumisjakson loputtua
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Germany - Occupational Exposure Limits (TRGS 910)	
Local name	Arsenverbindungen, als Carc. 1A, Carc. 1B eingestuft

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Acceptable concentration (Weight conc.)	0,83 µg/m ³ (E)
Notes	b) Akzeptanzkonzentration assoziiert mit Risiko 4:10000
Tolerance concentration (Weight conc.)	8,3 µg/m ³ (E)
Tolerance concentration excess factor	8
Remark	(4) Die Konzentrationen beziehen sich auf den Elementgehalt des entsprechenden Metalls.; Siehe TRGS 561
Equivalence value for acceptable concentration	14 µg/l
Equivalence value for tolerance concentration	40 µg/l
Parameter	Σ Arsen(III), Arsen(V), Monomethylarsonsäure und Dimethylarsinsäure
Testing material	U - Urin
Testing time	b - Expositionsende bzw. Schichtende, c - Bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten
Regulatory reference	TRGS 910
Hungary - Occupational Exposure Limits	
Local name	ARZÉN ÉS SZERVETLEN VEGYÜLETEI (arzin kivételével), (As-ra számítva)
AK (OEL TWA)	0,01 mg/m ³
Remark	k(1A) (rákkeltő), b (Bőrön át is felszívódik), i (ingerlő anyag, amely izgatja a bőrt, nyálkahártyát, szemet vagy mindhárom), BEM (biológiai expozíciós mutató); T (Azok az anyagok, amelyek egészségkárosító hatása TARTÓS expozíciót követően jelentkezik)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Hungary - Biological Exposure Indices	
Local name	Arzén
BEI	0,05 mg/l Biológiai expozíciós (hatás) mutató: arzén - Biológiai minta: vizeletben - Mintavétel ideje: m.v. (műszak végén) 0,67 µmol/l Biológiai expozíciós (hatás) mutató: arzén - Biológiai minta: vizeletben - Mintavétel ideje: m.v. (műszak végén)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Arsenic acid and its salts
OEL TWA [1]	0,01 mg/m ³ I (Inhalable Fraction)
Remark	BOELV, Carc.1A (Substances known to have carcinogenic potential for humans), For copper smelting sector, the limit value shall apply from 11 July 2023
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	Arsenic, elemental and soluble inorganic compounds
BMGV	35 µg/l Parameter: Inorganic As plus methylated metabolites - Medium: urine - Notations: B (Background)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Italy - Occupational Exposure Limits	
Local name	Acido arsenico e i suoi sali e composti inorganici dell'arsenico
OEL TWA	0,01 mg/m ³ Frazione inalabile
Remark	Per il settore della fusione del rame il valore limite si applica dall'11 luglio 2023
Regulatory reference	Allegato XLIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Lithuania - Occupational Exposure Limits	
Local name	Arseno rūgštis ir jos druskos, taip pat neorganiniai arseno junginiai
IPRV (OEL TWA)	0,01 mg/m ³ (įkvepiamoji frakcija) 0,03 mg/m ³ (Vario lydymo sektoriuje)
Remark	K (kancerogeninis poveikis); Kai kurie duomenys rodo, kad sieros dioksidas gali sustiprinti kancerogenines arseno savybes.
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-1203/A1-64, 2019-10-24)
Netherlands - Occupational Exposure Limits	
Local name	Arseen
TGG-8u (OEL TWA)	0,0028 mg/m ³
Remark	Kankerverwekkende stof
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Arsen i jego związki nieorganiczne
NDS (OEL TWA)	0,01 mg/m ³ w przeliczeniu na As – frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2020 poz. 61
Portugal - Occupational Exposure Limits	
Local name	Arsénio e compostos inorgânicos, expressos em As
OEL TWA	0,01 mg/m ³
Remark	A1 (Agente carcinogénico confirmado no Homem); IBE (Índice biológico de exposição)
Regulatory reference	Norma Portuguesa NP 1796:2014
Portugal - Biological Exposure Indices	
Local name	Arsenio, elemento e compostos inorgânicos solúveis (exclui arseniato de gálio e arsina)
BEI	35 µg As/L Parâmetro: Arsénio inorgânico e metabolitos metilados - Meio: urina - Momento da amostragem: Fim da semana de trabalho - Notação: Vb (Valor basal)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Acid arsenic si sărurile acestuia, precum si compușii anorganici ai arsenului
OEL TWA	0,01 mg/m ³ Frație inhalabilă

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Remark	C1A - poate provoca apariția cancerului. Pentru sectorul topirii cuprului, valoarea-limită se aplică de la 11 iulie 2023.
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Romania - Biological limit values	
Local name	Arsen și AsH3
BLV	50 µg/g creatinine Indicator biologic: Arsen - Material biologic: urină - Momentul recoltării: sfârșit de săptămână 0,005 mg/g Indicator biologic: Arsen - Material biologic: păr - Momentul recoltării: sfârșit de săptămână
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 584/2018)
Slovakia - Occupational Exposure Limits	
Local name	Kyselina arzeničná a jej soli (ako As)
NPHV (OEL TWA) [1]	0,01 mg/m ³ inhalovateľná frakcia (TSH pre arzén a jeho anorganické zlúčeniny a pre kyselinu arzeničnú a jej soli sa pri tavení medi uplatňuje od 11. júla 2023)
Remark	Kategória karcinogénov 1A – Dokázaný karcinogén pre ľudí
Regulatory reference	Nariadenie vlády č. 356/2006 Z. z. (235/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	arzenova kislina (As2O5) in njene soli ter anorganske arzenove spojine
OEL TWA	0,1 mg/m ³ 0,01 mg/m ³
OEL STEL	0,4 mg/m ³
Remark	EU, BAT (Biološka mejna vrednost), EKA (Zveza med koncentracijo rakotvornih snovi v zraku na delovnem mestu in količino snovi in/ali njenih metabolitov v organizmu)
Regulatory reference	Uradni list RS, št. 79/2019 z dne 24.12.2019
Spain - Occupational Exposure Limits	
Local name	Arsénico elemental
VLA-ED (OEL TWA) [1]	0,01 mg/m ³
Remark	VLB® (Agente químico que tiene Valor Límite Biológico), r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) nº 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Spain - Biological limit values	
Local name	Arsénico elemental
BLV	35 µg As/L Parámetro: Arsénico inorgánico más metabolitos metilados - Medio: Orina - Momento de muestreo: Final de la semana laboral - Notas: F (Fondo. El indicador está generalmente presente en cantidades detectables en personas no expuestas laboralmente. Estos niveles de fondo están considerados en el valor VLB)
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Arsenik, och oorg. föreningar (som As) utom Arseniktrihydrid
NGV (OEL TWA)	0,01 mg/m ³ inhalerbar fraktion
Remark	C (Ämnet är cancerframkallande. Risk för cancer finns även vid annan exponering än via inandning. För vissa cancerframkallande ämnen som inte har gränsvärden gäller förbud eller tillståndskrav enligt föreskrifterna om kemiska arbetsmiljörisker); 3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2020:6)
United Kingdom - Occupational Exposure Limits	
Local name	Arsenic
WEL TWA (OEL TWA) [1]	0,1 mg/m ³ Arsenic and compounds except arsine (as As); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Remark	Carc (Capable of causing cancer and/or heritable genetic damage)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Arsenik og ólífræn sambönd, sem As
OEL TWA	0,01 mg/m ³ sjá einnig arsín og kalsíumarsenat
Remark	K (efnið er krabbameinsvaldandi). Vissar upplýsingar benda til að brennisteinsdíoxíð geti aukið krabbameinsvirgni arseniks
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Arsen, arsensyre og dets salter, og uorganiske arsenforbindel ser (unntatt arsenhydrid) (beregnet som As), inhalerbar
Grenseverdi (OEL TWA) [1]	0,005 mg/m ³
Remark	K: Kjemikalier som skal betraktes som kreftfremkallende; H: Kjemikalier som kan tas opp gjennom huden; G: EU har fastsatt en bindende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
North Macedonia - Occupational Exposure Limits	
Local name	Арсенова киселина (As ₂ O ₅) и нејзините соли
OEL TWA	0,1 mg/m ³ (l) инхалабилна фракција – дел на вкупно суспендирани материи, кои работникот ги вдишува
KTV	4
Short time value [mg/m ³]	0,4 mg/m ³
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (TDK) техничко достигнување на концентрацијата – е дадено за канцерогените супстанции и значи концентрација на супстанции во воздухот на работното место, кои можат да се достигнат со достапните техники
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Arsenic et ses composés inorg. / Arsen und anorganische Arsenverbindungen
MAK (OEL TWA) [1]	0,01 mg/m ³ (i) / (e)
Critical toxicity	Formel / Formal
Notation	R, C _{1A} , M2, B, P / H, C _{1A} , M2, B, P
Remark	HSE, NIOSH, BG
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Arsenic et ses composés inorg. / Arsen und anorganische Arsenverbindungen
BAT	50 µg/l (667 nmol/l; Paramètre biologique: Arsenic inorganique et ses métabolites méthylés; Substrat d'examen: Urine; Moment du prélèvement: Fin de l'exposition, de la période de travail. Exposition de longue durée: après plusieurs périodes de travail.) / (667 nmol/l; Biologischer Parameter: Anorganisches Arsen und methylierte Metaboliten; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Expositionsende, bzw. Schichtende. Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Remark	Influence de l'environnement. / Umwelteinflüsse.
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte
USA - ACGIH - Occupational Exposure Limits	
Local name	Arsenic and inorganic compounds, as As
ACGIH OEL TWA	0,01 mg/m ³ (Arsenic, inorganic compounds (except Arsine), as As; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
Remark (ACGIH)	TLV® Basis: Lung cancer. Notations: A1 (Confirmed Human Carcinogen); BEI

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

arsenic acid (7778-39-4)	
Regulatory reference	ACGIH 2022
potassium nitrate (7757-79-1)	
Bulgaria - Occupational Exposure Limits	
Local name	Калиев нитрат
OEL TWA	5 mg/m ³
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Latvia - Occupational Exposure Limits	
Local name	Kālija nitrāts
OEL TWA	5 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Lithuania - Occupational Exposure Limits	
Local name	Kalio nitratas
IPRV (OEL TWA)	5 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
lithium nitrate (7790-69-4)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Lithiumverbindungen, anorganische, mit Ausnahme von Lithium und stärker reizenden Lithiumverbindungen
AGW (OEL TWA) [1]	0,2 mg/m ³ (E)
Peak exposure limitation factor	1(I)
Remark	Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden; 10 - Der Arbeitsplatzgrenzwert bezieht sich auf den Elementgehalt des entsprechenden Metalls; DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission)
Regulatory reference	TRGS900
Sweden - Occupational Exposure Limits	
Local name	Litium och föreningar (som Li)
KTV (OEL STEL)	0,02 mg/m ³ inhalerbar fraktion
Remark	3 (Med inhalerbar fraktion menas den mängd partiklar, av totalmängden partiklar i luften, som man inandas genom näsa och mun)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
Switzerland - Occupational Exposure Limits	
Local name	Lithium, comp. inorg. De / Lithiumverbindungen, anorganische
MAK (OEL TWA) [1]	0,2 mg/m ³ (i) / (e)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

lithium nitrate (7790-69-4)	
KZGW (OEL STEL)	0,2 mg/m ³ (i) / (e)
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge
Notation	SS _C / SS _C
Remark	OSHA
Regulatory reference	www.suva.ch, 28.03.2022
manganese dinitrate (10377-66-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Manganese
IOEL TWA	0,2 mg/m ³ (inhalable fraction) 0,05 mg/m ³ (respirable fraction) 0,2 mg/m ³ (inhalable fraction) 0,05 mg/m ³ (respirable fraction)
Remark	(Year of adoption 2011) (Year of adoption 2011)
Regulatory reference	SCOEL Recommendations SCOEL Recommendations
Austria - Occupational Exposure Limits	
Local name	Mangan und seine anorganischen Verbindungen: Mangan
MAK (OEL TWA)	0,2 mg/m ³ (als Mn berechnet, E) 0,05 mg/m ³ (als Mn berechnet, A)
MAK (OEL STEL)	1,6 mg/m ³ (als Mn berechnet, E, 4x 15(Miw) min) 0,16 mg/m ³ (als Mn berechnet, A, 4x 15(Miw) min)
Regulatory reference	BGBI. II Nr. 156/2021
Austria - Biological limit values	
Local name	Mangan
BLV	20 µg/l Parameter: Mangan - Untersuchungsmaterial: Blut
Remark	Eignung: Blut: nur bei Verdacht auf manganbedingte neurologische Symptomatik Eignung mit vorzeitiger Folgeuntersuchung: Bei Überschreiten des Grenzwertes für Mangan im Blut. Bei anhaltendem Husten oder Abfall des systolischen Blutdrucks. Bei Vorliegen einer wesentlichen Beeinträchtigung der Lungenfunktion. Diese liegt vor, wenn nach mehrmaliger Messung der beste gemessene Wert den für den/die Untersuchte/n maßgebenden Sollwert um 20% unterschreitet bzw. den MEF50-Sollwert um 50% unterschreitet. Eine vorzeitige Folgeuntersuchung ist jedoch nicht erforderlich, wenn im Vergleich zu Vorbefunden der altersabhängige physiologische Abfall der 1-Sekundenkapazität (FEV1) von 40 ml/Jahr nicht überschritten wird oder aus der Beurteilung des Kurvenverlaufes der Forcierten Vitalkapazität (FVC) eine eingeschränkte Mitarbeit des Untersuchten/der Untersuchten ersichtlich ist. Der Zeitabstand zwischen den Untersuchungen beträgt bei Eignung: ein Jahr; bei Eignung mit vorzeitiger Folgeuntersuchung: sechs Monate
Regulatory reference	Verordnung über die Gesundheitsüberwachung am Arbeitsplatz 2017 (VGÜ 2017)
Belgium - Occupational Exposure Limits	
Local name	Manganèse et ses composés (en Mn) # Mangaan, en -verbindingen (als Mn)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

manganese dinitrate (10377-66-9)	
OEL TWA	0,2 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Манган
OEL TWA	0,3 mg/m ³ оксид и неорганични съединения (като манган)
OEL STEL	3 mg/m ³ оксид и неорганични съединения (като манган)
Croatia - Occupational Exposure Limits	
Local name	Mangan i anorganski spojevi mangana (kao Mn)
GVI (OEL TWA) [1]	0,2 mg/m ³ U (ukupna prašina) 0,05 mg/m ³ R (respirabilna prašina)
Remark	Direktiva: 2017/164/EU
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Czech Republic - Occupational Exposure Limits	
Local name	Mangan
PEL (OEL TWA)	1 mg/m ³
NPK-P (OEL C)	2 mg/m ³
Remark	V - vdechovatelná frakce aerosolu, R - respirabilní frakce aerosolu.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Mangan, pulver, støv og uorganiske forbindelser
OEL TWA [1]	0,2 mg/m ³ beregnet som Mn 0,1 mg/m ³ respirabel
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Mangaan ja anorgaanilised ühendid (arvutatud mangaanile)
OEL TWA	0,2 mg/m ³ kogu tolmu 0,05 mg/m ³ peentolmu
Remark	1 (Peentolmu koosneb alla 2,5-mikromeetrise läbimõõduga osakestest, mis võivad jõuda koos sissehingatava õhuga kopsu alveoolidesse (respireeritav fraktsioon))
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
Finland - Occupational Exposure Limits	
Local name	Mangaani, metalli
HTP (OEL TWA) [1]	0,02 mg/m ³
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

manganese dinitrate (10377-66-9)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Mangan und seine anorganischen Verbindungen
AGW (OEL TWA) [1]	0,02 mg/m ³ A (mg/m ³) 0,2 mg/m ³ E (mg/m ³)
Peak exposure limitation factor	8(II)
Remark	DFG,Y,10,20
Regulatory reference	TRGS900
Hungary - Occupational Exposure Limits	
Local name	MANGÁN ÉS SZERVETLEN SÓI (mangán-tetraoxid kivételével, Mn-ra számítva)
AK (OEL TWA)	5 mg/m ³
CK (OEL STEL)	20 mg/m ³
Remark	EU4 (2017/164 EU irányelvben közölt érték); Por: T (Azok az anyagok, amelyek egészségkárosító hatása TARTÓS expozíciót követően jelentkeznek), füst: R+T (Azok az anyagok, amelyek RÖVID és TARTÓS expozíciója is egészségkárosodást okoz)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Manganese, fume (as Mn)
OEL TWA [1]	0,2 mg/m ³ I (Inhalable Fraction) 0,02 mg/m ³ R (Respirable Fraction)
OEL STEL	3 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
Latvia - Occupational Exposure Limits	
Local name	Mangānsmetināšanas aerosolos(kondensācijas aerosols)
OEL TWA	0,1 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Netherlands - Occupational Exposure Limits	
Local name	Mangaan en anorganische mangaan-verbindingen
TGG-8u (OEL TWA)	0,2 mg/m ³ Inhaleerbaar (als mangaan)
TGG-15min (OEL STEL)	0,05 mg/m ³ Respirabel (als mangaan)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Mangan i jego związki nieorganiczne w przeliczeniu na Mn
NDS (OEL TWA)	0,3 mg/m ³
Remark	Frakcja wdychalna – frakcja aerozolu wnikaająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikaająca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

manganese dinitrate (10377-66-9)	
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Manganês e compostos inorgânicos, expressos em Mn
OEL TWA	0,02 mg/m ³ R (Fração respirável) 0,1 mg/m ³ I (Fração inalável)
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Mangan
OEL TWA	0,5 mg/m ³
OEL STEL	3 mg/m ³
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Slovakia - Occupational Exposure Limits	
Local name	Mangán a jeho anorganické zlúčeniny
NPHV (OEL TWA) [1]	0,5 mg/m ³
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	mangan in njegove anorganske spojine vključno strimanganovim tetraoksidom
OEL TWA	0,5 mg/m ³
OEL STEL	2 mg/m ³
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Manganeso
VLA-ED (OEL TWA) [1]	0,2 mg/m ³ elemental. Fracción inhalable 0,2 mg/m ³ Compuestos inorgánicos de Manganeso, como Mn. Fracción inhalable 0,05 mg/m ³ elemental. Fracción respirable 0,05 mg/m ³ Compuestos inorgánicos de manganeso, como Mn. Fracción respirable
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Mangan, och oorg. föreningar (som Mn)
NGV (OEL TWA)	0,2 mg/m ³ totaldamm 0,1 mg/m ³ respirabelt damm

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

manganese dinitrate (10377-66-9)	
Remark	3 (Med inhalerbar fraktion menas den mängd partiklar, av totalmängden partiklar i luften, som man inandas genom näsa och mun. Den respirabla fraktionen är de inhalerbara partiklar som når längst ner i luftvägarna, till alveolerna i lungorna)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	0,05 mg/m ³ and its inorganic compounds (as Mn) respirable dust
Iceland - Occupational Exposure Limits	
Local name	Mangan, duft, ryk (heildarryk) og ólífræn bindiefni, sem Mn
OEL TWA	2,5 mg/m ³ heildarryk 1 mg/m ³ örfint ryk
OEL STEL	5 mg/m ³ heildarryk
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Mangan og uorganiske manganforb. (beregnet som Mn)
Grænseverdi (OEL TWA) [1]	0,2 mg/m ³ Inhalerbar fraksjon 0,05 mg/m ³ Respirabel fraksjon
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet; 9) Enkelte bedrifter innen smelteverkindustrien vil av teknisk-økonomiske årsaker ikke kunne overholde grenseverdiene. Det er disse bedriftenes ansvar å dokumentere et forsvarlig arbeidsmiljø. Det forutsettes at bedriften(e) har en plan for reduksjon av eksponering og at man kan vise lavere verdier over tid. Arbeidstilsynet, ansattrepresentanter og verneombud skal konsulteres og informeres om årlige planer og oppnådde resultater.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	Манган и неорганиски соединенија
OEL TWA	0,5 mg/m ³ (l) инхалабилна фракција – дел на вкупно суспендирани материји, кои работникот ги вдишува
KTV	4
Short time value [mg/m ³]	2 mg/m ³
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (Y)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Manganèse et ses composés inorg. / Mangan und seine anorganischen Verbindungen

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

manganese dinitrate (10377-66-9)	
MAK (OEL TWA) [1]	0,5 mg/m ³ (i) / (e)
Critical toxicity	SNC / ZNS
Notation	SS _c , B, P / SS _c , B, P
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Manganèse et ses composés inorg. / Mangan und seine anorganischen Verbindungen
BAT	20 µg/l (364 nmol/l; Paramètre biologique: Manganèse; Substrat d'examen: Sang complet; Moment du prélèvement: Fin de l'exposition, de la période de travail. Exposition de longue durée: après plusieurs périodes de travail.) / (364 nmol/l; Biologischer Parameter: Mangan; Untersuchungsmaterial: Vollblut; Probennahmezeitpunkt: Expositionsende, bzw. Schichtende. Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Remark	Interprétation quantitative difficile. / Quantitative Interpretation schwierig.
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte
USA - ACGIH - Occupational Exposure Limits	
Local name	Manganese, elemental and inorganic compounds, as Mn
ACGIH OEL TWA	0,02 mg/m ³ (R - Respirable particulate matter) 0,1 mg/m ³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
nickel dinitrate (13138-45-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Nickel nitrate
IOEL TWA	0,005 mg/m ³ (respirable fraction) 0,01 mg/m ³ (inhalable fraction) 0,005 mg/m ³ (respirable fraction)
Remark	(Year of adoption 2011) (Year of adoption 2011)
Regulatory reference	SCOEL Recommendations SCOEL Recommendations
EU - Biological Limit Value (BLV)	
Local name	Nickel and nickel compounds
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
Austria - Occupational Exposure Limits	
Local name	Nickel (Stäube von Nickelmetall, Nickelsulfid und sulfidischen Erzen, Nickeloxide und Nickelcarbonat) und Stäube von Nickelverbindungen und Nickellegierungen
MAK (OEL TWA)	0,5 mg/m ³
MAK (OEL STEL)	2 mg/m ³

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
TRK (OEL TWA)	0,5 mg/m ³ (als Ni berechnet, E)
TRK (OEL STEL)	2 mg/m ³ (als Ni berechnet, E, 4x 15(Miw) min)
Remark	Sah. Krebszeugend: III A1
Regulatory reference	BGBl. II Nr. 156/2021
Austria - Biological limit values	
Local name	Nickel
BLV	7 µg/l Parameter: Nickel - Untersuchungsmaterial: Harn
Remark	Eignung mit vorzeitiger Folgeuntersuchung: Bei Überschreiten des Grenzwertes für Nickel im Harn. Bei Vorliegen einer wesentlichen Beeinträchtigung der Lungenfunktion. Diese ist anzunehmen, wenn nach mehrmaliger Messung der beste gemessene Wert den für den/die Untersuchte/n maßgebenden Sollwert um 20% unterschreitet, bzw. den MEF50-Sollwert um 50% unterschreitet. Eine vorzeitige Folgeuntersuchung ist jedoch nicht erforderlich, wenn im Vergleich zu Vorbefunden der altersabhängige physiologische Abfall der 1 Sekundenkapazität (FEV1) von 40 ml/Jahr nicht überschritten wird oder aus der Beurteilung des Kurvenverlaufes der Forcierten Vitalkapazität (FVC) eine eingeschränkte Mitarbeit des Untersuchten/der Untersuchten ersichtlich ist. Der Zeitabstand zwischen den Untersuchungen beträgt bei Eignung: ein Jahr; bei Eignung mit vorzeitiger Folgeuntersuchung: sechs Monate.
Regulatory reference	Verordnung über die Gesundheitsüberwachung am Arbeitsplatz 2017 (VGÜ 2017)
Belgium - Occupational Exposure Limits	
Local name	Nickel (composés insolubles inorganiques) (en Ni) # Nikkel (onoplosbare anorganische verbindingen) (als Ni)
OEL TWA	0,1 mg/m ³ (Nickel (composés solubles) (en Ni); Belgium; Time-weighted average exposure limit 8 h)
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Никел
OEL TWA	0,05 mg/m ³ метал и съединения (като никел)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Bulgaria - Biological limit values	
Local name	Никел метал, разтворими съединения, никелов сулфат, никелов хром-фосфат (като никел)
BLV	45 µg/l Биомаркер за експозиция/биомаркер за ефект: никел - Биологична среда: урина - Време на пробовземане: След няколко работни смени - Специфични ефекти: Няма
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Nikal

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
GVI (OEL TWA) [1]	0,5 mg/m ³
Remark	T (otrovno); Karc. kat. 3 (tvari koje izazivaju zabrinutost zbog mogućeg karcinogenog djelovanja na ljude)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граничним vrijednostima izloženosti i biološkim граничним vrijednostima (NN 1/2021)
Croatia - Biological limit values	
Local name	Nikal (topljivi spojevi)
BLV	0,17 µmol/l Karakteristični pokazatelj: nikal - Biološki uzorak: plazma - Vrijeme uzorkovanja: na kraju radne smjene 10 µg/l Karakteristični pokazatelj: nikal - Biološki uzorak: plazma - Vrijeme uzorkovanja: na kraju radne smjene 15,4 µmol/mol creatinine Karakteristični pokazatelj: nikal - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene 8 µg/g creatinine Karakteristični pokazatelj: nikal - Biološki uzorak: mokraća - Vrijeme uzorkovanja: na kraju radne smjene
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граничним vrijednostima izloženosti i biološkim граничним vrijednostima (NN 91/2018)
Czech Republic - Occupational Exposure Limits	
Local name	Nikl
PEL (OEL TWA)	0,5 mg/m ³
NPK-P (OEL C)	1 mg/m ³
Remark	B - u látky je zaveden biologický expoziční test (BET) v moči nebo krvi, S - látka má senzibilizující účinek (s větou H317, H334), V - vdechovatelná frakce aerosolu.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Czech Republic - Biological limit values	
Local name	Nikl
BLV	0,04 mg/g creatinine Ukazatel: Nikl - Biologický vzorek: moči - Doba odběru: nerozhoduje 0,077 µmol/mmol Creatinine Ukazatel: Nikl - Biologický vzorek: moči - Doba odběru: nerozhoduje
Regulatory reference	Vyhláška č. 107/2013 Sb. (kterou se mění vyhláška č. 432/2003 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Nikkel, pulver og støv
OEL TWA [1]	0,05 mg/m ³ beregnet som Ni
Remark	K (betyder, at stoffet anses for at kunne være kræftfremkaldende)
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Nikkel, metall
OEL TWA	0,5 mg/m ³
Remark	S (Sensibiliseeriv aine)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
Finland - Occupational Exposure Limits	
Local name	Nikkeli, metalli
HTP (OEL TWA) [1]	0,01 mg/m ³
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Finland - Biological limit values	
Local name	Nikkeli, metalli
BLV	0,1 µmol/l Parametri: Virtsan nikkeli - Näytteenottoajankohta: Työvuoron päätyttyä työviikon tai altistumisjakson loputtua
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Nickel (métal)
VME (OEL TWA)	1 mg/m ³
Remark	Valeurs recommandées/admises; substance classée cancérogène de catégorie 2
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Nickel und Nickelverbindungen
AGW (OEL TWA) [1]	0,006 mg/m ³ A (mg/m ³)
Peak exposure limitation factor	8(II)
Remark	AGS,10,Sh,Y
Regulatory reference	TRGS900
Germany - Occupational Exposure Limits (TRGS 910)	
Local name	Nickelverbindungen, als Carc. 1A, Carc. 1B eingestuft
Acceptable concentration (Weight conc.)	6 µg/m ³ (A)
Notes	b) Akzeptanzkonzentration assoziiert mit Risiko 4:10000
Tolerance concentration (Weight conc.)	6 µg/m ³ (A)
Tolerance concentration excess factor	8
Remark	(2) Die Toleranzkonzentration wurde gemäß Nummer 3.2.1 aufgrund einer nicht krebs-erzeugenden Wirkung festgelegt. Bei Überschreitung gelten die gleichen Maßnahmen wie bei Überschreitung des AGW.; (3) Nickelmetall siehe TRGS 900; (4) Die Konzentrationen beziehen sich auf den Elementgehalt des entsprechenden Metalls.; Siehe TRGS 561
Regulatory reference	TRGS 910
Hungary - Biological Exposure Indices	
Local name	Nikkel
BEI	0,003 mg/l Biológiai expozíció (hatás) mutató: nikkeli - Biológiai minta: vizeletben - Mintavétel ideje: mhv., m.v. (munkahét végén, műszak végén) 0,051 µmol/l Biológiai expozíció (hatás) mutató: nikkeli - Biológiai minta: vizeletben - Mintavétel ideje: mhv., m.v. (munkahét végén, műszak végén)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Nickel
OEL TWA [1]	0,5 mg/m ³
Remark	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	Nickel
BMGV	3 µg/l Parameter: Ni - Medium: urine - Sampling time: After several consecutive working shifts
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Latvia - Occupational Exposure Limits	
Local name	Niķelis,niķeļakoksīdi, sulfīdiunsavienojumu maisījumi(pēcNi)
OEL TWA	0,05 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Latvia - Biological Exposure Indices	
Local name	Niķelim un tā neorganiskajiem savienojumiem
BEI	3 µg/l Niķelim urīnā
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2021. gada 18. februārī noteikumiem Nr. 110)
Lithuania - Occupational Exposure Limits	
Local name	Nikelis
IPRV (OEL TWA)	0,5 mg/m ³
Remark	K (kancerogeninis poveikis); J (jautrinantis poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Poland - Occupational Exposure Limits	
Local name	Nikiel i jego związki, z wyjątkiem tetrakarbonylku niklu (niklu karbonylku) w przeliczeniu na Ni
NDS (OEL TWA)	0,25 mg/m ³
Portugal - Occupational Exposure Limits	
Local name	Níquel, expresso em Ni Elementar

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
OEL TWA	1,5 mg/m ³ I (Fração inalável)
Remark	A5 (Agente não suspeito de ser carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Nichel și compuși
OEL TWA	0,1 mg/m ³
OEL STEL	0,5 mg/m ³
Slovenia - Occupational Exposure Limits	
Local name	nikelj – kovina
OEL TWA	0,006 mg/m ³
OEL STEL	0,048 mg/m ³
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti), EKA (Zveza med koncentracijo rakotvornih snovi v zraku na delovnem mestu in količino snovi in/ali njenih metabolitov v organizmu)
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Níquel metal
VLA-ED (OEL TWA) [1]	1 mg/m ³
Remark	Sen (Sensibilizante), r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) nº 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Nickel, metall
NGV (OEL TWA)	0,5 mg/m ³ totaldamm
Remark	S (Ämnet är sensibiliserande. Sensibiliserande ämnen kan ge allergi eller annan överkänslighet. Överkänslighetsbesvären drabbar främst huden eller andningsorganen. Överkänslighet innebär att man reagerar vid kontakt med ämnen som normalt inte ger besvär. Allergi är en undergrupp av överkänslighet som orsakas av reaktioner i kroppens immunsystem. Särskilt låga gränsvärden har fastställts för ämnen med mer uttalat luftvägssensibiliserande egenskaper. Några ämnen med starkt sensibiliserande egenskaper får endast hanteras efter tillstånd från Arbetsmiljöverket, se föreskrifterna om kemiska arbetsmiljörisker. Dessa ämnen har inga gränsvärden men i vissa fall riktvärden); 3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

nickel dinitrate (13138-45-9)	
United Kingdom - Occupational Exposure Limits	
Local name	Nickel
WEL TWA (OEL TWA) [1]	0,1 mg/m ³ Nickel, water-soluble inorganic compounds (as Ni); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), Carc (nickel oxides and sulphides)(Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), Sen (nickel sulphate)(Capable of causing occupational asthma. See paragraphs 53–56)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Nikkel, duft og ryk, sem Ni
OEL TWA	0,05 mg/m ³
Remark	O,K
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Switzerland - Occupational Exposure Limits	
Local name	Nickel, sels solubles / Nickelsalze, löslich
MAK (OEL TWA) [1]	0,05 mg/m ³ (i) / (e)
Critical toxicity	Cancnasal, Poumons / Nasenkrebs, Lunge
Notation	S, C1 _A , B / S, C1 _A , B
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
Switzerland - BAT	
Local name	Nickel, sels solubles / Nickelsalze, löslich
BAT	40 µg/l (681.4 nmol/l; Paramètre biologique: Nickel; Substrat d'examen: Urine; Moment du prélèvement: Fin de l'exposition, de la période de travail. Exposition de longue durée: après plusieurs périodes de travail.) / (681.4 nmol/l; Biologischer Parameter: Nickel; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Expositionsende, bzw. Schichtende. Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Remark	Paramètre non spécifique. / Nicht spezifischer Parameter.
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte
USA - ACGIH - Occupational Exposure Limits	
Local name	Nickel, elemental
ACGIH OEL TWA	0,1 mg/m ³ (Nickel, Soluble inorganic compounds (NOS), as Ni; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)
Remark (ACGIH)	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2022

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

strontium nitrate (10042-76-9)	
Lithuania - Occupational Exposure Limits	
Local name	Stroncio nitratas
IPRV (OEL TWA)	1 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
barium nitrate (10022-31-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Barium (soluble compounds as Ba)
IOEL TWA	0,5 mg/m ³ 0,5 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC COMMISSION DIRECTIVE 2006/15/EC
Albania - Occupational Exposure Limits	
Local name	Barium
OEL TWA	0,5 mg/m ³ (përbërje të tretshme, si Ba)
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKË NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Bariumverbindungen, lösliche (ausgenommen Bariumchromat)
MAK (OEL TWA)	0,5 mg/m ³ (als Ba berechnet, E) 0,5 mg/m ³ (als Ba berechnet, E)
MAK (OEL STEL)	2 mg/m ³ (als Ba berechnet, E, 4x 15(Miw) min) 2 mg/m ³ (als Ba berechnet, E, 4x 15(Miw) min)
Regulatory reference	BGBI. II Nr. 156/2021 BGBI. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Baryum (composés solubles) (en Ba) # Barium (oplosbare verbindingen) (als Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Bulgaria - Occupational Exposure Limits	
Local name	Барий
OEL TWA	0,5 mg/m ³ разтворими съединения (като барий)
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Барий (topljivi spojevi kao Ba)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

barium nitrate (10022-31-8)	
GVI (OEL TWA) [1]	0,5 mg/m ³
Remark	Direktiva: 2006/15/EZ
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Czech Republic - Occupational Exposure Limits	
Local name	Barya sloučeniny rozpustné, jako Ba
PEL (OEL TWA)	0,5 mg/m ³
NPK-P (OEL C)	2,5 mg/m ³
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Bariumforbindelser, opløselige
OEL TWA [1]	0,5 mg/m ³ beregnet som Ba
Remark	E (betyder, at stoffet har en EF-grænseværdi)
Regulatory reference	BEK nr 2203 af 29. november 2021
Finland - Occupational Exposure Limits	
Local name	Barium, liukoiset yhdisteet
HTP (OEL TWA) [1]	0,5 mg/m ³ Ba
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
VME (OEL TWA)	0,5 mg/m ³ (Baryum (composés solubles), en Ba; France; Time-weighted average exposure limit 8 h; VRI: Valeur réglementaire indicative)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Bariumverbindungen, löslich (außer Bariumoxid und Bariumhydroxid)
AGW (OEL TWA) [1]	0,5 mg/m ³ (E)
Peak exposure limitation factor	1(l)
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); 13 - Eine Begründung für die Ableitung eines gesundheitsbasierten AGW liegt nicht vor; 10 - Der Arbeitsplatzgrenzwert bezieht sich auf den Elementgehalt des entsprechenden Metalls; 15 - Für die analytische Bestimmung wird folgende Vorgehensweise empfohlen: "Analytische Methoden zur Prüfung gesundheitsschädlicher Arbeitsstoffe", Band 1 "Luftanalysen", 14. Lieferung 2005, und "Spezielle Vorbemerkungen", Kap. 4.7.1, S. 29-30, Wiley-VCH Verlag GmbH & Co.KGaA, Weinheim oder "Messung von Gefahrstoffen", BGI-Arbeitsmappe, Erich Schmidt Verlag, Bielefeld
Regulatory reference	TRGS900
Gibraltar - Occupational Exposure Limits	
Local name	Barium (soluble compounds as Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

barium nitrate (10022-31-8)	
Ireland - Occupational Exposure Limits	
Local name	Barium compounds, (soluble compounds as Ba)
OEL TWA [1]	0,5 mg/m ³
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Bario (composti solubili come Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Lithuania - Occupational Exposure Limits	
Local name	Baris (tirpieji junginiai, kaip Ba)
IPRV (OEL TWA)	0,5 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Baryum (composés solubles en Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Barium (soluble compounds as Ba) # Barium (kompost li jinħallu bħala Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Barium
TGG-8u (OEL TWA)	0,5 mg/m ³ oplosbare verbindingen (als Ba)
Regulatory reference	Arbeidsomstandighedenregeling 2022
Poland - Occupational Exposure Limits	
Local name	Bar i jego związki nieorganiczne w przeliczeniu na Ba
NDS (OEL TWA)	0,5 mg/m ³
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Bário e compostos solúveis, expressos em Ba
OEL TWA	0,5 mg/m ³
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

barium nitrate (10022-31-8)	
Romania - Occupational Exposure Limits	
Local name	Bariu (compuși solubili exprimați ca Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Slovakia - Occupational Exposure Limits	
Local name	Bárium zlúčeniny rozpustné ako Ba
NPHV (OEL TWA) [1]	0,5 mg/m ³
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	barij (topne spojine, računano kot Ba)
OEL TWA	0,5 mg/m ³
OEL STEL	0,5 mg/m ³
Remark	EU
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Bario
VLA-ED (OEL TWA) [1]	0,5 mg/m ³ elemental 0,5 mg/m ³ Compuestos de bario solubles, como Ba
Remark	c (Los términos “soluble” e “insoluble” se entienden con referencia al agua), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Barium, lösliga föreningar (som Ba)
NGV (OEL TWA)	0,5 mg/m ³ totaldamm
Remark	3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Barium
WEL TWA (OEL TWA) [1]	0,5 mg/m ³ compounds, soluble (as Ba)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

barium nitrate (10022-31-8)	
Iceland - Occupational Exposure Limits	
Local name	Baríumsambönd, uppleysanleg (sem Ba)
OEL TWA	0,5 mg/m ³
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Barium og bariumforb. (unntatt bariumsulfat) (beregnet som Ba)
Grenseverdi (OEL TWA) [1]	0,5 mg/m ³
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	Бариум (растворливи соединенија, пресметани како Ba)
OEL TWA	0,5 mg/m ³
Remark	(EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Baryum, composés solubles / Bariumverbindungen, löslich
MAK (OEL TWA) [1]	0,5 mg/m ³ (i) / (e)
KZGW (OEL STEL)	4 mg/m ³ (i) / (e)
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
USA - ACGIH - Occupational Exposure Limits	
Local name	Barium and soluble compounds
ACGIH OEL TWA	0,5 mg/m ³
Remark (ACGIH)	TLV® Basis: Eye, skin, & GI irr; muscular stimulation. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1,07
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

nitric acid (7697-37-2)

LC50 Inhalation - Rat	> 2,65 mg/L air
-----------------------	-----------------

arsenic acid (7778-39-4)

LD50 oral	149,6 mg/kg bodyweight (mouse)
LD50 dermal rabbit	2000 (1583 – 2417) mg/kg

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium nitrate (7757-79-1)	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 Inhalation - Rat	> 0,527 mg/L air
lithium nitrate (7790-69-4)	
LD50 oral rat	1426 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5,93 mg/l/4h
manganese dinitrate (10377-66-9)	
LD50 oral rat	> 300 mg/kg bodyweight
nickel dinitrate (13138-45-9)	
LD50 oral rat	361,9 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2,48 mg/l
strontium nitrate (10042-76-9)	
LD50 oral rat	> 2000 mg/kg
LC50 Inhalation - Rat	4,5 mg/l/4h
barium nitrate (10022-31-8)	
LD50 oral rat	300 (50 – 300) mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 1 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 1,1 mg/l
Skin corrosion/irritation	: Causes skin irritation.
nitric acid (7697-37-2)	
pH	< 1
potassium nitrate (7757-79-1)	
pH	≈ 7
manganese dinitrate (10377-66-9)	
pH	< 2
nickel dinitrate (13138-45-9)	
pH	3,5 – 5,5 (5 %)
barium nitrate (10022-31-8)	
pH	5 – 8
Serious eye damage/irritation	: Causes serious eye irritation.
nitric acid (7697-37-2)	
pH	< 1

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

potassium nitrate (7757-79-1)	
pH	≈ 7
manganese dinitrate (10377-66-9)	
pH	< 2
nickel dinitrate (13138-45-9)	
pH	3,5 – 5,5 (5 %)
barium nitrate (10022-31-8)	
pH	5 – 8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
arsenic acid (7778-39-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
nitric acid (7697-37-2)	
NOAEL (oral, rat, 90 days)	1500 mg/kg bodyweight
NOAEC (inhalation, rat, gas, 90 days)	2,15 ppm
potassium nitrate (7757-79-1)	
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight
manganese dinitrate (10377-66-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
nickel dinitrate (13138-45-9)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
strontium nitrate (10042-76-9)	
LOAEL (oral, rat, 90 days)	49,6 mg/kg bodyweight
NOAEL (oral, rat, 90 days)	12,4 mg/kg bodyweight
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
nitric acid (7697-37-2)	
Viscosity, kinematic	0,595 mm ² /s

11.2. Information on other hazards

No additional information available

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

nitric acid (7697-37-2)	
EC50 - Crustacea [1]	180 mg/l Daphnia magna (Water flea)
Threshold limit - Algae [1]	> 19 mg/l
arsenic acid (7778-39-4)	
LC50 - Fish [1]	28 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	3,26 mg/l Daphnia magna (Water flea)
LOEC (chronic)	0,01 mg/l Daphnia pulex
NOEC (chronic)	> 1 mg/l Daphnia pulex
NOEC chronic fish	0,97 mg/l Pimephales promelas (Fathead minnow)
potassium nitrate (7757-79-1)	
LC50 - Fish [1]	1378 mg/l Poecilia reticulata (Guppy)
EC50 - Crustacea [1]	490 mg/l Daphnia magna (Water flea)
lithium nitrate (7790-69-4)	
LC50 - Fish [1]	158 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	249 mg/l Daphnia magna (Water flea)
LOEC (chronic)	2,53 mg/l Daphnia magna (Water flea)
NOEC (chronic)	1,7 mg/l Daphnia magna (Water flea)
manganese dinitrate (10377-66-9)	
LC50 - Fish [1]	55,26 – 67,71 mg/l (Catla catla ; Labeo rohita ; Cirrhina mrigala)
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	61 mg/l Desmodesmus subspicatus
nickel dinitrate (13138-45-9)	
LC50 - Fish [1]	0,4 mg/l (mg Ni/L) Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	0,013 mg/l (mg Ni/L) Ceriodaphnia dubia
strontium nitrate (10042-76-9)	
LC50 - Fish [1]	> 97,45 mg/l Cyprinus carpio (Common carp)
EC50 - Crustacea [1]	125 mg/l Daphnia magna (Water flea)(mg Sr/L)
EC50 72h - Algae [1]	> 43,3 mg/l Pseudokirchneriella subcapitata
NOEC chronic fish	≥ 100 mg/l Brachydanio rerio (zebra-fish)

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

barium nitrate (10022-31-8)	
LC50 - Fish [1]	> 3,5 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	16 – 18 mg/l Ceriodaphnia dubia
EC50 72h - Algae [1]	> 1,15 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	2,9 mg/l Daphnia magna (Water flea)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

nitric acid (7697-37-2)	
Partition coefficient n-octanol/water (Log Pow)	-2,3
arsenic acid (7778-39-4)	
Bioaccumulative potential	bioaccumulable.
lithium nitrate (7790-69-4)	
Partition coefficient n-octanol/water (Log Pow)	-0,79
barium nitrate (10022-31-8)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

lithium nitrate (7790-69-4)	
Mobility in soil	13,22

12.5. Results of PBT and vPvB assessment

Component	
nitric acid (7697-37-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
arsenic acid (7778-39-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
potassium nitrate (7757-79-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
lithium nitrate (7790-69-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
manganese dinitrate (10377-66-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
nickel dinitrate (13138-45-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
strontium nitrate (10042-76-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
barium nitrate (10022-31-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not dangerous goods in terms of transport regulations				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
28.	nickel dinitrate	Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.
3(a)	nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579 ; nitric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
30.	nickel dinitrate	Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.

REACH Annex XIV (Authorisation List)

Contains substance(s) listed on REACH Annex XIV: Arsenic acid (EC 231-901-9, CAS 7778-39-4)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations $\geq 0.1\%$ or SCL: Arsenic acid (EC 231-901-9, CAS 7778-39-4)

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): arsenic acid (7778-39-4)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Combined Nomenclature code (CN)	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Potassium nitrate	7757-79-1	2834 21 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 20	Occupational diseases caused by arsenic and its mineral compounds
RG 20 BIS	Primary bronchial cancer caused by inhalation of arsenical dust or vapors
RG 37	Professional skin disorders caused by oxides and nickel salts
RG 37 BIS	Respiratory disorders caused by oxides and nickel salts

Germany

Water hazard class (WGK)

Storage class (LGK, TRGS 510)

Joint storage table

: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

: LGK 12 - Non-combustible liquids.

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage not permitted for	: LGK 1, LGK 6.2, LGK 7.
Joint storage with restrictions permitted for	: LGK 4.1A, LGK 4.3, LGK 5.1C.
Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category	: B(4) - low hazard for aquatic organisms
SZW-lijst van kankerverwekkende stoffen	: lithium nitrate, nickel dinitrate are listed
SZW-lijst van mutagene stoffen	: lithium nitrate is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: nickel dinitrate is listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: manganese dinitrate, nickel dinitrate are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: manganese dinitrate, nickel dinitrate are listed

Denmark

Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product
-----------------------------	--

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Added	
	Revision date	Modified	
	Flammability	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	
2.2	Signal word (CLP)	Added	
2.2	Hazard pictograms (CLP)	Added	
2.2	Precautionary statements (CLP)	Added	
2.2	Hazard statements (CLP)	Added	
2.2	EUH-statements	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
8.2	Personal protective equipment	Modified	
15.1	REACH Annex XVII	Modified	
16	Abbreviations and acronyms	Added	

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO₃ 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Carc. 1A	Carcinogenicity, Category 1A
EUH208	Contains nickel dinitrate. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Mixed Calibration Standard 10 components: As 50ug/ml ; K 50ug/ml ; La 10ug/ml ; Li 10ug/ml ; Mn 10ug/ml ; Ni 10ug/ml ; Sr 10ug/ml ; Zn 10ug/ml ; Ba 1ug/ml ; Mg 1ug/ml in HNO3 2% Equivalent to Perkin Elmer Ref: N0691579

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H413	May cause long lasting harmful effects to aquatic life.
Met. Corr. 1	Corrosive to metals, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Ox. Sol. 1	Oxidising Solids, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.