

# spectracer Japanese Pharmacopoeia - Bromine Test Solution (TS)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS Reference Number: JPHTS180

Issue date: 31/08/2013 Revision date: 07/01/2025 Supersedes version of: 20/01/2017 Version: 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

: Mixture Product form

Product name : Japanese Pharmacopoeia - Bromine Test Solution (TS)

Product code : JPHTS180

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Laboratory chemical Function or use category : Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

#### Spectracer UK Ltd.

20 Seymour Mews, London, W1H 6BQ. United Kingdom.

Tel: +44 (0) 207 193 9114 Fax:+44 (0) 203 432 4686 Email: contact@spectracer.com Web: www.spectracer.com

## 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger
Contains : bromine

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	bromine (7726-95-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	bromine (7726-95-6)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
bromine substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, TR); substance with a Community workplace exposure limit	CAS-No.: 7726-95-6 EC-No.: 231-778-1 EC Index-No.: 035-001-00-5	2-3% v/v	Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1A, H314 STOT RE 2, H373 Aquatic Acute 1, H400

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : None under normal conditions.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

07/01/2025 (Revision date) EN (English) 3/18

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Not expected to present a significant hazard under anticipated conditions of normal use.

Ensure good ventilation of the work station. Keep container tightly closed. Keep only in original container. Observe strict hygiene. Good ventilation of the workplace required. Avoid

contact with skin and eyes. Wear personal protective equipment.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Incompatible products : Acids. Incompatible materials : Metals.

Special rules on packaging : Keep only in original container.

Packaging materials : Store always product in container of same material as original container.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LCK1

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

# 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

National occupational exposure and biological limit values

bromine (7726-95-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name Bromine		
IOEL TWA	0.7 mg/m³ (Bromine; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
	0.1 ppm (Bromine; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Austria - Occupational Exposure Limits		
Local name Brom		
MAK (OEL TWA)	0.7 mg/m³	
	0.1 ppm	

# Safety Data Sheet

bromine (7726-95-6)			
OEL C	0.7 mg/m³		
	0.1 ppm		
Regulatory reference	BGBI. II Nr. 156/2021		
Belgium - Occupational Exposure Limits			
Local name	Brome # Broom		
OEL TWA	0.67 mg/m³		
	0.1 ppm		
OEL STEL	1.3 mg/m³		
	0.2 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023		
Bulgaria - Occupational Exposure Limits			
Local name	Бром		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)		
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 28 от 2024 г., в сила от 05.04.2024 г.)		
Croatia - Occupational Exposure Limits			
Local name	Brom		
GVI (OEL TWA)	0.7 mg/m³		
	0.1 ppm		
Remark	Direktiva: 2006/15/EZ		
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)		
Czech Republic - Occupational Exposure Limits			
Local name	Brom		
PEL (OEL TWA)	0.7 mg/m³		
	0.1 ppm		
NPK-P (OEL C)	1.4 mg/m³		
	0.2 ppm		
Remark	I - dráždí sliznice (oči, dýchací cesty) resp. kůži.		
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 330/2023 Sb.)		
Denmark - Occupational Exposure Limits			
Local name	Brom		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Remark	E (betyder, at stoffet har en EF-grænseværdi)		
Regulatory reference	BEK nr 291 af 19/03/2024		

# Safety Data Sheet

bromine (7726-95-6)		
Estonia - Occupational Exposure Limits		
Local name	Broom	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)	
Finland - Occupational Exposure Limits		
Local name	Bromi	
HTP (OEL STEL)	0.66 mg/m³	
	0.1 ppm	
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)	
France - Occupational Exposure Limits		
Local name	Brome	
VME (OEL TWA)	0.7 mg/m³	
	0.1 ppm	
Remark	Valeurs règlementaires contraignantes	
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2021-1849)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
Local name	Brom	
AGW (OEL TWA)	0.7 mg/m³	
	0.1 ppm	
Peak exposure limitation factor	1(I)	
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); AGS - Ausschuss für Gefahrstoffe	
Regulatory reference	TRGS900	
Gibraltar - Occupational Exposure Limits		
Local name	Bromine	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)	
Greece - Occupational Exposure Limits		
Local name	Βρώμιο	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
OEL STEL	2 mg/m³	
	0.3 ppm	
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους	
Hungary - Occupational Exposure Limits		
Local name	BRÓM	

# Safety Data Sheet

bromine (7726-95-6)			
AK (OEL TWA)	0.7 mg/m³		
	0.1 ppm		
Remark	b (Bőrön át is felszívódik), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); EU2 (2006/15/EK irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)		
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről		
Ireland - Occupational Exposure Limi	s		
Local name	Bromine		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2024		
Italy - Occupational Exposure Limits			
Local name	Bromo		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Regulatory reference	Allegato XXXVIII del Decreto Legislativo 4 settembre 2024, n. 135		
Latvia - Occupational Exposure Limits	· · · · · · · · · · · · · · · · · · ·		
Local name	Broms		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2024. gada 26. martā noteikumiem Nr. 191).		
Lithuania - Occupational Exposure Limits			
Local name	Bromas		
IPRV (OEL TWA)	0.7 mg/m³		
	0.1 ppm		
Remark	Ū (ūmus poveikis)		
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)		
Luxembourg - Occupational Exposure	Limits		
Local name	Brome		
OEL TWA	0.7 mg/m³		
	0.1 ppm		
Regulatory reference	Mémorial A Nº 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail		
Malta - Occupational Exposure Limits	·		
Local name	Bromine		
OEL TWA	0.7 mg/m³		
	0.1 ppm		

# Safety Data Sheet

bromine (7726-95-6)		
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Agenti Kimići fuq il-Post tax-Xogħol (A.L. 356 tal-2021)	
Netherlands - Occupational Exposure Limit	s	
Local name	Broom	
TGG-15min (OEL STEL)	0.2 mg/m³	
	0.03 ppm (Broom; Netherlands; Short time value; Public occupational exposure limit value)	
Regulatory reference	Arbeidsomstandighedenregeling 2024	
Poland - Occupational Exposure Limits		
Local name	Brom	
NDS (OEL TWA)	0.7 mg/m³	
NDSCh (OEL STEL)	1.4 mg/m³	
Regulatory reference	Dz. U. 2024 poz. 1017 wraz z późn. zm.	
Portugal - Occupational Exposure Limits	•	
Local name	Bromo	
OEL TWA	0.1 ppm	
OEL STEL	0.2 ppm	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Romania - Occupational Exposure Limits		
Local name	Brom	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 179/2024)	
Slovakia - Occupational Exposure Limits		
Local name	Bróm	
NPHV (OEL TWA)	0.7 mg/m³	
	0.1 ppm	
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)	
Slovenia - Occupational Exposure Limits		
Local name	brom	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
OEL STEL	0.7 mg/m³	
	0.1 ppm	
Remark	EU	
Regulatory reference	Uradni list RS, št. 29/2024 z dne 4. 4. 2024 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu	
Spain - Occupational Exposure Limits		
Local name	Bromo	
VLA-ED (OEL TWA)	0.7 mg/m³	

# Safety Data Sheet

bromine (7726-95-6)		
	0.1 ppm	
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT	
Sweden - Occupational Exposure Limits		
Local name	Brom	
NGV (OEL TWA)	0.7 mg/m³	
	0.1 ppm	
KGV (OEL STEL)	2 mg/m³	
	0.3 ppm	
Remark	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)	
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)	
United Kingdom - Occupational Exposure Limits		
Local name	Bromine	
WEL TWA (OEL TWA)	0.66 mg/m³	
	0.1 ppm	
WEL STEL (OEL STEL)	1.3 mg/m³	
	0.2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Iceland - Occupational Exposure Limits		
Local name	Bróm	
OEL TWA	0.7 mg/m³	
	0.1 ppm	
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)	
Norway - Occupational Exposure Limits		
Local name	Brom	
Grenseverdi (OEL TWA)	0.7 mg/m³	
	0.1 ppm	
Korttidsverdi (OEL STEL)	0.2 ppm	
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.	
Regulatory reference	FOR-2024-04-05-581	
USA - ACGIH - Occupational Exposure Limits		
Local name	Bromine	
ACGIH OEL TWA	0.1 ppm	
ACGIH OEL STEL	0.2 ppm	
Remark (ACGIH)	TLV® Basis: URT & LRT irr; lung dam	
Regulatory reference	ACGIH 2024	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

#### Personal protective equipment symbol(s):







### Eye and face protection

# Eye protection:

Safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### **Respiratory protection**

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### **Environmental exposure controls**

# Environmental exposure controls:

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Not available Colour Odour Not available Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point Not available Flammability Non flammable. Lower explosion limit : Not available Upper explosion limit Not available Flash point Not available Auto-ignition temperature Not available Decomposition temperature Not available : Not available рΗ : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Decomposes slowly on exposure to UV light: release of toxic and corrosive gases/vapours (hydrofluoric acid, hydrogen bromide, hydrogen chloride). Reacts with (some) metals. On heating/burning: release of toxic and corrosive gases/vapours (hydrogen bromide, bromine). Reacts with (some) acids: release of corrosive gases/vapours (hydrogen bromide).

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

#### 10.4. Conditions to avoid

Overheating. Direct sunlight. Avoid contact with hot surfaces.

### 10.5. Incompatible materials

Acids. Metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

brom	no /	772	6 05	<b>C</b> \
DIUIII	ше	112		-61

promine (7/26-95-6)		
LD50 oral rat	2600 mg/kg	
LC50 Inhalation - Rat [ppm]	174 ppm (30min)	
Skin corrosion/irritation : Causes skin irritation.		

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

bromine (7726-95-6)	
LOAEL (oral, rat, 90 days) 225 mg/kg bodyweight	
NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

bromine (7726-95-6)	
LC50 - Fish [1]	0.31 mg/l (LC50; 24 h; Oncorhynchus mykiss (Rainbow trout))
EC50 - Crustacea [1]	1 mg/l Daphnia magna (Water flea)

# 12.2. Persistence and degradability

Japanese Pharmacopoeia - Bromine Test Solution (TS)	
Persistence and degradability Rapidly degradable	
bromine (7726-95-6)	
Persistence and degradability Rapidly degradable	

# 12.3. Bioaccumulative potential

bromine (7726-95-6)	
BCF - Other aquatic organisms [1] < 0.083	
Partition coefficient n-octanol/water (Log Pow)	1.03 (estimated value)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

# 12.4. Mobility in soil

bromine (7726-95-6)	
Surface tension	0.041 N/m (20 °C)

### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	bromine (7726-95-6)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	bromine (7726-95-6)

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

07/01/2025 (Revision date) EN (English) 12/18

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sewage disposal recommendations

: Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Additional information

: Do not re-use empty containers.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not dangerous goods in term	ns of transport regulations			
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

# 14.6. Special precautions for user

# **Overland transport**

Not regulated

### Transport by sea

Not regulated

#### Air transport

Not regulated

### **Inland waterway transport**

Not regulated

### Rail transport

Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Japanese Pharmacopoeia - Bromine Test Solution (TS); bromine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	bromine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### **National regulations**

#### Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : B(2) - toxic for aquatic organisms SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Poland**

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes		
Section	Changed item	Comments
1.2	Main use category	Modified
2.2	Hazard pictograms (CLP)	Modified
2.2	Precautionary statements (CLP)	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures general	Added
4.2	Symptoms/effects after ingestion	Added
4.2	Symptoms/effects after inhalation	Added
5.1	Unsuitable extinguishing media	Added
5.2	Fire hazard	Added
5.2	Explosion hazard	Added
5.3	Firefighting instructions	Added
6.1	Emergency procedures	Added
6.1	Protective equipment	Added
6.1	General measures	Added
6.3	For containment	Added

# Safety Data Sheet

Indication of changes		
Section	Changed item	Comments
7.1	Additional hazards when processed	Added
7.1	Precautions for safe handling	Modified
7.2	Technical measures	Added
7.2	Packaging materials	Added
7.2	Storage conditions	Modified
8.2	Personal protective equipment	Modified
9	Flammability	Modified
13.1	Product/Packaging disposal recommendations	Added
13.1	Sewage disposal recommendations	Added
13.1	Additional information	Added
13.1	Regional waste regulation	Added
15.1	REACH Annex XVII	Modified
16	Abbreviations and acronyms	Added

Abbreviations and acronyms:		
ACGIH	American Conference of Government Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	
CSA	Chemical safety assessment	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disruptor	
EN	European Standard	
EWC	European waste catalogue	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

# Safety Data Sheet

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
Log Kow	Partition coefficient n-octanol/water (Log Kow)	
Log Pow	Partition coefficient n-octanol/water (Log Pow)	
MAK	maximum workplace concentration	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise Specified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
OSHA	Occupational Safety Health Administration	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
PPE	Personal protection equipment	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TF	Technical function	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TWA	Time Weighted Average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
UFI	Unique Formula Identifier	

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.