



Iron (III) sulfate TS Japanese Pharmacopoeia Test Solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 08/12/2016

Revision date: 08/12/2016

Version: 1.1

WWW.FASTMSDS.COM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Iron (III) sulfate TS
Japanese Pharmacopoeia Test Solution
Product code : JPHTS313

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use
Use of the substance/mixture : Laboratory chemical
Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Spectracer UK Ltd.

Second Floor,
27 Gloucester Place,
London,
W1U 8HU,
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: contact@spectracer.co.uk

Web: www.spectracer.com

1.4. Emergency telephone number

Emergency number : Tel: +44(0)1933 445260 Option 1. Language: English only.
For Chemical Emergencies Only
Llewellyn (Safety Advisors) Europe Ltd

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314
Category 1A

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

Iron (III) sulfate TS

Japanese Pharmacopoeia Test Solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazardous ingredients :

sulphuric acid

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphuric acid	(CAS No) 7664-93-9 (EC no) 231-639-5 (EC index no) 016-020-00-8	15 - 30	Skin Corr. 1A, H314
iron(III)sulfate	(CAS No) 10028-22-5 (EC no) 233-072-9	5 - 15	Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sulphuric acid	(CAS No) 7664-93-9 (EC no) 231-639-5 (EC index no) 016-020-00-8	(5 =<C < 15) Eye Irrit. 2, H319 (5 =<C < 15) Skin Irrit. 2, H315 (C >= 15) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
 First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
 First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
 First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
 First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Burns.
 Symptoms/injuries after eye contact : Serious damage to eyes.

Symptoms/injuries after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

iron(III)sulfate (10028-22-5)		
Belgium	Limit value (mg/m ³)	1 mg/m ³ (Fer (sels solubles) (en Fe); Belgium; Time-weighted average exposure limit 8 h)
Ireland	Local name	Iron salts (as Fe)
Ireland	OEL (8 hours ref) (mg/m ³)	1 mg/m ³
Ireland	OEL (15 min ref) (mg/m ³)	2 mg/m ³
United Kingdom	Local name	Iron salts
United Kingdom	WEL TWA (mg/m ³)	1 mg/m ³ (as Fe)
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³ (as Fe)
Australia	Local name	Iron salts, soluble (as Fe)
Australia	TWA (mg/m ³)	1 mg/m ³



Iron (III) sulfate TS

Japanese Pharmacopoeia Test Solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

iron(III)sulfate (10028-22-5)		
USA - ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (Iron salts, soluble, as Fe; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
sulphuric acid (7664-93-9)		
EU	Local name	Sulphuric acid (mist)
EU	IOELV TWA (mg/m ³)	0,05 mg/m ³
Austria	Local name	Schwefelsäure
Austria	MAK (mg/m ³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m ³)	0,2 mg/m ³
Belgium	Local name	Acide sulfurique
Belgium	Limit value (mg/m ³)	1 mg/m ³
Belgium	Short time value (mg/m ³)	3 mg/m ³
Bulgaria	Local name	Сярна киселина
Bulgaria	OEL TWA (mg/m ³)	1 mg/m ³
Croatia	Local name	Sumporna kiselina
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	0,05 mg/m ³
Croatia	Naznake (HR)	C EU***
Czech Republic	Local name	Kyselina sírová, jako SO
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	2 mg/m ³
Denmark	Local name	Svovlsyre
Denmark	Grænseværdie (langvarig) (mg/m ³)	1 mg/m ³
Estonia	Local name	Väävelhape, udu
Estonia	OEL TWA (mg/m ³)	0,05 mg/m ³
Finland	Local name	Rikkihappo
Finland	HTP-arvo (8h) (mg/m ³)	0,05 mg/m ³
Finland	HTP-arvo (15 min)	0,1 mg/m ³
France	Local name	Acide sulfurique
France	VME (mg/m ³)	1 mg/m ³
France	VLE (mg/m ³)	3 mg/m ³
Germany	Local name	Schwefelsäure
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	0,1 mg/m ³
Germany	Remark (TRGS 900)	DFG, EU, Y
Greece	OEL TWA (mg/m ³)	1 mg/m ³
Hungary	Local name	KÉNSAV
Hungary	AK-érték	0,05 mg/m ³
Hungary	Megjegyzések (HU)	m; l.
Latvia	Local name	Sērskābe3 (migla, kas tiek definēta kā torakālā frakcija)
Latvia	OEL TWA (mg/m ³)	0,05 mg/m ³
Lithuania	Local name	Sieros rūgštis (rūkas)
Lithuania	IPRV (mg/m ³)	0,05 mg/m ³
Lithuania	TPRV (mg/m ³)	3 mg/m ³
Netherlands	Local name	Zwavelzuur (nevel), gedefinieerd als de thoracale fractie
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,05 mg/m ³
Netherlands	Grenswaarde TGG 8H (ppm)	0,012 ppm (Zwavelzuur (nevel), gedefinieerd als de thoracale fractie; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value)
Portugal	Local name	Ácido sulfúrico
Portugal	OEL TWA (mg/m ³)	0,2 mg/m ³

Iron (III) sulfate TS

Japanese Pharmacopoeia Test Solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

sulphuric acid (7664-93-9)		
Romania	Local name	Acid sulfuric și anhidrida sulfuroasa
Romania	OEL TWA (mg/m ³)	0,5 mg/m ³
Romania	OEL STEL (mg/m ³)	1 mg/m ³
Slovenia	Local name	Žveplova kislina - megla in žveplov trioksid (merjeno kot žveplova kislina)
Slovenia	OEL TWA (mg/m ³)	0,05 mg/m ³
Spain	Local name	Ácido sulfúrico
Spain	VLA-ED (mg/m ³)	0,05 mg/m ³ niebla
Spain	Notes	(2014), az (Al seleccionar un método adecuado de control de la exposición, deben tomarse en consideración posibles limitaciones e interferencias que pueden surgir en presencia de otros compuestos de azufre.), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país.), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para unainformación detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios: http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles.)
Sweden	Local name	Sulfuric acid
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m ³)	3 mg/m ³
United Kingdom	Local name	Sulphuric acid
United Kingdom	WEL TWA (mg/m ³)	0,05 mg/m ³ (mist)
United Kingdom	Remark (WEL)	The mist is defined as the thoracic fraction
Iceland	Local name	Brennisteinssýra
Iceland	OEL (8 hours ref) (mg/m ³)	1 mg/m ³
Norway	Local name	Svovelsyre, inhalerbar fraksjon
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Merknader (NO)	K
Switzerland	Local name	Acide sulfurique
Switzerland	VME (mg/m ³)	0,1 mg/m ³
Switzerland	VLE (mg/m ³)	0,1 mg/m ³
Switzerland	Remark (CH)	15 min
Australia	Local name	Sulphuric acid
Australia	TWA (mg/m ³)	1 mg/m ³
Australia	STEL (mg/m ³)	3 mg/m ³
USA - ACGIH	Local name	Sulfuric acid
USA - ACGIH	ACGIH TWA (mg/m ³)	0,2 mg/m ³
USA - ACGIH	Remark (ACGIH)	Pulm func
USA - OSHA	Local name	Sulfuric acid
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure. Gloves. Safety glasses. Protective clothing.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

iron(III)sulfate (10028-22-5)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)

sulphuric acid (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight (Test data of the pure substance; Rat; Equivalent or similar to OECD 401; Experimental value)

Skin corrosion/irritation : Causes severe skin burns and eye damage.
 Serious eye damage/irritation : Serious eye damage, category 1, implicit
 Respiratory or skin sensitisation : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

sulphuric acid (7664-93-9)	
Additional information	Strong inorganic acid mists containing sulfuric acid are carcinogenic to humans

Reproductive toxicity : Not classified
 Specific target organ toxicity (single exposure) : Not classified
 Specific target organ toxicity (repeated exposure) : Not classified
 Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

iron(III)sulfate (10028-22-5)	
LC50 fish 1	93 mg/l (LC50; 96 h)
EC50 Daphnia 1	86 mg/l (EC50; 48 h)

sulphuric acid (7664-93-9)	
LC50 fish 1	> mg/l >16 - <28, LC50; 96 h; Lepomis macrochirus; Static system; Fresh water
EC50 Daphnia 1	> 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	> 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

iron(III)sulfate (10028-22-5)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

sulphuric acid (7664-93-9)	
Persistence and degradability	Biodegradability: Not applicable. Hydrolysis in water. Biodegradability in soil: Not applicable. No (test) data available on mobility of the substance.
ThOD	Not applicable

12.3. Bioaccumulative potential

iron(III)sulfate (10028-22-5)	
Bioaccumulative potential	Not bioaccumulative.
sulphuric acid (7664-93-9)	
Bioaccumulative potential	Bioaccumulation: Not applicable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
2796	2796	2796	2796	2796
14.2. UN proper shipping name				
SULPHURIC ACID	SULPHURIC ACID	Sulphuric acid	SULPHURIC ACID	SULPHURIC ACID
Transport document description				
UN 2796 SULPHURIC ACID, 8, II, (E)	UN 2796 SULPHURIC ACID, 8, II	UN 2796 Sulphuric acid, 8, II	UN 2796 SULPHURIC ACID, 8, II	UN 2796 SULPHURIC ACID, 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: C1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T8
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT

Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2R

- Transport by sea

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
IBC special provisions (IMDG) : B20
Tank instructions (IMDG) : T8
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : B

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T8
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	sulphuric acid
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Iron (III) sulfate TS Japanese Pharmacopoeia Test Solution - sulphuric acid

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : sulphuric acid is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation

SDS EU Mod H F (REACH ANNEX II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.