

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Pd(NO₃)₂ 10g/L in HNO₃ 15%
 Product code : MM106
 Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use
 Use of the substance/mixture : Laboratory chemical
 Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Spectracer UK Ltd.

Second Floor,
 27 Gloucester Place,
 London,
 W1U 8HU,
 United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: contact@spectracer.co.uk

Web: www.spectracer.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332
 Skin corrosion/irritation, Category 1B H314
 Serious eye damage/eye irritation, Category 1 H318
 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

: Danger

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

Hazardous ingredients	: nitric acid
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage. H332 - Harmful if inhaled. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P312 - Call a POISON CENTRE or doctor if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1 (REACH-no) 01-2119487297-23-XXXX	15 - 30	Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318
palladium dinitrate	(CAS-No.) 10102-05-3 (EC-No.) 233-265-8 (REACH-no) 01-2120279900-51-XXXX	1 - 5	Ox. Sol. 1, H271 Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1 (REACH-no) 01-2119487297-23-XXXX	(5 =<C < 20) Skin Corr. 1B, H314 (20 =<C < 100) Skin Corr. 1A, H314 (65 =<C < 99) Ox. Liq. 3, H272 (99 =<C < 100) Ox. Liq. 2, H272

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. Burns.
Symptoms/effects after eye contact	: Eye irritation. Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

:

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

nitric acid (7697-37-2)

EU	Local name	Nitric acid
EU	IOELV STEL (mg/m ³)	2,6 mg/m ³ (Nitric acid; EU; Short time value; Indicative occupational exposure limit value)
EU	IOELV STEL (ppm)	1 ppm (Nitric acid; EU; Short time value; Indicative occupational exposure limit value)
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Austria	Local name	Salpetersäure
Austria	MAK Short time value (mg/m ³)	2,6 mg/m ³
Austria	MAK Short time value (ppm)	1 ppm
Austria	Regulatory reference	BGBI. II Nr. 186/2015
Belgium	Local name	Acide nitrique # Salpeterzuur
Belgium	Short time value (mg/m ³)	2,6 mg/m ³
Belgium	Short time value (ppm)	1 ppm

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018
Bulgaria	Local name	Азотна киселина
Bulgaria	OEL STEL (mg/m ³)	2,6 mg/m ³
Bulgaria	OEL STEL (ppm)	1 ppm
Bulgaria	Notes	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Bulgaria	Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.)
Croatia	Local name	Dušična kiselina
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	2,6 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	1 ppm
Croatia	Naznake (HR)	EU** (naznaka da se radi o tvarima za koje su utvrđene indikativne granične vrijednosti izloženosti prema Direktivi 2006/15/ EC (druga lista)); O (oksidirajuće); C (nagrizajuće)
Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Czech Republic	Local name	Kyselina dusičná
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	0,39 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	2,5 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	1 ppm
Czech Republic	Remark (CZ)	I (dráždí sliznice (oči, dýchací cesty) resp. kůži)
Czech Republic	Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zpracovány změny č. 246/2018 Sb.)
Denmark	Local name	Salpetersyre
Denmark	Grænseværdie (kortvarig) (mg/m ³)	2,6 mg/m ³
Denmark	Grænseværdie (kortvarig) (ppm)	1 ppm
Denmark	Anmærkninger (DK)	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Denmark	Regulatory reference	BEK nr 655 af 31/05/2018
Estonia	Local name	Lämmastikhape
Estonia	OEL STEL (mg/m ³)	2,6 mg/m ³
Estonia	OEL STEL (ppm)	1 ppm
Estonia	Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5)
Finland	Local name	Typpihappo
Finland	HTP-arvo (8h) (mg/m ³)	1,3 mg/m ³
Finland	HTP-arvo (8h) (ppm)	0,5 ppm
Finland	HTP-arvo (15 min)	2,6 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1 ppm

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Finland	Regulatory reference	HTP-ARVOT 2018 (Sosiaali- ja terveysministeriö)
France	Local name	Acide nitrique
France	VLE (mg/m ³)	2,6 mg/m ³
France	VLE (ppm)	1 ppm
France	Note (FR)	Valeurs réglementaires indicatives
France	Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany	TRGS 900 Local name	Salpetersäure
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	2,6 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	1 ppm
Germany	TRGS 900 Remark	EU;13;16
Germany	TRGS 900 Regulatory reference	TRGS900
Germany	TRGS 910 Acceptable concentration notes	
Gibraltar	Short-term mg/m ³	2,6 mg/m ³
Gibraltar	Short-term ppm	1 ppm
Gibraltar	Name of agent	Nitric acid
Gibraltar	Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Greece	Local name	Νιτρικό οξύ
Greece	OEL STEL (mg/m ³)	2,6 mg/m ³
Greece	OEL STEL (ppm)	1 ppm
Greece	Regulatory reference	Π.Δ. 162/2007
Hungary	Local name	SALÉTRÓMSAV
Hungary	CK-érték	2,6 mg/m ³
Hungary	Megjegyzések (HU)	i (ingerlő anyag, amely irritálja a bőrt, nyálkahártyát, szemet vagy mindháromat), m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindháromat); EU2 (2006/15/EK irányelvben közölt érték)
Hungary	Regulatory reference	25/2000. (IX. 30.) EüM–SZCSM együttes rendelet a munkahelyek kémiai biztonságáról
Ireland	Local name	Nitric acid
Ireland	OEL (15 min ref) (mg/m ³)	2,6 mg/m ³
Ireland	OEL (15 min ref) (ppm)	1 ppm
Ireland	Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
Italy	Local name	Acido nitrico
Italy	OEL STEL (mg/m ³)	2,6 mg/m ³
Italy	OEL STEL (ppm)	1 ppm
Italy	Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia	Local name	Slāpekļskābe
Latvia	OEL TWA (mg/m ³)	2 mg/m ³
Latvia	OEL TWA (ppm)	0,78 ppm
Latvia	OEL STEL (mg/m ³)	2,6 mg/m ³
Latvia	OEL STEL (ppm)	1 ppm

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania	Local name	Nitrato rūgštis (azoto rūgštis)
Lithuania	TPRV (mg/m ³)	2,6 mg/m ³
Lithuania	TPRV (ppm)	1 ppm
Lithuania	Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg	Local name	Acide nitrique
Luxembourg	OEL STEL (mg/m ³)	2,6 mg/m ³
Luxembourg	OEL STEL (ppm)	1 ppm
Luxembourg	Regulatory reference	Mémorial A N° 684 de 2018
Malta	Local name	Nitric acid
Malta	OEL STEL (mg/m ³)	2,6 mg/m ³
Malta	OEL STEL (ppm)	1 ppm
Malta	Regulatory reference	S.L.424.24 (L.N.57 of 2018)
Netherlands	Local name	Salpeterzuur
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	1,3 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (ppm)	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Netherlands	Regulatory reference	Arbeidsomstandighedenregeling 2018
Poland	Local name	Kwas azotowy (V)
Poland	NDS (mg/m ³)	1,4 mg/m ³
Poland	NDSch (mg/m ³)	2,6 mg/m ³
Poland	Regulatory reference	Dz. U. 2018 poz. 1286
Portugal	Local name	Ácido nítrico
Portugal	OEL TWA (ppm)	2 ppm
Portugal	OEL STEL (ppm)	4 ppm
Slovakia	Regulatory reference	Norma Portuguesa NP 1796:2014
Romania	Local name	Acid nitric/Acid azotic
Romania	OEL STEL (mg/m ³)	2,6 mg/m ³
Romania	OEL STEL (ppm)	1 ppm
Romania	Regulatory reference	Hotărârea nr. 584/2018
Slovakia	Local name	Kyselina dusičná
Slovakia	OEL STEL (mg/m ³)	2,6 mg/m ³
Slovakia	OEL STEL (ppm)	1 ppm
Slovakia	Regulatory reference	Nariadenie vlády č. 33/2018 Z.z.
Slovenia	Local name	dušikova kislina
Slovenia	OEL TWA (mg/m ³)	2,6 mg/m ³
Slovenia	OEL TWA (ppm)	1 ppm
Slovenia	OEL STEL (mg/m ³)	2,6 mg/m ³
Slovenia	OEL STEL (ppm)	1 ppm
Slovenia	Remark (SI)	EU
Slovenia	Regulatory reference	Uradni list RS, št. 78/2018 z dne 4.12.2018
Spain	Local name	Ácido nítrico

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Spain	VLA-EC (mg/m ³)	2,6 mg/m ³
Spain	VLA-EC (ppm)	1 ppm
Spain	Notes	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
Sweden	Local name	Salpetersyra
Sweden	nivågränsvärde (NVG) (mg/m ³)	1,3 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	0,5 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	2,6 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1 ppm
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom	Local name	Nitric acid
United Kingdom	WEL STEL (mg/m ³)	2,6 mg/m ³
United Kingdom	WEL STEL (ppm)	1 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Iceland	Local name	Saltpéturssýra
Iceland	OEL (15 min ref) (mg/m ³)	2,6 mg/m ³
Iceland	OEL (15 min ref) (ppm)	1 ppm
Iceland	Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway	Local name	Salpetersyre
Norway	Grenseverdier (AN) (mg/m ³)	5 mg/m ³
Norway	Grenseverdier (AN) (ppm)	2 ppm
Norway	Merknader (NO)	E (EU har en veiledende grenseverdi for stoffet)
Norway	Regulatory reference	FOR-2018-08-21-1255
Switzerland	Local name	Acide nitrique / Salpetersäure
Switzerland	MAK (mg/m ³)	5 mg/m ³
Switzerland	MAK (ppm)	2 ppm
Switzerland	KZGW (mg/m ³)	5 mg/m ³
Switzerland	KZGW (ppm)	2 ppm
Switzerland	Critical toxicity	VRS, Yeux, Dent / OAW, Auge, Zahn
Switzerland	Remark	NIOSH, OSHA
Switzerland	Regulatory reference	www.suva.ch, 01.11.2018
USA - ACGIH	Local name	Nitric acid
USA - ACGIH	ACGIH TWA (ppm)	2 ppm
USA - ACGIH	ACGIH STEL (ppm)	4 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; dental erosion
USA - ACGIH	Regulatory reference	ACGIH 2019

palladium dinitrate (10102-05-3)		
Finland	Local name	Palladium, liukoiset yhdisteet
Finland	HTP-arvo (8h) (mg/m ³)	0,0015 mg/m ³ Pd
Finland	Regulatory reference	HTP-ARVOT 2018 (Sosiaali- ja terveystieteiden ministeriö)

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

palladium dinitrate (10102-05-3)

Germany TRGS 910 Acceptable concentration notes

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate general and local exhaust ventilation. Ensure good ventilation of the work station.

Personal protective equipment:

Protective clothing. Protective goggles. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: < 2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1,01
Solubility	: Miscible with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.

ATE CLP (dust,mist)	3,333 mg/l/4h
---------------------	---------------

nitric acid (7697-37-2)

LC50 inhalation rat (mg/l)	> 2,65 mg/l
----------------------------	-------------

palladium dinitrate (10102-05-3)

LD50 oral rat	200 - 2000 mg/kg
---------------	------------------

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: < 2

Serious eye damage/irritation : Causes serious eye damage.

pH: < 2

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

nitric acid (7697-37-2)

LC50 fish 1	72 mg/l
-------------	---------

EC50 Daphnia 1	180 mg/l
----------------	----------

Threshold limit algae 1	> 19 mg/l
-------------------------	-----------

palladium dinitrate (10102-05-3)

LC50 fish 1	116 mg/l	Cyprinus carpio (Common carp)
-------------	----------	-------------------------------

EC50 Daphnia 1	1,7 mg/l
----------------	----------

12.2. Persistence and degradability

No additional information available

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

12.3. Bioaccumulative potential

nitric acid (7697-37-2)

BCF fish 1	<= 1
Log Pow	-2,3

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

palladium dinitrate (10102-05-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
----------------------------------	---

12.6. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 2031	UN 2031	UN 2031	UN 2031	UN 2031
14.2. UN proper shipping name				
NITRIC ACID	NITRIC ACID	Nitric acid	NITRIC ACID	NITRIC ACID
Transport document description				
UN 2031 NITRIC ACID, 8, II, (E)	UN 2031 NITRIC ACID, 8, II	UN 2031 Nitric acid, 8, II	UN 2031 NITRIC ACID, 8, II	UN 2031 NITRIC ACID, 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Special packing provisions (ADR)	: PP81, B15
Mixed packing provisions (ADR)	: MP15

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

Portable tank and bulk container instructions (ADR)	: T8
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2P
APP code	: B

Transport by sea

Packing instructions (IMDG)	: P001
Special packing provisions (IMDG)	: PP81
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B15, B20
Tank instructions (IMDG)	: T8
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: D
Segregation (IMDG)	: SG6, SG16, SG17, SG19
Properties and observations (IMDG)	: Colourless liquid.Oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving highly toxic gases (brown fumes). Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Special packing provisions (RID)	: PP81, B15
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	nitric acid
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	nitric acid
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	nitric acid

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Storage class (LGK) : LGK 8B - Non-combustible corrosive substances

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Pd(NO₃)₂ 10g/L in HNO₃ 15%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

WWW.FASTMSDS.COM

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS EU Mod H F (REACH ANNEX II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.