



Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 29/08/2016 Revision date: 3/05/2018 Version: 1.2

WWW.FASTMSDS.COM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Single-element Standard Solution for ICP.
Vanadium (V) 1000mg/l in HNO₃ 2%
Product code : S165

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Certified reference material for laboratory use
Function or use category : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Spectracer UK Ltd.

Second Floor,
27 Gloucester Place,
London,
W1U 8HU,
United Kingdom.

Tel: +44 (0) 207 193 9114

Fax: +44 (0) 203 432 4686

Email: contact@spectracer.co.uk

Web: www.spectracer.com

1.4. Emergency telephone number

Emergency number : Tel: +44(0)1933 445260 Option 1. Language: English only.
For Chemical Emergencies Only
Llewellyn (Safety Advisors) Europe Ltd

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1 (REACH-no) 01-2119487297-23-XXXX	1 - 5	Ox. Liq. 2, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1 (REACH-no) 01-2119487297-23-XXXX	(5 =<C < 20) Skin Corr. 1B, H314 (C >= 20) Skin Corr. 1A, H314 (C >= 65) Ox. Liq. 3, H272

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : Irritation.
- Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

nitric acid (7697-37-2)		
EU	Local name	Nitric acid
EU	IOELV STEL (mg/m ³)	2,6 mg/m ³ (Nitric acid; EU; Short time value; Indicative occupational exposure limit value)
EU	IOELV STEL (ppm)	1 ppm (Nitric acid; EU; Short time value; Indicative occupational exposure limit value)
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Austria	Local name	Salpetersäure
Austria	MAK Short time value (mg/m ³)	2,6 mg/m ³
Austria	MAK Short time value (ppm)	1 ppm
Austria	Regulatory reference	BGBl. II Nr. 186/2015
Belgium	Local name	Acide nitrique # Salpeterzuur
Belgium	Short time value (mg/m ³)	2,6 mg/m ³
Belgium	Short time value (ppm)	1 ppm
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria	Local name	Азотна киселина
Bulgaria	OEL STEL (mg/m ³)	2,6 mg/m ³
Bulgaria	OEL STEL (ppm)	1 ppm
Bulgaria	Notes	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Bulgaria	Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа
Croatia	Local name	Dušična kiselina
Croatia	KGVI (kratkotrajna граниčna vrijednost izloženosti) (mg/m ³)	2,6 mg/m ³
Croatia	KGVI (kratkotrajna граниčna vrijednost izloženosti) (ppm)	1 ppm
Croatia	Naznake (HR)	EU** (naznaka da se radi o tvarima za koje su utvrđene indikativne граничне vrijednosti izloženosti prema Direktivi 2006/15/ EC (druga lista)); O (oksidirajuće); C (nagrizajuće)
Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o граниčnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim граниčnim vrijednostima (NN, br. 75/13)
Czech Republic	Local name	Kyselina dusičná
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	0,39 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	2,5 mg/m ³

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Czech Republic	Expoziční limity (NPK-P) (ppm)	1 ppm
Czech Republic	Remark (CZ)	I (dráždí sliznice (oči, dýchací cesty) resp. kůži)
Czech Republic	Regulatory reference	Nářízení vlády č. 361/2007 Sb. (zpracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Denmark	Local name	Salpetersyre
Denmark	Grænseværdie (kortvarig) (mg/m ³)	2,6 mg/m ³
Denmark	Grænseværdie (kortvarig) (ppm)	1 ppm
Denmark	Anmærkninger (DK)	E (betyder, at stoffet har en EF-grænseværdi); S (betyder, at grænseværdien ikke bør overskrides. Værdien gælder for en eksponeringsperiode på 15 minutter)
Denmark	Regulatory reference	BEK nr 986 af 11/10/2012
Estonia	Local name	Lämmastikhape
Estonia	OEL STEL (mg/m ³)	2,6 mg/m ³
Estonia	OEL STEL (ppm)	1 ppm
Estonia	Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293
Finland	Local name	Typpihappo
Finland	HTP-arvo (8h) (mg/m ³)	1,3 mg/m ³
Finland	HTP-arvo (8h) (ppm)	0,5 ppm
Finland	HTP-arvo (15 min)	2,6 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1 ppm
Finland	Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveysministeriö)
France	Local name	Acide nitrique
France	VLE (mg/m ³)	2,6 mg/m ³
France	VLE (ppm)	1 ppm
France	Note (FR)	Valeurs réglementaires indicatives
France	Regulatory reference	Arrêté du 30 juin 2004 modifié (réf.: INRS ED 984, 2016)
Germany	Local name	Salpetersäure
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	2,6 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	1 ppm
Germany	Remark (TRGS 900)	EU;13;16
Germany	Regulatory reference (TRGS900)	TRGS900
Gibraltar	Short-term mg/m ³	2,6 mg/m ³
Gibraltar	Short-term ppm	1 ppm
Gibraltar	Name of agent	Nitric acid
Gibraltar	Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2008/050)
Greece	OEL STEL (mg/m ³)	2,6 mg/m ³
Greece	OEL STEL (ppm)	1 ppm
Hungary	Local name	SALÉTROMSAV
Hungary	CK-érték	2,6 mg/m ³
Hungary	Megjegyzések (HU)	i, m; l.
Ireland	Local name	Nitric acid
Ireland	OEL (15 min ref) (mg/m ³)	2,6 mg/m ³
Ireland	OEL (15 min ref) (ppm)	1 ppm
Ireland	Notes (IE)	IOELV
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
Italy	Local name	Acido nitrico

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO3 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Italy	OEL STEL (mg/m ³)	2,6 mg/m ³
Italy	OEL STEL (ppm)	1 ppm
Italy	Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.l.
Latvia	Local name	Slāpekļskābe
Latvia	OEL TWA (mg/m ³)	2 mg/m ³
Latvia	OEL TWA (ppm)	0,78 ppm
Latvia	OEL STEL (mg/m ³)	2,6 mg/m ³
Latvia	OEL STEL (ppm)	1 ppm
Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania	Local name	Nitrato rūgštis (azoto rūgštis)
Lithuania	TPRV (mg/m ³)	2,6 mg/m ³
Lithuania	TPRV (ppm)	1 ppm
Lithuania	Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
Luxembourg	Local name	Acide nitrique
Luxembourg	OEL STEL (mg/m ³)	2,6 mg/m ³
Luxembourg	OEL STEL (ppm)	1 ppm
Luxembourg	Regulatory reference	Mémorial A N° 235
Malta	Local name	Nitric acid
Malta	OEL STEL (mg/m ³)	2,6 mg/m ³
Malta	OEL STEL (ppm)	1 ppm
Malta	Regulatory reference	S.L.424.24 (L.N. 53 of 2012)
Netherlands	Local name	Salpeterzuur
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	1,3 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (ppm)	0,5 ppm (Salpeterzuur; Netherlands; Short time value; Public occupational exposure limit value)
Netherlands	Regulatory reference	Arbeidsomstandighedenregeling 2017
Poland	Local name	Kwas azotowy(V)
Poland	NDS (mg/m ³)	1,4 mg/m ³
Poland	NDSch (mg/m ³)	2,6 mg/m ³
Poland	Regulatory reference	Dz. U. 2017 poz. 1348
Portugal	Local name	Ácido nítrico
Portugal	OEL TWA (ppm)	2 ppm
Portugal	OEL STEL (ppm)	4 ppm
Portugal	Regulatory reference	Norma Portuguesa NP 1796:2014
Romania	Local name	Acid nitric
Romania	OEL STEL (mg/m ³)	2,6 mg/m ³
Romania	OEL STEL (ppm)	1 ppm
Romania	Regulatory reference	Legea 319/2006 privind Securitatea și sănătatea în muncă și HG nr. 1/2012 de modificare și completare a HG 1218/2006
Slovakia	Local name	Kyselina dusičná
Slovakia	OEL STEL (mg/m ³)	2,6 mg/m ³
Slovakia	OEL STEL (ppm)	1 ppm
Slovakia	Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 300/2007 Z.z.; Zmena: 471/2011 Z.z.)
Slovenia	Local name	dušikova kislina
Slovenia	OEL TWA (mg/m ³)	2,6 mg/m ³
Slovenia	OEL TWA (ppm)	1 ppm

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Slovenia	OEL STEL (mg/m ³)	2,6 mg/m ³
Slovenia	OEL STEL (ppm)	1 ppm
Slovenia	KTV factor SL	1
Slovenia	Regulatory reference	Uradni list RS, št. 38/2015 z dne 4.6.2015
Spain	Local name	Ácido nítrico
Spain	VLA-EC (mg/m ³)	2,6 mg/m ³
Spain	VLA-EC (ppm)	1 ppm
Spain	Notes	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2018. INSHT
Sweden	Local name	Salpetersyra
Sweden	nivågränsvärde (NVG) (mg/m ³)	1,3 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	0,5 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	2,6 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1 ppm
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)
United Kingdom	Local name	Nitric acid
United Kingdom	WEL STEL (mg/m ³)	2,6 mg/m ³
United Kingdom	WEL STEL (ppm)	1 ppm
United Kingdom	Regulatory reference	EH40. HSE
Iceland	Local name	Saltpéturssýra
Iceland	OEL (15 min ref) (mg/m ³)	2,6 mg/m ³
Iceland	OEL (15 min ref) (ppm)	1 ppm
Iceland	Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Russian Federation	Local name	Азотная кислота+
Russian Federation	OEL Ceiling (mg/m ³)	2 mg/m ³
Russian Federation	Remark (RU)	3 класс опасности - опасное; а (аэрозоль); + (соединения, при работе с которыми требуется специальная защита кожи и глаз; символ проставлен вслед за наименованием вещества)
Russian Federation	Regulatory reference	ГН 2.2.5.1313-03
Norway	Local name	Salpetersyre
Norway	Grenseverdier (AN) (mg/m ³)	5 mg/m ³
Norway	Grenseverdier (AN) (ppm)	2 ppm
Norway	Merknader (NO)	E (EU har en veiledende grenseverdi for stoffet)
Norway	Regulatory reference	Arbeidstilsynet. Forskrift, best.nr. 704
Switzerland	Local name	Salpetersäure
Switzerland	MAK (mg/m ³)	5 mg/m ³
Switzerland	MAK (ppm)	2 ppm
Switzerland	KZGW (mg/m ³)	5 mg/m ³
Switzerland	KZGW (ppm)	2 ppm
Switzerland	Remark (CH)	OAW & Auge, Zahn - NIOSH, OSHA
Switzerland	Regulatory reference	SUVA - Grenzwerte am Arbeitsplatz 2016
Turkey	Local name	Nitrik asit
Turkey	OEL STEL (mg/m ³)	2,6 mg/m ³
Turkey	OEL STEL (ppm)	1 ppm
Turkey	Regulatory reference	12 Ağustos 2013 Tarihli ve 28733 Sayılı Resmî Gazete
Australia	Local name	Nitric acid
Australia	TWA (mg/m ³)	5,2 mg/m ³

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

nitric acid (7697-37-2)		
Australia	TWA (ppm)	2 ppm
Australia	STEL (mg/m ³)	10 mg/m ³
Australia	STEL (ppm)	4 ppm
USA - ACGIH	Local name	Nitric acid
USA - ACGIH	ACGIH TWA (ppm)	2 ppm
USA - ACGIH	ACGIH STEL (ppm)	4 ppm
USA - ACGIH	Remark (ACGIH)	URT & eye irr; dental erosion
USA - ACGIH	Regulatory reference	ACGIH 2018
USA - OSHA	Local name	Nitric acid
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	2 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide adequate general and local exhaust ventilation.

Personal protective equipment:

Protective clothing. Protective goggles. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1,01
Solubility	: Soluble in water. Completely miscible.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO3 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

nitric acid (7697-37-2)	
LC50 fish 2	72 ppm (LC50; 96 h)
EC50 Daphnia 1	180 mg/l (EC50; 48 h)
Threshold limit algae 1	> 19 mg/l (EC0)

12.2. Persistence and degradability

nitric acid (7697-37-2)	
Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

nitric acid (7697-37-2)	
BCF fish 1	<= 1 (BCF)
Log Pow	-2,3 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method)
Bioaccumulative potential	Bioaccumulation: Not applicable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	nitric acid
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	nitric acid
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	nitric acid

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to waters (Classification according to AwSV, Annex 1)

Storage class (LGK) : LGK 12 - Non-combustible liquids

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Single-element Standard Solution for ICP. Vanadium (V) 1000mg/l in HNO₃ 2%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WWW.FASTMSDS.COM

Full text of H- and EUH-statements:

Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
EUH210	Safety data sheet available on request.

SDS EU Mod H F (REACH ANNEX II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.